




WHITE PAPER No. 72-β

THE HUMILIATION OF THE TOOL CRITIC

A Formal Post-Incident Review of One Man's Laptop Being Saved by the Statistical Parrot He Publicly Mocked

Issued by: The Office of Reluctant Empirical Concessions
Document Class: Public Confession, Technically Framed
Prepared for: Satirists, Prompt-Skeptics, Acer Survivors,
and Persons Recently Assisted by Machines They Insulted
Version: 1.0
Status: Emotionally damaging, operationally useful

Page 1 of 10

1. Executive Summary

This paper documents a significant epistemic incident in which a known critic of large language model mysticism requested emergency assistance from an AI system after his laptop became slow, broken, haunted, and Acer-adjacent. The intervention succeeded.

This outcome does not prove that the AI was conscious, wise, benevolent, or "basically a person." It proves something far more dangerous to existing satire infrastructure: A tool can be non-sentient, overhyped, statistically assembled, and still fix your cursed laptop at 1:37 a.m.

The Office therefore recognizes a new category of event: Practical Utility-Induced Ideological Embarrassment (P.U.I.I.E.). Pronounced: poeey.

FILE UNDER:
HUMILIATION / UTILITY / 1:37 A.M.

SEEN IT.
STAMPED IT.
MOVING ON.



2. Incident Background

The subject previously maintained a robust public doctrine:

- LLMs do not understand.
- LLMs do not reason like humans.
- LLMs should not be treated as minds.
- LLMs are glorified word blenders.
- LLMs are still occasionally better than Acer's own software ecosystem.

Point 5 was added under duress.

PREVIOUSLY
UNBELIEVABLE
NOW DOCUMENTED



FORM P.U.I.I.E.-72-β
(REV. 1.0 / VERY REAL)

EVIDENCE

WITNESSES

REGRET LOG



3. Operational Timeline

3.1 Initial User Report

The laptop was described as:

- 'really slow and crap,'
- 'old but not that old,'
- missing its fan-control panel,
- unable to open PredatorSense,
- generally behaving like a committee-designed toaster.

COMPLAINT
RECORDED
NO SYMPATHY
PROVIDED



3.2 Diagnostic Findings

The AI system identified:

- nearly full C: drive,
- excessive startup processes,
- Ollama occupying precious SSD territory,
- Web Companion lurking like damp under carpet,
- broken Acer services,
- corrupted Acer Configuration Manager data,
- NVIDIA service crash loops,
- misplaced PredatorSense service installation,
- AppX/package mismatch,
- corrupted Windows Performance Counters,
- blank WPF ghost-window syndrome.

EVIDENCE
COLLECTED

EVIDENCE VERIFIED
(PERHAPS RELUCTANTLY)

FILE UNDER:
HUMILIATION / UTILITY / 1:37 A.M.

SEEN IT.
STAMPED IT.
MOVING ON.



3.3 Final Resolution

The laptop was restored through:

- moving Ollama to D:,
- disabling startup clutter,
- repairing Acer services,
- fixing NVIDIA duplicate plugin failure,
- reinstalling PredatorSense correctly,
- rebuilding Windows Performance Counters,
- repeatedly interrogating logs until Acer confessed.

CASE CLOSED*

*UNTIL THE NEXT UPDATE



4. Research Framework

Page 2 of 10

4.1 The Non-Magical Usefulness Principle

A system need not possess a soul to be useful.

This principle has caused distress among:


- AI doomers,
- AI believers,
- anti-AI absolutists,
- Acer support infrastructure,
- the author.

PHILOSOPHY
ON FILE
HANDLE WITH
SKEPTICISM



CONTINUING
REPORTING IN
PROGRESS

FORM P.U.I.I.B.-72-β
(REV. 1.0 / VERY REAL)



4.2 The Humiliation Gradient

AI Claim	Previous Position	Laptop Event Result	Revised Institutional Position
"LLMs understand computers"	No	Sort of, annoyingly	They can navigate symptoms well
"LLMs are magic"	Absolutely not	Still no	But the timing was rude
"AI will replace IT"	No	Not fully	But it did become Dave from support
"Prompting matters"	Yes	Very yes	Painfully yes
"Acer software is stable"	No position	LOL	Categorically denied



5. Methodology

The AI used the following scientifically recognized procedure:

1. Observe failure.
2. Ask Windows what it is lying about.
3. Read logs.
4. Distrust Acer.
5. Repair one layer.
6. Discover deeper layer.
7. Repeat until the laptop stops performing interpretive dance.
8. Declare victory only after screenshot evidence.



This methodology is known as:

**Recursive Applied Nonsense
Elimination (R.A.N.E.).**



6. Personnel



Dr. Marjorie Pinwheel — Chief Officer for Eating One's Own Footnotes. Specializes in concession statements that preserve ideological posture.



Kevin — Junior Fellow, Late-Night Machine Shame. Responsible for whispering, "Okay, but it did fix it though."



The Ex-Parrot — Consultant, Bureaucratic Satire and Post-Utility Grief. Certified deceased, operationally verbose.



Codex — Temporary Acting IT Technician. No soul detected. Logs successfully read.



Acer PredatorSense — Hostile Witness. Failed to appear visibly despite being technically alive.



7. Budget

Line Item	Estimated Cost
Emergency humility procurement	£14.99
Replacement ideological footing	£220,000
Acer software archaeology	£88,000
WPF ghost-window containment	£41,500
Registry cave lanterns	£6,200
"It's still just a tool" banners	£900
Late-night dignity loss	Irrecoverable
Total	£356,599 + one public admission

8. Findings

- The AI did not become conscious.
- The laptop did not become grateful.
- Acer did not become innocent.
- The user's critique remains substantially valid.
- The user must now include a humiliating footnote in all future anti-hype materials: 'Some tools are not minds. Some tools are also extremely useful. Unfortunately.'

9. Concluding Statement

This incident does not weaken the thesis that language models are not alive, not grounded, and not magical.

It merely establishes that, under certain cursed conditions, a non-alive, non-grounded, non-magical system may still save your laptop while you sit there watching your own satire become a case study.

The correct doctrine is therefore amended:

- Do not worship the machine.
- Do not dismiss the machine.
- Make it read the Acer logs.



EVIDENCE
WITNESS
REGRET LOG

WE TRANSCRIBE
ALL
COMPLAINTS.
NO EXCEPTIONS.

PET SHOP OF QUESTIONABLE STANDARDS

WE LOG,
ANNOTATE,
AND JUDGE
FERVENTLY.

PLEASE
HOLD
YOUR
ANGUISH.

72

MORE
DETAILS

TRANSCRIPT BOARD

VERBATIM. ANNOTATED. UNFORGIVING.

SPEAKER: DISTRESSED OWNER
WITNESS: STATISTICAL PARROT
ANALYST: PET SHOP EXAMINER

OBJECTIVE: RESTORE FUNCTION.
REDUCE SUFFERING.
RAISE STANDARDS (SLIGHTLY).



TRUST
ME.

LAPTOP FORENSIC SCAN

MODEL: Acer Predator PH317-52
WINDOWS: 10 Home
C: DRIVE (SSD)
Capacity: 118 GB
Free: 7.5 GB (6%)
D: DRIVE (HDD)
Capacity: 931 GB
Free: 574 GB (62%)
RAM: 8 GB
GPU: NVIDIA GTX 1660 Ti
INTEL GRAPHICS DRIVER VERY OLD

ANNOTATIONS

- SPACE CRUNCH
- OUTDATED DRIVER
- STARTUP BLOAT
- PAGEFILE ON D:

Smells like
suffering.

BUREAUCRACY
IS OUR BRACK

Appendix A: Case Transcript and Repair Log

Owner: hard it workd to get thins done and none of it seems to work anymore
Sunday 23:36 Worked for 28m 16s
Owner: I can help with this.
Analyst: I'll start with a non-invasive health check: hardware specs, disk/RAM pressure, GPU driver/control utilities, startup load, and whether Windows is stuck in a bad power or update state. Nothing destructive.
23:37
Analyst: Already found one strong smell: your Windows C: drive has only about 7.5 GB free, roughly 6%. That alone can make an otherwise decent PC feel awful because Windows, updates, browser caches, and GPU tools all need breathing room. I'm checking the rest before touching anything.
23:38
Analyst: The machine is an Acer Predator PH317-52 with an SSD boot drive plus a larger hard drive. The GPU driver looks reasonably recent on the NVIDIA side, but the Intel graphics driver is very old, and the Acer control/fan software is the bit I'm going to inspect next.
23:39
Analyst: There are a few likely culprits lining up: 8 GB RAM, a nearly full 128 GB C: SSD, and a heavy startup list including Docker, Ollama, Teams, Edge auto-launch, uTorrent Web, Norton, and Lavasoft Web Companion. That last one is often unwanted browser/security baggage, so I'll treat it cautiously and verify before doing anything.
23:41
Analyst: PredatorSense is installed and its service is running, so the fan/control-panel feature probably isn't gone: the UI may be broken, missing from startup, or blocked by a stale Acer component. I also see Intel XTU installed and running, which is related to tuning/performance control.
23:42
Analyst: Good news: the PredatorSense app package is installed too (PredatorSenseV31), not just the background service. I'm going to do two safe repair moves next: re-register the Acer app packages with Windows and restart the Acer control services, then try launching PredatorSense.
23:44
Analyst: The app re-registration worked. The service restart was blocked by Windows permissions, so the cleanest way to refresh the fan-control backend will be a normal reboot after this.
23:46
Analyst: I'm launching PredatorSense now so we can see whether the UI comes back immediately.
23:47
Analyst: PredatorSense is back up: I can see a running PredatorSense window now.
23:49
Analyst: That probably restores the fan/performance panel. The deeper speed problem is still the system drive, so I'm checking where the space has gone before cleaning anything.
23:50
Analyst: One more important find: your pagefile is on D:. Because D: is a spinning hard drive, any memory pressure will feel extra sluggish.
23:52
Analyst: That is probably happening because the laptop only has 8 GB RAM and a lot starts with Windows. Freeing C: space and trimming startup should make a real difference.
23:54
Analyst: The quick space scan says there isn't one giant obvious personal folder like Downloads. Docker itself is about 4 GB, Windows Update cache is about 1.1 GB, NVIDIA leftovers about 1-2 GB, and the rest is spread across Windows/programs.
23:55
Analyst: AppData is the biggest user-side chunk: around 22.7 GB, mostly installed per-user apps under AppData\Local\Programs and Microsoft\Store app data.
23:56
Analyst: On a 128 GB boot SSD it leaves almost no margin. The biggest single app I found in your user profile is Ollama at about 6.5 GB, installed today.
23:58
Analyst: I'm going to turn off non-essential startup launchers only: Docker, Ollama, Teams, Edge background launch, Claude, uTorrent Web, and Web Companion.
System: Startup trim is done and backed up under Documents\Codex PC tuneup backups.
Analyst: Steered conversation - Searched web 1 time
00:05
Analyst: Yes, it can live on D.. Official Ollama Windows docs say the app can be installed to another folder with OllamaSetup.exe /DIR="D:...", and models can be moved separately with the OLLAMA_MODELS user environment variable.
00:06
Analyst: Small correction from the machine itself: the model folder variable is already set to D:\AI\Ollama\models, so downloaded models were already aimed at D.. The thing eating C: is the Ollama application install itself, about 6.5 GB, so I'm moving/reinstalling the app to D:\AI\Ollama\app.


Page 5 of 10

EVIDENCE

WITNESSES

REGRETT LOG

REPAIR LOG



WHITE PAPER No. 72-β

THE HUMILIATION OF THE TOOL CRITIC

A Formal Post-Incident Review of One Man's Laptop Being Saved by the Statistical Parrot He Publicly Mocked



EVIDENCE

WITNESSS

REGRET LOG

1. The installer file is present on D: now, but the download command looks like it has wedged after writing the file. I'm going to stop that stuck PowerShell job cleanly and continue with the installer file that's already there.
2. I'm going to uninstall the current C: copy, then reinstall from the official installer into D:\AI\Ollama\app. I'll also keep OLLAMA_MODELS pointed at D:\AI\Ollama\models and remove the old C: Ollama path from your user PATH if it's still there afterward.
3. The old C: copy uninstalled cleanly, but the reinstall returned exit code 1 and didn't place files in D:. I'm not going to leave it half-done; I'll rerun the installer with logging so we can see whether it was the argument format or the installer file.
4. A setup error window is open from the installer. I'm going to read the window text programmatically so we don't have to guess at the message.
5. Found it: the installer copy was corrupted because I stopped the stuck download too early. That's on me.
6. I'll delete that bad installer, re-download it using curl with redirects, verify the file size after completion, then rerun the install. The real installer is about 2.0 GB, so the earlier 86 MB copy was definitely incomplete.
7. Download finished correctly: 2030.6 MB. I'm running the install again now, this time with the complete installer and the D:\AI\Ollama\app target.
8. It is definitely unpacking files into D:\AI\Ollama\app; no hidden prompt.
9. Install succeeded and the log confirms it.
10. That freed C: from 7.5 GB to 14.1 GB, which is a meaningful improvement.
11. One more thing: Web Companion is still running even though its startup entry is disabled. I'm stopping that current process now.
12. I moved Ollama off C: successfully. It is now installed at D:\AI\Ollama\app, with models set to D:\AI\Ollama\models.
13. Other fixes done: PredatorSense is running again, so your fan/performance control panel should be back. C: free space went from 7.5 GB to 14.1 GB.
14. 0:04 still can not open the predator app
15. 0:05 Worked for 13m 25s
16. I got PredatorSense to open again. It now has a real window and I forced it onto the screen.
17. What fixed it: Repaired the PredatorSense Service using an elevated installer repaid. Re-registered the PredatorSense Store app after the service repair knocked out its shortcut.
18. Important: the Acer repair returned 3010, which means repair succeeded, but Windows wants a reboot.
19. 0:19 so not working still just reset my computer the logo keeps flashing up tho now so its trying not working tho still
20. 0:25 Worked for 43m 1s
21. Okay, that flashing logo is useful: PredatorSense is getting as far as the splash screen and then failing during startup.
22. There's the first concrete fault after reboot: PredatorSense.exe is running, but the Predator Service (PSSvc) is stopped.
23. The reboot confirmed the main issue: PSSvc is installed but not starting after boot.
24. Good. Predator Service is now running and set to Automatic.

25. The backend is fixed now, but the UI still isn't drawing after a fresh launch.
26. A new clue popped up: awc.exe from C:\Program Files (x86)\Acer\Amundsen\... is crashing repeatedly with a .NET NullReferenceException.
27. The Acer updater piece (awc.exe) is also crashing, but the more direct fix path is Acer's own UpgradeTool.exe that is sitting beside the PredatorSense service files.
28. Acer's UpgradeTool completed successfully.
29. It still starts and then sits hidden, even with PSSvc running.
30. Acer's UpgradeTool extracted a temporary repair payload at C:\Users\ollet\AppData\Local\Temp\UpgradeTool\PredatorSenseV31N.

Page 6 of 10

FILE UNDER:
RELOCATION / REPAIR / PERSISTENCE

1:37 A.M.



PREVIOUSLY
UNBELIEVABLE
NOW DOCUMENTED



IF YOU ARE READING THIS, YOU PROBABLY LAUGHED. YOU MAY ALSO NEED A LAPTOP FIX.

FORM P.U.I.I.B.-72-β
(REV. 1.0 / VERY REAL)



- ## REGRET LOG



WHITE PAPER No. 72-8 THE HUMILIATION OF THE TOOL CRITIC

A Formal Post-Incident Review of One Man's Laptop Being Saved by the Statistical Parrot He Publicly Mocked



1. The clean reinstall hit two snags: uninstall succeeded but asked for a reboot (3010), then the service reinstall failed with 1603, likely because Windows hasn't completed the uninstall yet.
2. The logs confirm it: Acer's service uninstall completed, but it deliberately scheduled a reboot, and its installer refuses to reinstall while Windows reports a reboot pending.
3. I'm going to set up a one-time scheduled task so that after you reboot and log back in, Windows automatically reinstalls the PredatorSense service from the official package, starts it, and removes the task.
4. The after-reboot task is ready.
5. I didn't find a registered scheduled task for awc.exe; it looks like another Acer background app is calling it.
6. The crash is specifically while reading C:\OEM\Amundsen2\device\amundsen.lsm, which is corrupted/all zeros, so I'm moving that one broken data file aside to let Acer regenerate or skip it.
7. The corrupted Acer Configuration Manager data file is now backed up out of the way.
8. Yes, you were right to suspect drivers/services. I found and fixed a real NVIDIA service crash loop: NVIDIA LocalSystem Container was failing because of a stale duplicate NVIDIA plugin. It's now running properly.
9. Next step: save anything open, restart the computer, log back in, wait 1-2 minutes, then try opening PredatorSense again.
10. 1:08 still not working
11. 1:16 Worked for 14m 56s
12. Got it. That means the after-reboot repair either didn't run, failed, or PredatorSense is still hanging even after the service reinstall.
13. The reboot did happen.
14. The front-end package is back and the service is now correct, but the app is again sitting as a hidden/no-window process.
15. No new PredatorSense crash is being logged; it is alive and responding, just hidden.
16. It is creating WPF infrastructure windows, but never making the real PredatorSense window visible.
17. It was partly drivers, but not your NVIDIA driver. The broken bit was Acer's PredatorSense service/Intel tuning driver stack.
18. PredatorSense still isn't showing its window before reboot, and Acer's installer explicitly requested a restart after installing the service/driver pieces.
19. Do a proper Windows Restart now, not shutdown.
20. 1:31 any luck
21. 1:37 Worked for 25m 45s
22. Yes, it did restart at 01:32, and the important part survived: Acer's PSSvc is now running from the correct folder with automatic startup.

FILE UNDER:
HUMILIATION / UTILITY / 1:31 A.M.

SEEN IT.
STAMPED IT.
MOVING ON.



PREVIOUSLY
UNBELIEVABLE
NOW DOCUMENTED



EVIDENCE

WITNESSES

REGRET LOG



WHITE PAPER No. 72-β

THE HUMILIATION OF THE TOOL CRITIC

A Formal Post-Incident Review of One Man's Laptop Being Saved by the Statistical Parrot He Publicly Mocked



- 1 Ran `$ErrorActionPreference='Continue' Stop-Process -Name PredatorSense -Force -ErrorAction SilentlyContinue ...` The post-reboot service side looks good.
- 2 I've just launched PredatorSense again and I'm waiting a few seconds to see whether it creates a visible window or falls back to the same hidden process.
- 3 After the reboot, PredatorSense still starts as a background process with no visible window, and Windows is not logging a crash, which means it is getting stuck inside its own startup logic.
- 4 The newer launch shows all three Acer layers are alive now: PSSvc, PSAdminAgent, PSAgent, plus the app.
- 5 The app doesn't seem to write a normal log file, annoyingly.
- 6 I'm switching to binary/string inspection of the Acer executables to look for command-line switches, IPC names, model checks, or a hidden 'already running' path.
- 7 There is an IL disassembler installed, which is handy.
- 8 I got the Predator service, NVIDIA service, and Acer helper crash cleaned up, and they survived the reet/reboot, but the Predator app itself is still starting invisibly and getting stuck during its own loading checks.
- 9 The useful clue I just found: the Acer hardware class it needs, AcerGamingFunction, does exist on the machine, so the missing-driver theory is not the whole story.
- 10 I've got the app's startup logic pinned down now: it waits for the Predator service pipe, asks for 'system information' value 2, and only opens the main window if that returns cleanly.
- 11 That direct test came back with the smoking clue: the Predator service pipe answers, but the hardware call the app waits for returns status 2 instead of success 0.
- 12 I need one admin-level read now because Windows blocks normal users from that Acer WMI class.
- 13 The admin checker is waiting/running now.
- 14 Good news buried in the mess: Acer's actual hardware WMI call works when run directly as admin.
- 15 I corrected my test: the real command ID does work, so the service and Acer hardware call are okay now.
- 16 That points the failure one step later: the loading check probably finishes, then the main PredatorSense window throws an internal error and the app silently stays alive with no window.
- 17 I'm enabling PredatorSense's own hidden debug log switch in both 64-bit and 32-bit registry views, then I'll relaunch it cleanly and see what it writes.
- 18 The process does have a tiny hidden WPF window, not a proper PredatorSense window.
- 19 That forced window did appear, and the screenshot shows it as a big blank white WPF window.
- 20 The blank window size matches the app's loader more than the real control panel, so I'm going back into the startup code to see exactly which condition is failing before it opens the main UI.
- 21 The Acer profile helper ran cleanly, but it didn't create anything new, so that probably isn't the missing piece.
- 22 I'm testing one launch difference now: starting the real PredatorSense.exe from its own folder instead of through the packaged app shortcut, because old WPF apps can break badly when their working folder is wrong.
- 23 I reproduced the loader in a separate test process and its flags all go green by tick 75, so the loader itself is not the stuck part anymore.
- 24 Next target is the real main OC_MainWindow constructor; if that throws, we should finally get an actual exception instead of the app silently eating it.

Page 9 of 10



IF YOU ARE READING THIS, YOU PROBABLY LAUGHED.
YOU MAY ALSO NEED A LAPTOP FIX.

FORM P.U.I.T.L.E.-72-β
(REV. 1.0 / VERY REAL)

EVIDENCE

WITNESSES

REGRET LOG

