Flexible eating

No food is “forbidden”. Your body doesn’t care whether a food is “clean” or “dirty”. It cares about total energy and protein over the day. I’ll show you how to have pizza and a beer and still hit your goal. Practical and based on science.

Energy balance: the main lever

Start with the most important thing: whether you lose, maintain or gain weight depends on your **energy balance**: how much energy you take in versus how much you burn [4]. No “magic” food and no “miracle” combination gets around that. To lose weight, you need a moderate **deficit**. To build muscle with minimal fat, a moderate **surplus**. One meal won’t make you lose or gain. The total over days and weeks decides.

Your body can’t tell a “clean” calorie from an “unhealthy” one by the label. It counts energy and nutrients. The **IIFYM** principle (“if it fits your macros”) says something simple: if a food fits your daily target of protein, carbs and fats, go ahead and eat it. The position of the professional society is clear: different approaches can work, but energy balance and macro composition are what primarily matter, not specific “allowed” foods [7].

> **Main point: Energy balance** decides your weight [4]. Whether that weight is muscle or fat depends mainly on **enough protein** and training [6]. The rest is detail and your preference.

Protein: how much and why

Protein is the nutrient you sort out first. It keeps and builds muscle, **fills you up** more than any other nutrient and protects muscle mass in a deficit, so you lose fat and not muscle [8]. For an active person in a deficit, **~1.6–2.2 g per kg of body weight per day** works well [5]. A meta-analysis showed that getting protein intake up increases the gains in strength and muscle from training, with a sensible ceiling around ~1.6 g/kg for most people [6].

- ✓ Have a protein source in **every main meal**: meat, fish, eggs, dairy, legumes, a quality protein powder.
- ✓ A higher protein intake keeps you **full longer**, so you overeat less in a deficit [8].
- ✓ This is your “anchor”. When protein is on target, the rest of the day is flexible.

Rigid vs. flexible: why flexible wins

This is the core of it. A **rigid** approach ("all or nothing", a list of forbidden foods, one slip = a ruined day) sounds disciplined but sabotages you in practice. A **flexible** approach (no food is forbidden, the whole counts) is psychologically easier to keep up. And the data confirm it:

- ✓ Rigid control of eating is linked with **higher body weight, bigger swings** and more symptoms of disordered eating; flexible control with the opposite, more favorable profile [1].
- ✓ Flexible and rigid control are two **measurably different dimensions** of dietary restraint [2].
- ✓ Rigid control predicts **overeating and anxiety around food**, while flexible control is unrelated to disordered eating, or related in the opposite direction [3].

The mechanism is simple: when you forbid a food, you create pressure. One "failure" then triggers the feeling "it's ruined anyway" and sets off overeating. Flexibility removes that pressure. And, paradoxically, it leads to **less** overeating, not more [1,3].

The "clean eating" myth and the 80/20 rule

Splitting food into "clean" and "dirty" sounds logical, but it is a trap. A salad won't save you by itself and a piece of chocolate won't ruin anything. The total of energy and nutrients decides [4,7]. Instead of moral labels, use the practical **80/20** rule:

1 ~80% base
Minimally processed, nutritious foods: meat, fish, eggs, dairy, fruit, vegetables, legumes, whole grains. This is where your protein and fiber come from.

2 ~20% anything
Pizza, chocolate, beer, ice cream. If it fits your macros, enjoy it without guilt. No "cheat", just food.

3 No bans
A ban = pressure = later overeating [1,3]. Instead of "I'm not allowed", think "how much and when".

4 The whole > one meal
One dessert decides nothing. What you do most of the time, over days and weeks, decides [4].

Fiber, vegetables and "liquid calories"

These 80% have one main job: to give you plenty of nutrients and fullness for a reasonable amount of energy. **Fiber** does the heavy lifting: it slows digestion, keeps you full longer, and a higher fiber intake is linked with lower body weight [9]. That is why vegetables, fruit, legumes and whole grains belong in the base, and not as a punishment.

Watch the liquid calories: Sweet drinks, juices, smoothies, sweet coffee and especially **alcohol** add a lot of energy but barely fill you up. They can easily push you over your daily target without you "feeling" it. Alcohol also has no usable building value, and in a deficit it takes up room you would rather give to food or protein.

- ✓ Quench your thirst mainly with water, tea and unsweetened drinks.
- ✓ If you want a drink with alcohol, fine. **Plan it into the day** as part of those 20% and cut somewhere else.
- ✓ Fiber and vegetables = more fullness for less energy. Your best ally in a deficit [9].

When to track and when not to

Counting macros is a **tool, not a lifestyle**. It fits certain phases, and you don't have to do it forever:

- ✓ **When you start** and have no feel for portions: a few weeks of weighing and logging open your eyes to how much you really eat.
- ✓ **When results stall** and you need to know where you stand (almost everyone underestimates their intake).
- ✓ **When you have a specific goal** (conditioning, a contest, performance) and want accuracy for a few weeks [5].
- ✓ **Once you have a feel for it**, you can put the tracker aside and go by the 80/20 rule and the plate. You don't have to weigh for the rest of your life.

How to plan your "treats" into the day

This is the skill that makes flexible eating work. If you know the evening will bring pizza or two beers, build the rest of the day around it:

1 Reserve some room
Keep part of your daily energy free for the evening treat. Planned = no guilt, under control.

2 Cut somewhere, not everywhere
Lighter, filling meals with protein and fiber during the day. You save energy, not fullness.

3 Keep your protein
Leave your protein target untouched [5,6]. Save on fats and liquid calories rather than on protein.

4 Enjoy it
If it fits, it is part of the plan, not a "sin". No feeling of failure, no overeating the next day [1].

Action step: This week do just one thing: set a **protein target** (~1.6–2.2 g/kg) [5] and have a protein source in every main meal. When that runs by itself, add an energy target and the 80/20 rule. Leave the bans alone. Flexibility lasts longer than an iron will [1,3]. Be Effective! 💪

© Martin Barna: client guide. Share only with the author's permission. **martinbarna.cz/en**

Sources: [1] Stewart TM, Williamson DA, White MA. Rigid vs. flexible dieting: association with eating disorder symptoms in nonobese women. Appetite. 2002;38(1):39–44. [2] Westenhoefer J, Stunkard AJ, Pudel V. Validation of the flexible and rigid control dimensions of dietary restraint. Int J Eat Disord. 1999;26(1):53–64. [3] Linardon J, Mitchell S. Rigid dietary control, flexible dietary control, and intuitive eating: evidence for their differential relationship to disordered eating. Eat Behav. 2017;26:16–22. [4] Hall KD, Heymsfield SB, Kemnitz JW, et al. Energy balance and its components: implications for body weight regulation. Am J Clin Nutr. 2012;95(4):989–994. [5] Helms ER, Aragon AA, Fitschen PJ. Evidence-based recommendations for natural bodybuilding contest preparation: nutrition and supplementation. J Int Soc Sports Nutr. 2014;11:20. [6] Morton RW, et al. A systematic review, meta-analysis and meta-regression of the effect of protein supplementation on resistance training-induced gains. Br J Sports Med. 2018;52(6):376–384. [7] Aragon AA, et al. International Society of Sports Nutrition position stand: diets and body composition. J Int Soc Sports Nutr. 2017;14:16. [8] Leidy HJ, et al. The role of protein in weight loss and maintenance. Am J Clin Nutr. 2015;101(6):1320S–1329S. [9] Slavin JL. Dietary fiber and body weight. Nutrition. 2005;21(3):411–418.