How to start training: a guide for complete beginners

Never really trained? Good. You have the fastest progress of anyone ahead of you. You do not need hours in the gym or a complicated plan. A few simple movements, 2-3 times a week, and patience. I will show you exactly what to start with and how. Practical, and based on the research.

Why strength training

If you could pick only one activity, make it **strength training**. This is about more than how you look: strength and muscle are a health insurance policy. Strength training improves heart health, insulin sensitivity, bone density, blood pressure and mood. Researchers have called it "medicine" outright [7]. Higher strength is also linked with a lower risk of injury and illness, and with better movement for the rest of your life [8].

- ✓ **Muscle = active tissue.** More muscle raises resting energy use and helps you handle sugar better [7].
- ✓ **Bones and joints.** Loading strengthens bones and tendons. It protects you from the loss of strength that otherwise comes with age [8].
- ✓ **It works for almost everyone.** The recommendation to train the main muscle groups at least 2 times a week applies to essentially all adults [1,2].

> **Treat training as an investment, not a punishment.** In the first few weeks most of the progress is "free". The body is learning the movement and getting stronger surprisingly fast. That beginner wave comes only once. Use it.

How little is enough at the start

Less than you think. To get going, **2-3 sessions a week** is plenty, and even **30-45 minutes** is enough [1,3]. Regularity beats length. A short session you actually do reliably beats a perfect plan you have no time for. The goal of the first weeks is to **build the habit** calmly and learn the movements.

- ✓ **2 times a week** is enough for the health benefits and for the first visible results [2].
- ✓ **3 times a week** is ideal if you want the progress to move faster, still with a rest day between sessions.
- ✓ Leave **at least one day off** between sessions. Muscle grows at rest, not in the gym.

Full-body: the right start

Forget "back day, leg day". For a beginner the best setup is **full-body**: every session trains the whole body. When you train 2-3 times a week, each muscle group gets hit more than once a week, and the **number of hard sets per week** is the main driver of muscle growth [4]. You also practice each movement more often, so the technique improves faster.

> **A simple template:** one lower-body push (a squat), one hinge (a deadlift), one push (a push-up or an overhead press), one pull (a row) and something for the trunk or for carrying. That is the whole body in five movements.

Five basic movement patterns

You do not need dozens of exercises. The body moves in a few basic patterns. Learn those and the whole session is covered:

1 Squat

You bend the knees and hips, like sitting down onto a chair. It trains the thighs and glutes. Options: a bodyweight squat, a goblet squat with one dumbbell.

2 Hinge / deadlift

A bend at the hips with a braced back. You lift a load off the floor. The strongest pattern for the back of the body. Start with a light bar or dumbbells.

3 Push

You press a load away from the body: a push-up, a dumbbell press on a bench, or an overhead press. Chest, shoulders, triceps.

4 Pull

You pull a load toward the body: a bent-over row, a lat pulldown, later a pull-up. Back and biceps, the counterweight to the presses.

5 Carry / trunk

Hold heavy dumbbells and walk (a farmer's carry), or hold a plank. It braces the trunk and the grip for everything else.

Barbell, machines, or bodyweight?

The question "what should I start with" has a simple answer: **whatever keeps you moving**. Each option works. They differ mainly in how much control and comfort you get:

- ✓ **Bodyweight** (squats, push-ups, lunges): free, anywhere, ideal for learning the movement. A great full start.

- ✓ **Machines:** they guide the movement, so it is hard to do it badly. Safe and friendly for a beginner who is learning to feel the muscle.
- ✓ **Barbells and dumbbells:** the most versatile, and the easiest to keep progressing. Add a little weight and you keep growing. They ask for a bit more technique.

My suggestion? Start with **machines and dumbbells**, or with bodyweight at home. Work up to a barbell once the patterns feel solid. None of the options is "better" on its own. The best one is the one you come back to [3].

How many sets, how many reps, and how to add

At the start, keep it as simple as possible: for each exercise, **2–3 sets of 8–15 reps** [3]. That range builds strength and muscle, and it gives you enough room to learn the technique. The key to progress is **progressive overload**: gradually giving the muscles a bit more work, so they have a reason to get stronger [3,4].

1 Technique and range
A clean movement through a full range first, load second. A bad movement with a heavy weight is a step back, not forward.

2 Add reps
Can you hit the top of the range (for example 3 × 15) with good technique? Next time the simplest add is a few more reps.

3 Then add weight
When the reps are stuck at the top, add a small bit of load and go back to the bottom of the range. You grow again.

4 Leave a reserve (RIR)
Stop the set when you could still do about 1-3 more reps (RIR = reps in reserve). You do not need to go to failure. Keep the technique clean [3].

> **Progressive overload in plain words:** do a little more than you did last time. More reps, more weight, or better technique. It does not have to be every session. The direction over time is what counts [3,4].

Protein and sleep: fuel for the results

Training is the signal, but the body needs material and time to turn it into strength and muscle. Two things decide most of it:

- ✓ **Protein.** Enough protein clearly increases how much strength and muscle you get from training. A target around **about 1.6 g per kg** of body weight per day is a sensible mark for most people [5]. Have a protein source in every main meal.
- ✓ **Sleep.** Muscle grows while you sleep. Without it you sabotage even a perfect session. (More in the guide on sleep and recovery.)

The details of food and sleep are in the other guides. Here you only need to know that without them, training will not give you what it could. Protein recipes: Protein and high-protein recipes.

How to keep the habit, and when to ease off

Progress is not one heroic session. It is showing up again and again. Habits form by **repeating the same thing in the same context**. On average it takes about two months before the behaviour runs on its own, so be patient [6]. Help yourself with small, specific steps:

1 Set when and where

Write down fixed days and a time (for example Mon / Thu, 18:00). A specific "when and where" holds better than good intentions [6].

2 Start small

A shorter session you can finish beats a perfect plan you never get to. You can raise the bar later.

3 Track progress

Write down the weights and the reps. Seeing the numbers rise is the best motivation, and it tells you when to add.

4 Listen to the body

Sharp pain, dizziness or illness = stop. Tiredness and a muscle that "burns" are normal. A sharp pain in a joint is not.

Safety: warm up with a few minutes of easy movement, raise the load gradually, and never trade technique for more weight [3]. If you feel off, you slept badly, or you are ill, shorten the session or skip it. A proper rest is part of the plan, not a failure.

Action step: This week, schedule **two sessions**: a fixed day and time [6]. In each one, do the five movements (squat, hinge, push, pull, carry) for **2-3 sets of 8-15 reps** [3], with a few reps left in reserve. Write down the weights and next time try a little more. That is the whole thing. Be Effective! 💪

© Martin Barna: client guide. Share only with the author's permission.

Sources: [1] Garber CE, et al. American College of Sports Medicine position stand: quantity and quality of exercise for developing and maintaining cardiorespiratory, musculoskeletal, and neuromotor fitness in apparently healthy adults. Med Sci Sports Exerc. 2011;43(7):1334-1359. [2] World Health Organization. WHO guidelines on physical activity and sedentary behaviour. Geneva: WHO; 2020. [3] Ratamess NA, et al. ACSM position stand: progression models in resistance training for healthy adults. Med Sci Sports Exerc. 2009;41(3):687-708. [4] Schoenfeld BJ, Ogborn D, Krieger JW. Dose-response relationship between weekly resistance training volume and increases in muscle mass: a systematic review and meta-analysis. J Sports Sci. 2017;35(11):1073-1082. [5] Morton RW, et al. A systematic review, meta-analysis and meta-regression of the effect of protein supplementation on resistance training-induced gains. Br J Sports Med. 2018;52(6):376-384. [6] Lally P, van Jaarsveld CHM, Potts HWW, Wardle J. How are habits formed: Modelling habit formation in the real world. Eur J Soc Psychol. 2010;40(6):998-1009. [7] Westcott WL. Resistance training is medicine: effects of strength training on health.

Curr Sports Med Rep. 2012;11(4):209-216. [8] Suchomel TJ, et al. The importance of muscular strength: training considerations. Sports Med. 2018;48(4):765-785.