Stress, cortisol and fat loss

"Cortisol makes you fat" is a line that sells. The reality is plainer. Cortisol on its own does not make you gain fat. The problem is what chronic stress does to your appetite, your sleep and your decisions. Here is what stress actually does, and how to handle it. Practical, and based on the research.

What cortisol is and what it does

Cortisol is your main **stress hormone**. It is not a villain: in the morning it wakes you up and gets you going, it supplies energy, it helps control inflammation and it helps you handle a load. Short, acute stress (a workout, a deadline, a cold shower) is fine, and the body comes back down. The problem starts when stress is **chronic**. The body stays "up" all the time and the regulation drifts [4,5].

- ✓ **Acute stress = OK.** A short wave the body can handle, then it returns to calm.
- ✓ **Chronic stress = a problem.** A long load with no recovery throws off hunger, sleep and decisions [4,6].
- ✓ **Cortisol and belly fat.** How strongly you release cortisol is linked with storing fat around the middle, especially in some people [1].

Myth vs. reality

This is the most important part. Take it seriously. **"Cortisol makes you fat" is overstated.** Cortisol on its own does not make you gain fat. Without a **calorie surplus** you do not gain fat, whatever your cortisol is doing. Energy balance still decides your weight, not one hormone.

So where is the catch? Stress affects weight **indirectly, through behaviour**. It raises appetite, changes what you pick, steals sleep and weakens self-control. That is how it walks you into a surplus [4,6]. Cortisol is **an accomplice, not the culprit**. Once you see that, you stop blaming the hormone and start fixing the things you can actually change.

> **Main point:** Cortisol does not make you fat by itself. Stress does scramble your **appetite, sleep and decisions**. That is the road into a surplus [4,6]. Don't chase the hormone. Fix the habits around it.

Stress and appetite

This is where stress does the most damage. Chronic stress flips the brain's **reward system** and pushes you toward food that shuts the bad feeling down fast: calorie-dense, sweet and fatty [2,7]. That is **emotional eating**. You are not eating because you are hungry. You are eating because you feel tense, anxious or empty.

- ✓ **Stronger cravings for sweet and fatty food.** Stress and cortisol prospectively predict a rise in food cravings and in body weight over months [3].
- ✓ **Comfort food as "relief".** Stress-driven eating aims at rewarding food, not at vegetables. It is chemistry, not a weak character [2,7].
- ✓ **An easy surplus.** These foods are energy-dense and not very filling. You can blow past the daily target without "feeling" it [6].

Important: emotional eating **is not a character flaw**. It is a learned response to stress. And because it was learned, it can be retrained: swap in something else (a walk, breathing, contact with people) and stop letting food be the only tool you have for calming down.

Stress and sleep

Stress and sleep spin in a circle: stress ruins sleep, and bad sleep makes you even more sensitive to stress [4]. And short sleep on its own **raises the drive for calorie-dense food**. A tired brain reacts more strongly to tempting food and resists it less well [8].

- ✓ **Stress, then worse sleep.** Racing thoughts, tension and "eating the stress" in the evening cut both the quality and the length of sleep [4].
- ✓ **Bad sleep, then bigger cravings.** Too little sleep turns up the desire for dense food, already at the level of the brain [8].
- ✓ **A closed loop.** Tired and stressed, you make worse choices with food and with training. The loop closes.

> **An extra lever:** Sleep is your cheapest anti-stress lever. Sort sleep out and your sensitivity to stress and cravings tends to drop too [4,8]. You can start right here. The full guide is Sleep and recovery.

Stress and sticking to the plan

This gets said too rarely, and it decides the week. Stress eats your **capacity for decisions**. When you are drained and overloaded, you plan food worse, you skip workouts, you grab the easiest option (usually the most calorie-dense one) and you "give up" sooner [6,7]. This is not about discipline. There is simply no fuel left for self-control.

- ✓ **Weaker self-control under pressure.** Stress weakens self-control and pushes impulsive food choices [7].

- ✓ **Less planning.** An overloaded head does not prep food ahead. Improvising almost always means a worse choice.
- ✓ **All or nothing.** Under stress it is easy to fall into "it's already ruined" and drop the whole plan.

So in a hard stretch, **don't make the plan heavier**. Fewer rules, simpler meals, smaller targets. A plan you can keep under stress always beats a perfect plan that collapses in the first hard week.

Practical stress tools

You don't have to remove stress (you can't). You only need to **recover better**. Pick one thing and keep it. Not everything at once:

1 Breathing

5 minutes of slow breathing with a longer exhale (for example 4 in / 6 out). It pulls acute tension down fast. You can do it anytime, anywhere.

2 Movement

A walk, a workout, some stretching. Movement burns off stress energy and lifts mood. It works as a vent instead of food [6].

3 Sleep

A regular wake-up time, darkness, caffeine earlier in the day. Better sleep = lower sensitivity to stress and to cravings [4,8].

4 Boundaries

Learn to say no, turn notifications off, separate work from time off. Fewer pointless stressors = more capacity for what you care about.

5 People

People you trust. Social support dampens the stress response. Talking it out is often more useful than eating something [5].

6 A swap for eating

When the urge hits to "eat the feeling", give the body another tool: breathing, a walk, a glass of water, a phone call. Let food be one option, not the only one.

> **Action step:** This week, notice **one** trigger: when you reach for food from stress, not from hunger. Once you can see it, put one swap between the trigger and the food (5 minutes of breathing, or a short walk). You don't have to handle stress perfectly. You only have to stop letting it decide for you. Be Effective! 💪

When to get professional help

This guide is about ordinary day-to-day stress. Some things do not belong in self-help, and it is sensible not to tough them out alone:

- ✓ Stress or anxiety has been taking your sleep, your interest in life, or your ability to function for a long time. That belongs with a **doctor or a psychotherapist**.
- ✓ Food has become your only way of coping and you are losing control of it (binge eating, strong guilt afterward). **Get professional help.** Talk to a doctor. This guide will not treat an eating disorder.
- ✓ Ongoing low mood, hopelessness, or thoughts that you can't go on. Don't handle that alone. Contact a doctor or a local crisis line as soon as you can.
- ✓ No amount of stress hygiene replaces treatment when something more serious is underneath. Asking for help is strength, not weakness.

© Martin Barna: client guide. Share only with the author's permission. **martinbarna.cz/en**

Sources: [1] Epel ES, et al. Stress and body shape: stress-induced cortisol secretion is consistently greater among women with central fat. Psychosom Med. 2000;62(5):623-632. [2] Adam TC, Epel ES. Stress, eating and the reward system. Physiol Behav. 2007;91(4):449-458. [3] Chao AM, et al. Stress, cortisol, and other appetite-related hormones: prospective prediction of 6-month changes in food cravings and weight. Obesity. 2017;25(4):713-720. [4] Geiker NRW, et al. Does stress influence sleep patterns, food intake, weight gain, abdominal obesity and weight loss interventions and vice versa? Obes Rev. 2018;19(1):81-97. [5] Scott KA, Melhorn SJ, Sakai RR. Effects of chronic social stress on obesity. Curr Obes Rep. 2012;1(1):16-25. [6] Tomiyama AJ. Stress and obesity. Annu Rev Psychol. 2019;70:703-718. [7] Sinha R. Role of addiction and stress neurobiology on food intake and obesity. Biol Psychol. 2018;131:5-13. [8] Greer SM, Goldstein AN, Walker MP. The impact of sleep deprivation on food desire in the human brain. Nat Commun. 2013;4:2259.