


Configurar SSL en Tomcat

Crear certificado autofirmado en Windows.



```
RBDA_devUD3 [Corriendo] - Oracle VM VirtualBox
Archivo  Máquina  Ver  Entrada  Dispositivos  Ayuda

C:\Program Files\Java\jdk-11\bin>keytool -genkey -alias tomcatbarbosa -keyalg RSA -keystore C:\apache-tomcat-9.0.71\depositoclaves
Enter keystore password:
Re-enter new password:
What is your first and last name?
[Unknown]: Barbosa
What is the name of your organizational unit?
[Unknown]: CIFP
What is the name of your organization?
[Unknown]: A Carballeira
What is the name of your City or Locality?
[Unknown]: OU
What is the name of your State or Province?
[Unknown]: OU
What is the two-letter country code for this unit?
[Unknown]: OU
Is CN=Barbosa, OU=CIFP, O=A Carballeira, L=OU, ST=OU, C=OU correct?
[no]: yes
```

Configuramos https en C:\apache-tomcat-9.0.71\conf\server.xml.

```
<Connector port="8443" protocol="org.apache.coyote.http11.Http11NioProtocol"
    maxThreads="150" SSLEnabled="true"
    scheme="https"
    secure="true"
    clientAuth="false"
    sslProtocol="TLS"
    keystoreFile="c:\apache-tomcat-9.0.71\depositoclaves"
    keystorePass="abc123."
    keyAlias="tomcatbarbosa">
</Connector>
```

RBDA_devUD3 [Corriendo] - Oracle VM VirtualBox

Archivo Máquina Ver Entrada Dispositivos Ayuda

Plantilla JSP

No es seguro | https://localhost:8443/2_propiedadesweb/ Incógnito

[INICIO](#) [MANIPULACIÓN SESIÓN](#)
[OUTRA COUSA](#)

Consultar web.xml

Datos obtidos dunha clase interna

BD: "almacenMosquera". Archivo de log: "f:/incidencias.log"

Datos obtidos dende a pñxina JSP

Nome BD: **almacenMosquera** . Archivo de log: **f:/incidencias.log**

C:\apache-tomcat-9.0.71\webapps\2_propiedadesweb#\2.0.10(TOMCAT_9)\WEB-INF\

Nome da aplicación: Propiedades do web.xml e acceso a sesión

© DAWD 2019 -2020