

# BESIII Oxford Group Meeting

Martin Tat

Oxford LHCb

3rd June 2021



- $K_S KK$  double tag yields for  $\delta_D^{K\pi}$  measurement
- Selected  $K_{S,L} KK$  events tagged with  $K\pi$ ,  $K\pi\pi^0$ ,  $K\pi\pi\pi$  and  $Ke\nu$
- Peaking background subtraction

# Partially reconstructed double tags

- $K_L KK$  vs  $K\pi$ ,  $K\pi\pi^0$ ,  $K\pi\pi\pi$
- More peaking backgrounds
- More sophisticated sideband subtraction (from  $K_S KK$  MEMO):
- S: Signal region, L: Lower sideband, H: Upper sideband

$$Y_S = \frac{(N_S - N_S^P) - \delta(N_L - N_L^P) - \gamma(N_H - N_H^P)}{1 - \delta\alpha - \gamma\beta}$$

$$\delta, \gamma = \frac{\text{Flat background in S}}{\text{Flat background in L, H}}, \quad \alpha, \beta = \frac{\text{Signal in S}}{\text{Signal in L, H}}$$


# Peaking backgrounds

- Peaking backgrounds fixed from inclusive MC
- Correct outdated branching fractions


Mode	Branching fraction correction
$K_{S,L}$	1.44
$KK\pi\pi$	1.14
$K\pi\pi\pi$	1.03
$K_S K\pi$	0.68
$K\pi\pi^0$	1.04

- $K_S KK$  backgrounds in  $K_L KK$ :
  - Get fraction of  $K_L KK$  to  $K_S KK$  from signal MC
  - Scale the corresponding double tag yield of  $K_S KK$

# $K_S KK$ vs $K e \nu$




(a)  $D^0 \bar{D}^0$  peaking backgrounds




(b) Full inclusive MC

**Figure 1:**  $U_{\text{miss}}$  for  $K_S KK$  vs  $K e \nu$

# $K_L KK$ vs $K\pi$




(a)  $D^0 \bar{D}^0$  peaking backgrounds




(b) Full inclusive MC

**Figure 2:**  $M_{\text{miss}}^2$  for  $K_L KK$  vs  $K\pi$

# $K_L KK$ vs $K\pi\pi^0$




(a)  $D^0\bar{D}^0$  peaking backgrounds




(b) Full inclusive MC

**Figure 3:**  $M_{\text{miss}}^2$  for  $K_L KK$  vs  $K\pi\pi^0$

# $K_L KK$ vs $K\pi\pi\pi$



(a)  $D^0\bar{D}^0$  peaking backgrounds



(b) Full inclusive MC

**Figure 4:**  $M_{\text{miss}}^2$  for  $K_L KK$  vs  $K\pi\pi\pi$



# $K_S KK$ double tag yields

Bin	1	2	-1	-2
$K_S KK$ vs $K\pi$ raw yield	89	72	94	69
$K_S KK$ vs $K\pi$ corrected yield	641.0	641.0	683.3	628.9
$K_S KK$ vs $K\pi$ normalized yield	0.247	0.247	0.263	0.242
$K_S KK$ vs $K\pi\pi^0$ raw yield	156	101	201	140
$K_S KK$ vs $K\pi\pi^0$ corrected yield	2840.7	2139.3	3565.0	3138.6
$K_S KK$ vs $K\pi\pi^0$ normalized yield	0.243	0.183	0.305	0.269
$K_S KK$ vs $K\pi\pi\pi$ raw yield	117	68	135	88
$K_S KK$ vs $K\pi\pi\pi$ corrected yield	1674.4	1060.0	1829.4	1452.2
$K_S KK$ vs $K\pi\pi\pi$ normalized yield	0.279	0.176	0.304	0.241
$K_S KK$ vs $Ke\nu$ raw yield	49	46	63	50
$K_S KK$ vs $Ke\nu$ corrected yield	438.1	559.0	558.0	629.5
$K_S KK$ vs $Ke\nu$ normalized yield	0.201	0.256	0.255	0.288

# $K_S KK$ double tag yields

Bin	1	2	-1	-2
$K_L KK$ vs $K\pi$ raw yield	148	102	144	130
$K_L KK$ vs $K\pi$ corrected yield	957.6	811.6	995.9	1194.3
$K_L KK$ vs $K\pi$ normalized yield	0.242	0.205	0.252	0.302
$K_L KK$ vs $K\pi\pi^0$ raw yield	302	234	319	264
$K_L KK$ vs $K\pi\pi^0$ corrected yield	3541.7	3612.4	3588.9	4475.6
$K_L KK$ vs $K\pi\pi^0$ normalized yield	0.233	0.237	0.236	0.294
$K_L KK$ vs $K\pi\pi\pi$ raw yield	182	134	175	136
$K_L KK$ vs $K\pi\pi\pi$ corrected yield	2532.5	2339.9	2412.7	2547.5
$K_L KK$ vs $K\pi\pi\pi$ normalized yield	0.258	0.238	0.245	0.259

# Next steps

- Errors!