

# A Brief Derive Version History

Martin Hepperle - 2022-2024

The following pages present some version listings of Derive and associated products like muLISP, muSIMP and, muMath.

Unfortunately, most printed manuals for these software products seem to be unavailable in scanned form, which is a pity. For example, scans of the following two manuals would be very welcome:

- “muLISP-81 Reference Manual”, no reference found
- “muLISP-82 Reference Manual”, no reference found
- “muLISP-83 Reference Manual”, no reference found
- “muLISP-86 Reference Manual”, The Soft Warehouse, 408 p., 1986, Honolulu, Hawaii
- “muLISP-87 Reference Manual”, The Soft Warehouse , 439 p., 1987, Honolulu, Hawaii
- “muLISP-90 Reference Manual”, no reference found

Note: muLISP-81 and muLISP-83 dialects lack real number atoms.

Growth of primitives in standard muLISP systems (MS-DOS version if not noted otherwise, without extensions loaded)

|                       |   |
|-----------------------|---|
| muLISP-80 2.0 (CP/M)  | 88 primitives   |
| muLISP-83 4.11 (CP/M) | 118 primitives  |
| muLISP-83 4.11        | 121 primitives  |
| muLISP-85 5.01        | 303 primitives  |
| muLISP-86 5.10        | 354 primitives  |
| muLISP-87 6.00        | 411 primitives, irrational and transcendental functions: IRRATNAL.LSP |
| muLISP-87 6.10        | 415 primitives, irrational and transcendental functions: IRRATNAL.LSP |
| muLISP-90 7.20        | 421 primitives, irrational and transcendental functions: IRRATNAL.LSP |

| Year | Product/Version | Operating System and Comments   |
|------|-----------------|---|
| 1977 | muLISP          | first version of muLISP functional                                    |
| 1979 |                 | company <i>The Soft Warehouse</i> founded                             |
| 1979 | muMath-79       | CP/M (8080, Z80), TRS-80 DOS, implemented in muLISP                   |
| 1979 | muSIMP          | written in muLISP to provide simpler user interaction                 |
| 1980 | muLISP-80       | CP/M, with muStar, (8080), 10/06/80, before licensing to Microsoft    |
| 1980 | muMath-80       | for Apple II (native 6502), Apple II (Z80 card with CP/M), and TRS-80 |
| 1980 | muLISP-80       | CP/M, Version 2.0, licensed by Microsoft                              |
| 1980 | muMath-80       | CP/M, written in muSIMP-80 2.02 (Microsoft)                           |
| 1980 | muMath-80       | CP/M, written in muSIMP 2.03, licensed by Microsoft                   |
| 1981 | muMath-80       | CP/M, written in muSIMP 2.10, 04/25/81, licensed by Microsoft         |
| 1981 | muMath-80       | CP/M, written in muSIMP 2.12, 07/09/81, licensed by Microsoft         |
| 1981 | muMath-80       | CP/M, Osborne 1, written in muSIMP-80 2.14, 12/19/81 (Microsoft)      |
| 1981 | muLISP-81       | IBM PC and CP/M   |
| 1982 | muLISP-82       | IBM PC and CP/M, see Micro/Systems Journal Review, May/June, 1985     |
| 1982 | muMath-82       | IBM PC, see PC-Magazine Review, December, 1983                        |
| 1982 | muSIMP-80       | Apple II, ADIOS, Version 2.15 (03/01/82), 6502, licensed by Microsoft |
| 1984 | muLISP-83       | Soft Warehouse Version 4.11 CP/M-80, 03/22/84, licensed by Microsoft  |

|      |              |   |
|------|--------------|---|
| 1984 | muLISP-83    | Soft Warehouse Version 4.11 IBM PC, 03/22/84, licensed by Microsoft                     |
| 1984 | muMath-83    | IBM PC, Version 4.12 (8088)   |
| 1985 |              | company name changed to <i>Soft Warehouse Hawaii</i> .                                  |
| 1985 | muLISP-85    | Microsoft LISP Version 5.01 IBM PC MS-DOS, 09/15/85                                     |
| 1986 | muLISP-86    | Microsoft LISP Version 5.10, IBM PC MS-DOS, 01/06/86                                    |
| 1987 | muLISP-87    | Soft Warehouse Version 6.01, IBM PC MS-DOS, 06/17/87                                    |
| 1988 | muLISP-87    | Soft Warehouse Version 6.03, IBM PC MS-DOS, 07/12/88                                    |
| 1988 | muLISP-87    | Soft Warehouse Version 6.10, IBM PC, MS-DOS, 12/07/88                                   |
| 1988 | 1.00         | MS-DOS, implemented in muLISP   |
| 1988 | 1.02         | MS-DOS, written in muLISP-87  |
| 1988 | 1.53         | MS-DOS, written in muLISP-87 (only executable and help file available)                  |
| 1988 | 1.60         | MS-DOS, written in muLISP-87  |
| 1988 | 1.61         | MS-DOS  |
| 1988 | 1.62         | MS-DOS, written in muLISP-87  |
| 1989 | 2.00         | MS-DOS, price \$200   |
| 1990 | muLISP-90    | IBM PC, Version 7.20 (02/07/94)   |
| 1990 | 2.013        | MS-DOS, written in muLISP-87  |
| 1990 | 2.05         | MS-DOS, written in muLISP-90  |
| 1990 | 2.053        | MS-DOS, written in muLISP-90  |
| 1990 | 2.083        | MS-DOS, written in muLISP-90  |
| 1991 |              | Derive User Group (DUG) founded, newsletter published up to 2024                        |
| 1992 | 2.50         | MS-DOS, written in muLISP-90, including HP 95LX Application Card                        |
| 1992 | 2.54         | MS-DOS, written in muLISP-90  |
| 1992 | 2.55         | MS-DOS, written in muLISP-90  |
| 1992 | 2.55 XM      | MS-DOS, uses EMS, written in muLISP 90 XM Version 7.16 (02/10/93)                       |
|      | 2.58         | MS-DOS, written in muLISP-90  |
| 1993 | muLISP-90 XM | IBM PC, Version 7.16 (02/10/93)   |
| 1993 | 2.60         | MS-DOS, written in muLISP-90  |
| 1993 | 2.60 XM      | MS-DOS, uses EMS  |
| 1994 | muLISP-90 XM | IBM PC, Version 7.20 (02/07/94)   |
| 1994 | 3.00         | MS-DOS, first version to support Acrospin for 3D graph visualization                    |
| 1994 | 3.00y        | MS-DOS, written in muLISP-90  |
| 1994 | 3.00y XM     | MS-DOS, written in muLISP-XM 7.21, uses PharLap extender for EMS                        |
| 1994 | 3.02         | MS-DOS  |
| 1994 | 3.05         | MS-DOS, written in muLISP-90  |
| 1995 | 3.06 XM      | MS-DOS, written in muLISP-XM 7.21, uses EMS   |
| 1995 | muLISP-90 XM | MS-DOS, Version 7.30 (10/13/95)   |
| 1995 | 3.10         | MS-DOS  |
| 1995 | 3.10 G       | MS-DOS, written in muLISP-XM 7.30 (10/13/95), uses EMS, German                          |
| 1995 | 3.10 XMG     | MS-DOS, written in muLISP-90, uses EMS, German  |
| 1995 | 3.11 XM      | MS-DOS, uses EMS  |
| 1995 | 3.12         | MS-DOS  |
| 1995 | 3.13         | MS-DOS, written in muLISP-90  |
|      | 3.14         | MS-DOS  |
| 1996 | 4.00         | MS-DOS, first Version for Windows   |
| 1996 | 4.03         | MS-DOS, Windows, but not for Windows XP   |
| 1996 | 4.04         | MS-DOS, unified Derive/Derive XM, written in muLISP 7.40 (08/28/96), 16/32-bit, Windows |

|      |       |   |
|------|-------|---|
| 1996 | 4.05  | MS-DOS, with 16/32-bit Extender, Windows  |
| 1996 | 4.05a | MS-DOS, uses 32-bit Extender, Windows 3.x   |
| 1996 | 4.06  | MS-DOS, written in muLISP-XM 7.40 (06/25/97), 16/32-bit, Windows  |
| 1996 | 4.07  | MS-DOS, written in muLISP-XM 7.40, 16/32-bit Extender, Windows  |
| 1996 | 4.09  | MS-DOS, uses 32-bit Extender, Windows (have update only)  |
| 1996 | 4.10  | MS-DOS, uses 32-bit Extender, Windows /32 bit (have update only)  |
| 1996 | 4.11  | MS-DOS, incl. HP 200LX, MS-DOS extender 16/32 bit, written in muLISP 7.40, Windows  |
|      | 4.13  | MS-DOS, Windows, but not for Windows 2000   |
| 1999 |       | takeover of Soft-Warehouse by Texas Instruments   |
| 2000 |       | TI-92   |
| 2000 | 5.00  | Windows 3.x   |
| 2000 | 5.01  | Windows 95, 98, NT (16 June 2000)   |
| 2000 | 5.02  | Windows 95, 98, NT (30 June 2000)   |
| 2001 | 5.03  | Windows 95, 98, NT, 2000 (15 January 2001)  |
| 2001 | 5.04  | Windows 95, 98, NT, 2000 (11 April 2001)  |
| 2001 | 5.05  | Windows 95, 98, NT, 2000 (5 December 2001)  |
| 2002 | 5.06  | Windows 95, 98, ME, NT, 2000, XP (10 October 2002) , written in muLISP for DERIVE 7.43 (03/06/01)   |
| 2003 | 6.00  | Windows 98, ME, 2000, XP  |
| 2004 | 6.01  | Windows (not: 98, ME) 2000, XP (1 March 2004)   |
| 2004 | 6.10  | Windows 98, ME, 2000, XP, links to TI-89, TI-89 Titanium, TI-92+, or TI Voyage 200 calculators (October 2004), written in muLISP for DERIVE 7.45 (08/17/04) |
| 2007 |       | Texas Instruments ends development and distribution of Derive   |

Notes:

- red: I do not have original disks, but a copy of the files (which may be incomplete).
- black: must exist “somewhere”, I found references to or screenshots of these versions.
- The prefix “mu” stands for “micro”.
- There are probably many intermediate versions not listed here, as Soft Warehouse often provided small updates to fix problems reported by users.

The Derive versions for MS-DOS since Derive 3.0 supported the external program *Acrospin*. *Acrospin* could display 3D line meshes of three dimensional graphics. The data was transferred from the Plot menu via a \*.ACD text file which contains lists of coordinates and straight line connectivities.




Figure 1: Derive version numbers versus publication year.
















Figure 2: Growth of the main Derive files versus publication year.

The following screenshots were taken with Options / Display active to show the graphics cards supported by each version.

|  |   |
|--|---|
|    | <p>1988</p> <p>Version 1.02</p> <p>This version supports most graphics adapters of that era including VGA.</p>  |
|   | <p>1988</p> <p>Version 1.53</p>   |
|  | <p>1988</p> <p>Version 1.60</p> <p>This version added a display driver for the Toshiba T3100 laptop computer (which btw. as the same 640 x 400 pixel screen memory organization as the AT&amp;T 6300/Olivetti M24/HP Vectra).</p> |




|  |                                  |
|--|----------------------------------|
|    | <p>1988</p> <p>Version 1.62</p>  |
|   | <p>1990</p> <p>Version 2.013</p> |
|  | <p>1990</p> <p>Version 2.05</p>  |


|  |                                  |
|--|----------------------------------|
|    | <p>1990</p> <p>Version 2.053</p> |
|   | <p>1990</p> <p>Version 2.083</p> |
|  | <p>1992</p> <p>Version 2.50</p>  |

|  |                                    |
|--|------------------------------------|
|    | <p>1992</p> <p>Version 2.55</p>    |
|   | <p>1992</p> <p>Version 2.55 XM</p> |
|  | <p>1993</p> <p>Version 2.60</p>    |




|  |   |
|--|---|
|    | <p>1993</p> <p>Version 2.60 XM</p>  |
|   | <p>1994</p> <p>Version 3.0y XM</p> <p>This version used a so called DOS Extender and added support for the display of the HP 95LX palmtop computer.</p> |
|  | <p>1994</p> <p>Version 3.05</p>   |

|  |   |
|--|---|
|    | <p>1995</p> <p>Version 3.06 XM</p> <p>Version using a DOS Extender.</p>   |
|   | <p>1995</p> <p>Version 3.10 G</p> <p>User interface translated into German.</p>   |
|  | <p>1995</p> <p>Version 3.10 XMG</p> <p>This version used the DOS extender and also came with the user interface translated into German.</p> |




1995  
Version 3.13




1996  
Version 4.04

This version came with executables for a 16-bit and a 32-bit DOS Extender variant.



The 32-bit option required a 32-bit processor like the 80386.






1996  
Version 4.05

This version came with executables for a 16-bit and a 32-bit DOS Extender variant.



1996  
Version 4.06

This version also used the 32-bit DOS Extender.

|  |   |
|--|---|
|  | <p>1996</p> <p>Version 4.11</p> <p>This version used also used the 32-bit DOS Extender.</p> <p>It still supported the HP 95LX palmtop computer.</p> |
|--|---|

## Terminal Installation for muLISP and Derive

The early versions of muLISP up to version 6.10 and Derive up to version 2.083 can be installed for different terminal types.

I don't know whether there was a Wordstar-like installation program for selecting preconfigured terminals or even defining your own escape sequences. The list found in the program code suggest so.

Today I can only patch the code to select different terminals.

The terminal list also includes the HP-110 and HP-150. Therefore, Derive versions up to 2.083, which have been built with these muLISP versions, can be patched to work with the HP-150 and HP-110.

However, graphics mode and equation displays are not properly supported (axes and points use incorrect characters).

The \*.COM files contain a list of terminals.

```
1 = Other generic MS-DOS computer
2 = IBM PC compatible computer
3 = ANSI.SYS screen or VT-100 Terminal
4 = TI Professional Computer
5 = Zenith Z-100 Computer or VT-52 Terminal
6 = Hewlett-Packard HP-150 Computer
7 = Hewlett-Packard HP-110 Computer
8 = NEC Advanced PC or ADM-3A Terminal
9 = NEC PC-9801 Computer
A = Fujitsu Computer
```

The terminal byte or word in the following context contains the terminal number. Here it has been changed to "06", the HP-150 Computer.

```
00000440 00001E1E 04000300 00004F00 0000FF07 .....0.....
00000450 5C7C64FF FF1A0006 00000000 00242000 \|d.....$ .
                ^^ terminal type
00000460 0000004C 5350FF00 002E1110 FF000000 ...LSP.....
```

## Literature related to Derive

(There are a huge number of books about Derive and its application and many of them have been listed in the Derive Users Group Newsletters, many can be loaned from your local library or from [archive.org](http://archive.org))

- [1] Williams, G., "The muSIMP/muMATH-79 Symbolic Math System", BYTE
- [2] Gilligan, Lawrence G., Marquardt, James F. Sr., "Calculus and the Derive Program: Experiments with the Computer", Gilmar Publishing, 1991, 152 pages.
- [3] Arney, David C., "Derive Laboratory Manual for Differential Equations", Addison-Wesley, 1991, 189 pages.
- [4] Arney, David C., "Exploring Calculus with Derive", Addison-Wesley, 1992, 166 pages.
- [5] Arney, David C., "The Student Edition of Derive", Addison-Wesley, 1992, 387 pages, uses Derive Version 2.
- [6] various authors, "Lab Resource Manual to accompany The Student edition of Derive", 1992, 69 pages.
- [7] Glynn, Jerry, "Exploring Math from Algebra to Calculus with Derive", Mathware, 1992, 154 pages, uses Derive Version 2.51.
- [8] Berry, J.S., Graham, E., Watkins, A. J. P., "Learning Mathematics through Derive", Ellis Horwood, 1993, 371 pages.
- [9] Koepf, W., Ben-Israel, Ben, Gilbert, Robert P., "Mathematik mit Derive", Vieweg 1993 (German).
- [10] Denton, Brian, "Learning Linear Algebra through Derive", Prentice Hall, 1995, 353 pages.
- [11] Townend, M. Stewart, Pountney, David C., "Learning Modelling with Derive", Prentice Hall, 1995, 244 pages.
- [12] Richardson, R. L., "Business Calculus today with Spreadsheets and DERIVE", Saunders College Publishing, 1996, 416 pages.
- [13] Abbey, May Kay, "Calculus Explorations using Derive", Saunders College Publishing, 1996, 84 pages.
- [14] Bogess, Al, et. al., "Single Variable Calculus with Derive", Brooks/Coole Publishing Company, 1999, 208 pages.

## **Literature related to muMATH, muLISP**

- [1] Williams, G., "The muSIMP/muMATH-79 Symbolic Math System", BYTE Magazine, 11/1980.
- [2] Shochat, David D., "Experience with the muSIMP/muMATH-80 Symbolic Mathematics System", ACM SIGSAM Bulletin #3, pp. 16-23, August 1, 1982. [refers to muSIMP/muMATH-79]
- [3] McClennan, David T., "LISPing with your PC", (review, includes muLISP-82), PC Magazine, 12/1983.
- [4] Bortz, J., Diamant J., "LISP for the IBM Personal Computer", (review, includes muLISP-83), BYTE Magazine, 7/1984.
- [5] Wong, William G., "16 Bit Lisp and Prolog Implementations", (review, includes muLISP-82), Micro/Systems Journal, Part I: V01N01, March/April, Part II: V01N02, May/June, 1985.
- [6] muLISP 4.1 – Review, c't Magazin, 03, 1986 (German).
- [7] Piddock, P., "Extended muSIMP/muMATH for Teaching and Learning Mathematics", Comput. Educ., V10N1, pp. 155-158, Pergamon Press, 1986.
- [8] Schwartz, Stanley, "Customizing muLISP", Sextant, Issue 20, Jan-Feb 1986. [refers to muLISP-83 CP/M, muLISP-85 MS-DOS and Zenith computers]



- [9] Trindle, Carl, "Application of the MuMATH Symbol Manipulation System to Chemically Significant Permutation Groups", J. Symbolic Computation, p.207-212, 1986. [refers to Apple II 6502 version of muMATH]
- [10] Wooff, C., Hodgkinson, D., "muMath - a Microcomputer Algebra System", Academic Press, 1987, 159 pages.
- [11] DeMers, Michael N., "SEDRULE: A Rule-Based System for Interpreting some Major Sedimentary Environments", Computers & Geosciences, V16N6, pp.833-846, 1990. [uses muLISP-86]

## Software Manuals

- [1] "muSIMP/MATH-79 Reference Manual", 135 pages, 1979.
- [2] "muMATH/muSIMP", for TRS-80, software manual, Microsoft, 1980, 76 pages.
- [3] "The muMATH/muSIMP-80 Symbolic Mathematics System Reference Manual", 195 pages, 1980. [covers TRS-80, Cromenco Z1&Z2&Z3, Imsai VDP IMDOS, Apple II CP/M with Z80 card, Heath H89 with CP/M board, 8080, 8085, Z80 CP/M systems]
- [4] "The muMATH/muSIMP-80 Symbolic Mathematics System Reference Manual for the CP/M Version", 148 pages, 1981. [covers Apple II CP/M with Z80 card, Apple II with Apple DOS 3.3, TRS-80 1&3 TRSDOS, TRS-80 2 CP/M, Imsai VDP IMDOS, 8080, 8085, Z80 CP/M systems]
- [5] "Microsoft muLISP Artificial Intelligence Development System", Reference Manual for muLISP-83, 1983. [covers versions for CP/M, IBM PC, Apple II with Z80 card]