



Six-method fit comparison — NaturalEarth / natural_earth_10m_coastline_03d70a589428_w000_03d70a58

shared MSE tolerance = $1.0\text{e-}04$


Ours v16 — PASS
input MSE= $4.41\text{e-}05$ | ref MSE= $4.61\text{e-}05$ | K=42
full method=8.41 ms | network=6.69 ms




Park & Lee 2007 (DOM adaptation) — PASS
input MSE= $8.53\text{e-}05$ | ref MSE= $8.94\text{e-}05$ | K=41
full method=60.19 ms




Liang et al. 2017 (feature-IKI adaptation) — PASS
input MSE= $9.44\text{e-}05$ | ref MSE= $9.78\text{e-}05$ | K=33
full method=38.60 ms




Dung & Tjahjowidodo 2017 (serial adaptation) — FAIL
input MSE= $5.77\text{e-}04$ | ref MSE= $5.89\text{e-}04$ | K=16
full method=295.83 ms



Kang 2015 (ADMM adaptation) — FAIL
input MSE= $1.94\text{e-}02$ | ref MSE= $1.95\text{e-}02$ | K=1
full method=69.01 ms



Luo et al. 2022 (l-infinity,1 + DE adaptation) — FAIL
input MSE= $3.20\text{e-}03$ | ref MSE= $3.23\text{e-}03$ | K=5
full method=515.64 ms



Original reference curve Final B-spline Control polygon Control vertices Internal-knot locations
192 input samples