



Six-method fit comparison — NaturalEarth / natural_earth_10m_coastline_40437a867891_w000_40437a86

shared MSE tolerance = $1.0\text{e-}04$


Ours v16 — PASS
input MSE= $5.40\text{e-}05$ | ref MSE= $5.32\text{e-}05$ | K=20
full method=7.86 ms | network=6.49 ms




Park & Lee 2007 (DOM adaptation) — PASS
input MSE= $4.18\text{e-}05$ | ref MSE= $4.28\text{e-}05$ | K=12
full method=15.88 ms




Liang et al. 2017 (feature-IKI adaptation) — PASS
input MSE= $8.51\text{e-}05$ | ref MSE= $8.61\text{e-}05$ | K=12
full method=12.23 ms




Dung & Tjahjowidodo 2017 (serial adaptation) — FAIL
input MSE= $1.11\text{e-}04$ | ref MSE= $1.12\text{e-}04$ | K=8
full method=139.72 ms



Kang 2015 (ADMM adaptation) — FAIL
input MSE= $1.14\text{e-}04$ | ref MSE= $1.15\text{e-}04$ | K=8
full method=295.03 ms



Luo et al. 2022 (l-infinity,1 + DE adaptation) — FAIL
input MSE= $1.13\text{e-}04$ | ref MSE= $1.14\text{e-}04$ | K=10
full method=656.19 ms



Original reference curve | Final B-spline | Control polygon | Control vertices | Internal-knot locations