



Six-method fit comparison — NaturalEarth / natural_earth_10m_coastline_75499b12a1ac_w000_75499b12

shared MSE tolerance = $1.0\text{e-}04$


Ours v16 — PASS
input MSE= $2.40\text{e-}05$ | ref MSE= $2.32\text{e-}05$ | K=19
full method=8.02 ms | network=6.48 ms




Park & Lee 2007 (DOM adaptation) — PASS
input MSE= $9.21\text{e-}05$ | ref MSE= $9.18\text{e-}05$ | K=12
full method=22.29 ms




Liang et al. 2017 (feature-IKI adaptation) — PASS
input MSE= $9.80\text{e-}05$ | ref MSE= $9.81\text{e-}05$ | K=12
full method=12.17 ms




Dung & Tjahjowidodo 2017 (serial adaptation) — FAIL
input MSE= $2.42\text{e-}04$ | ref MSE= $2.43\text{e-}04$ | K=7
full method=124.82 ms



Kang 2015 (ADMM adaptation) — PASS
input MSE= $8.61\text{e-}05$ | ref MSE= $8.58\text{e-}05$ | K=12
full method=321.32 ms



Luo et al. 2022 (l-infinity,1 + DE adaptation) — FAIL
input MSE= $1.95\text{e-}04$ | ref MSE= $1.95\text{e-}04$ | K=10
full method=652.86 ms



Original reference curve Final B-spline Control polygon Control vertices Internal-knot locations 192 input samples