



Six-method fit comparison — NaturalEarth / natural_earth_10m_coastline_a03a74fc862d_w000_a03a74fc

shared MSE tolerance = $1.0\text{e-}04$


Ours v16 — PASS
input MSE= $3.63\text{e-}05$ | ref MSE= $3.57\text{e-}05$ | K=18
full method=7.83 ms | network=6.51 ms




Park & Lee 2007 (DOM adaptation) — PASS
input MSE= $6.23\text{e-}05$ | ref MSE= $6.34\text{e-}05$ | K=13
full method=21.75 ms




Liang et al. 2017 (feature-IKI adaptation) — PASS
input MSE= $8.74\text{e-}05$ | ref MSE= $8.79\text{e-}05$ | K=16
full method=16.49 ms



Dung & Tjahjowidodo 2017 (serial adaptation) — FAIL
input MSE= $1.19\text{e-}03$ | ref MSE= $1.20\text{e-}03$ | K=5
full method=94.72 ms



Kang 2015 (ADMM adaptation) — FAIL
input MSE= $1.03\text{e-}04$ | ref MSE= $1.05\text{e-}04$ | K=12
full method=336.74 ms



Luo et al. 2022 (l-infinity,1 + DE adaptation) — FAIL
input MSE= $3.44\text{e-}04$ | ref MSE= $3.47\text{e-}04$ | K=7
full method=643.94 ms

