



Six-method fit comparison — NaturalEarth / natural_earth_10m_coastline_acfcd18664ff_w000_acfcd186

shared MSE tolerance = $1.0\text{e-}04$


Ours v16 — PASS
input MSE= $4.66\text{e-}05$ | ref MSE= $4.57\text{e-}05$ | K=17
full method=7.82 ms | network=6.47 ms




Park & Lee 2007 (DOM adaptation) — PASS
input MSE= $8.15\text{e-}05$ | ref MSE= $8.15\text{e-}05$ | K=18
full method=22.50 ms




Liang et al. 2017 (feature-IKI adaptation) — PASS
input MSE= $9.22\text{e-}05$ | ref MSE= $9.26\text{e-}05$ | K=14
full method=14.29 ms




Dung & Tjahjowidodo 2017 (serial adaptation) — FAIL
input MSE= $1.77\text{e-}03$ | ref MSE= $1.77\text{e-}03$ | K=8
full method=129.51 ms



Kang 2015 (ADMM adaptation) — FAIL
input MSE= $1.44\text{e-}04$ | ref MSE= $1.45\text{e-}04$ | K=11
full method=309.16 ms



Luo et al. 2022 (l-infinity,1 + DE adaptation) — FAIL
input MSE= $1.96\text{e-}03$ | ref MSE= $1.97\text{e-}03$ | K=3
full method=629.80 ms



Original reference curve
192 input samples
Final B-spline
Control polygon
Control vertices
Internal-knot locations