



Six-method fit comparison — UJI / uji2_11048_stroke_01

shared MSE tolerance = $1.0\text{e-}04$


Ours v16 — PASS
input MSE= $7.37\text{e-}06$ | ref MSE= $1.25\text{e-}05$ | K=5
full method=7.79 ms | network=6.63 ms




Park & Lee 2007 (DOM adaptation) — PASS
input MSE= $7.50\text{e-}06$ | ref MSE= $1.34\text{e-}05$ | K=0
full method=2.44 ms




Liang et al. 2017 (feature-IKI adaptation) — PASS
input MSE= $2.77\text{e-}06$ | ref MSE= $7.33\text{e-}06$ | K=4
full method=4.10 ms




Dung & Tjahjowidodo 2017 (serial adaptation) — PASS
input MSE= $7.50\text{e-}06$ | ref MSE= $1.34\text{e-}05$ | K=0
full method=2.78 ms



Kang 2015 (ADMM adaptation) — PASS
input MSE= $7.50\text{e-}06$ | ref MSE= $1.34\text{e-}05$ | K=0
full method=4.70 ms



Luo et al. 2022 (l-infinity,1 + DE adaptation) — PASS
input MSE= $3.99\text{e-}06$ | ref MSE= $8.44\text{e-}06$ | K=2
full method=638.71 ms



Original reference curve
Final B-spline
Control polygon
Control vertices
Internal-knot locations
192 input samples