



Six-method fit comparison — USGS / usgs_tnm_contours_large_scale_01f1215ae7f5_w001_8cd3f654
shared MSE tolerance = 1.0e-04


Ours v16 — PASS
input MSE=2.78e-05 | ref MSE=2.80e-05 | K=56
full method=8.46 ms | network=6.51 ms




Park & Lee 2007 (DOM adaptation) — PASS
input MSE=8.76e-05 | ref MSE=8.85e-05 | K=44
full method=64.44 ms




Liang et al. 2017 (feature-IKI adaptation) — PASS
input MSE=9.74e-05 | ref MSE=9.91e-05 | K=36
full method=41.88 ms




Dung & Tjahjowidodo 2017 (serial adaptation) — FAIL
input MSE=4.64e-04 | ref MSE=4.69e-04 | K=20
full method=378.58 ms



Kang 2015 (ADMM adaptation) — FAIL
input MSE=7.45e-03 | ref MSE=7.49e-03 | K=1
full method=68.78 ms



Luo et al. 2022 (l-infinity,1 + DE adaptation) — FAIL
input MSE=1.56e-03 | ref MSE=1.57e-03 | K=7
full method=509.49 ms



Original reference curve Final B-spline Control polygon Control vertices Internal-knot locations