

In any case, I'll continue to refine this and expand the filters as safely as I can.

```

# coding=UTF-8
import csv
import re
import glob
import json

def load_csv():
    titles = {}

    # load the CSV file of titles
    with open('/home/martin/Mounts/THREETB/Corpus/book-list.csv', 'rb') as csvfile:
        csv_file = csv.reader(csvfile, delimiter=',', quotechar='"')

        # iterate over the CSV
        for row in csv_file:
            # extract a potential title and substitute out all punctuation
            titles[row[0]] = re.sub('[\.\?\\(\)\]\[\,;\:\'!\"*!\"']', '', re.sub('[\.\+?\']',
'', row[7])).lower().replace(' ', ' ').strip()

            # remove any titles here that are either blank or less than three words
            long or less than 6 chars total
            if titles[row[0]] == '' or len(titles[row[0]].split(' ')) < 3 or
len(titles[row[0]]) < 6:
                del titles[row[0]]

            if row[0] in titles:
                try:
                    # shorten title to first five words
                    titles[row[0]] = ' '.join(titles[row[0]].split(' ')[0:5])
                except IndexError:
                    # title was short
                    pass

    return titles

def parse_json(folder, titles):
    directory_to_parse = '/home/martin/Mounts/THREETB/Corpus/json/{0}'.format(folder)
    jsons = glob.glob('{0}/*.json'.format(directory_to_parse))
    ret = {}
    file_counter = 0

    for json_file in jsons:
        with open(json_file, 'rb') as json_file_handle:

            file_counter += 1

```

```

        if file_counter == 1000:
            print "Processed 1,000 JSON files"
            file_counter = 0

        loaded_json = json.load(json_file_handle)

        # check the first eight entries of the JSON
        try:
            for x in range(0, 10):
                subbed_text = re.sub('[\.\?\\(\)\]\[,\,;\:\!\\*!\"]', '', re.sub('[\.\+?\
]', '', str(loaded_json[x]))).lower().replace(' ', ' ').strip()
                should_break = False

                for key, title in titles.iteritems():
                    if title in subbed_text:
                        print '[{0}] {1}: {2}'.format(key, title, json_file)
                        ret[key] = json_file
                        should_break = True

                        # remove the key to avoid duplicates
                        del titles[key]
                        break

                if should_break:
                    break
        except IndexError:
            # if we arrive here it's a short JSON
            pass
        except:
            pass

    return ret

if __name__ == '__main__':
    titles = load_csv()

    for folder_name in range(0, 25):
        parse_json(str(folder_name).zfill(4), titles)

```