

LEIS PRODUCT INTEGRATION BLUEPRINT

API Specifications, Middleware Routing Diagrams, and Enterprise Interceptor Configurations for Big Players

1. Middleware Interception Overview

The LEIS protocol is built to sit as a stateless, high-performance middleware interceptor layer directly on top of the APIs of the world's largest language model providers. It acts as a closed-loop validation gate. The system tokenizes outbound AI predictions, checks them against verified environmental markers, and blocks responses containing un-grounded drifts or contradictions, forcing automated model self-repair before releasing data to the end user.

2. Specific Enterprise Integration Specifications

Target platform	Integration Point	Operational Logic Flow
Google Vertex AI / Gemini	gRPC Interceptor / Gateway Middleware	Intercepts Gemini's outbound prediction. The LEIS middleware runs local graph parsing. If physical reality conditions (RCT) mismatch predictions, it feeds back an automated self-repair prompt to Gemini, releasing the payload only when aligned.
OpenAI Assistants API	Stateless Context-Hydration Hook on /threads	The frontend client passes a lightweight, encrypted LEIS Seed JWT Token . The backend decrypts the token, injecting the complete lineage and user limitations into the thread scope, avoiding massive historical chat ingestion fees.
Anthropic Claude	XML Prompt Tag Shielding on Completion API	Wraps completion requests in strict LEIS metadata schemas. The Humanizer middleware evaluates Claude's output, pruning overly polite AI jargon and ensuring that uncertainties and limits remain visibly separate from evidence.
Palantir Foundry Ontologies	Dynamic Ontology Relationship Modulator	Connects to Palantir's static object models. LEIS converts flat data tables into plastic, dynamic graphs, automatically degrading relationship weights whenever real-world operational contradictions are observed.

3. Programmatic Middleware Implementation Spec

Below is the exact execution flow of the stateless, token-based context-sharing API contract. This gRPC payload is exchanged dynamically between enterprise servers and the LEIS context preservation databases to ensure zero cognitive loss:

POST /api/context/update

```
{
  "session_id": "leis_session_0923",
  "seed_id": "LEIS-ROOT",
  "understanding_state": {
    "active_priority": "ENTER_CZECH_MARKET",
    "perceived_gap": "REGULATORY_ZONING",
    "reconstruction_fidelity_index": 0.940
  },
  "reality_contact": {
    "last_observation_utc": "2026-08-12T23:00:00Z",
    "validation_score": 0.95
  }
}
```