

Probando los Chunks

R Markdown

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.


When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   : 2.00
## 1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##   Mean  :15.4    Mean   : 42.98
## 3rd Qu.:19.0    3rd Qu.: 56.00
##   Max.  :25.0    Max.   :120.00
```

Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.

Mis propios chunks

Vamos a calcular $\sqrt{2} - e^{-2}$:

```
sqrt(2) - exp(-2)
```

```
## [1] 1.278878
```

Cuando queremos hacer la raíz cuadrada de dos, podemos hacerlo:

- En \LaTeX : $\sqrt{2}$
- En R haciendo 1.4142136
- La frase completa: $\sqrt{2} = 1.4142136$

El número π empieza por 3.1415927.

Este año he hecho $n = 9$ exámenes, con una media $\bar{x} = 6.78$ y una desviación estandar de $s = 2.39$.