Martin Skatvedt, Oving 1

- 1) If p=Dq is false then
  P=true and q=false
  - a) PAq = true Afaise = faise
  - b) 7PVq = false vraise = raise
  - c) 9 = p = false = true
  - d) 19=0 1P= true Dfalse = false
- 2) 6) 9 => P : If a the triangle ABC is equilateral, then the triangle must also be iscosceles
  - (L) 18 => 79 : If the traingle ABC is not isosceles, then the triangle wont be equilateral
  - The triangle ABC is equilateral if and only if the triangle is equiangular
  - d) P179 : The triangle ABC is isoscles and not equilateral
  - e) r=> P : If the triangle ABC is equiangluar then the triangle is isosceles
- 3) a) -(P1-9) =D7P

								_	Ċ.		•	٠,	_	-	-	•
P	و ا	L	П	P	1	ר '	9	(r	2/	7	9	)	٧	7	P	)
0	ć	כ			C	)					1					
0	/	1			C	)					1					
1	(	)			1						1					
1	/	)	-		C	)					C	)				
															l '	١

Conditional law = (P/19) V7P

b) P=D(9=Dr)

P	9	r	1277	P=V(9=Vr)
0	0	0	1	1
0	0	1	1	1
0	٨	0	0	1
0	1	1	1	1
λ	อ	U	1	1
1	0	1	1	1
1	1	0	0	0
1	1	1	1	1
		'		

L	()	a)	g	ŒŪ	( - F	, V	79)		9	pl	7PV-	291	a<-12	(-0)	1797	
			1			•	17		<del>+</del>	0	1	7	+	0		
		Sf	ate	mer	) <del>{</del>	5	а			1				0		
		Co	nt	rad	ctio	00			٥		1			1		
									1	1				0		
		17/		2-17	G )	1	G 512-7	) <sub>4&gt;</sub>		1	0	J				
		ן עם	-		47/	1	q=br)_	) -1			'					
		P	9	( r	p=L	> 9	9=br	(P=1	79)	109	=Vr)	pevr	[Cr	v 4) NC	9=21)]	D (6:01)
		0	0	0	1		1			1		1		1		
		0	0	1	1		1			1		1		1		
		0	1	O	1		0			0		٨		1		
		0	1	1	1		1			1		1		1		
		1	0	0	0		0			0		0		7		
		1	0	1	0	)	1			O		1		1		
		1	1	o	1		O			0		0		1		
		1	1	1	1		1			1		1		1		
		Tı	ا ط ما	(10	tem ei	<b>1</b> +	is a									
				5tu 1010			73 &									
		=				-										
<u> </u>	(T:	1250	7P \	vr).	A -57	٦ ٨	[75=26	71A	T)							
							SV C7			D.	м.6					
Dom, n	ation			$\rightarrow$					_	4.17.	str: butiv	'e				
		ž (7 l	PVC	) / 7	5		₹&v¬r) ₹&v¬r)				n;nal;	۶P				
							: (5V 7C)		<b>'</b>	الحا حد	entity					
=	[GP.	vr)	) /] -	.5]	N (5	V 7	シ				lau					
P	۲	S	17 P	vr	GPVI	\ \	75  SV	7 r	۲(-	PV	7/175	5710	SV7	r)		
0		0		1		1	,									
0	0	Λ		1		0	,	1			c	)				
o	Λ	0		1		1	1	<b>S</b>			C					
0	1	И	/	1		0	,				C	<b>)</b>				
Λ	0	0		0		0		1			C	<b>)</b>				
1	2	Λ		0		0		1			0					
1	Λ	ō		1		1	(	5			0					



	6)	a)	[P=D(9	'vr)] = [(	P=1271C1	っゃつ)	
P	9	r	91r	p=0 (gvr)	p=1/q	p=D r	(P: V9) 1 (P= V r)
0	O	3	0	1	1	1	1
0	0	1	0	1	1	7	1
Ö	1	၁	0	1	1	1	1
0	1	1	1	1	1	1	1
1	ο	J	D	O	0	0	0
1	၁	А	0	D	O	1	0
1	1	D	0	O	1	0	0
1	1	1	1	1	1	1	1
-	Th	e y	a (e	logical	eg U; va	lent	

P	9	r	qvr	P=V(qvr)	P 22 9	78 = N ( D= N 9 )
0	ପ	0	O	1	1	1
0	0	٨	1	1	1	4
0	1	0	1	1	1	4
0	Λ	1	1	1	1	1
1	o	Э	0	0	D	0
1	0	1	1	1	0	1
1	1	0	1	1	Λ	1
1	1	1	1	1	1	1
7)	700	)	are	109,01 00	vivalen	E

```
7) a) (P19)=>r
   7[(P/9)=>r]
   =7[7(P19) vr] a conditional
                                    law
   = 77 (P/4) / r
                         → D.M.G
   厚ハ( 9)1 r
   b) P=D (-9Vr)
    7 [r=0 (7qvr)]
     =1[1PV(1qvr)] & conditional
     = P/7 (79 Vr)
                 ₽ D.M.6
     = P1(915) 		 □.M.6
8)
   AL1: CPV4) Vr = (9Yr) VP
            PV 9 | (PV 9) V 7 | 9 V 7 | (9 V 7) V P
      O
                             0
                     0
                                    0
     0
   ට
            4
   ၁
                      1
   0
      0
                              0
                              1
                              1
  ALZ: (PAG) Ar = CGAT) AP
          P19 (P19)15
                                (AAr) AP
                         21r
        0
                    0
                           0
            0
                                     0
                            0
            0
  0
                    0
                                     0
                    0
                                     0
            0
                            0
  ٥
  O
       1
            0
                    0
                            1
                                     0
       0
            0
                    0
                            0
                                     0
            0
                   0
                            0
                                    9
     1
                                    0
                    0
                            0
     Λ
                                    1
                             1
```

9) a) P=v (Pv9)	p	9	pvq	p=1 (pvq)
tav101099	0	Э	D	1
	၁	1	1	1
	Λ	0	A	1
	1	1		1 1

b) 7 [P=V (PV9)]					
2 / [ · · · · · + / ]	P	19	P v q	PEDCPV9)	7[P=D(Pv9)]
				1 1	
Contradiction	อ	)			
	ာ	1	1	1	0
	1	0	1 1	1	0
	A				
	/1	1 /	1 1	1	0

C) P=D	(P=V 9)	P	121	10=091	p=v(p=vq)
Satis	sfiable	0	ə	1	1
		0	1	1	1
		Λ	0	0	0
			1		

- 5) (r179)