

## **Preservation Action Registries Workshop**

Workshop 08/07/2019

JISC, Arkivum, Artefactual, Preservica, Open Preservation Foundation

http://parcore.org/presentations V03 140619

# Agenda

Time	Session	Facilitator/Speaker
10:00 - 10:30	Coffee and registration	
10:30 - 10:40	Introduction / Overview of the day	Martin Wrigley, OPF
10:40 - 10:50	PAR Background and overview	Matthew Addis. Arkivum
10:50 - 11:10	PAR Model / Examples	Jack O'Sullivan, Preservica / Sarah Romkey, Artefactual
11:10 - 11:20	PAR demo	Jack O'Sullivan, Preservica / Sarah Romkey, Artefactual
11:20 - 11:35	PAR Going Forward / Sustainability	Carl Wilson / Martin Wrigley, OPF
11:35 - 12:00	Workshop overview	Justin Simpson, Artefactual
12:00 - 13:00	Break	
13:00 - 15:30	PAR Action Rules Workshop	Justin Simpson / All
15:30 - 16:00	Feedback, Q&A	All











## Introduction & Overview

- Welcome!
- The purpose of today is to introduce you to the concept of PAR and the work undertaken to date:
  - To get you involved via a collaborative workshop using the PAR model
  - Provide an overview of the vision for PAR and to get your feedback to help refine that vision
  - Introduce the challenges facing PAR and its sustainability
- Quick Fire round table intro:
  - What are your expectations of the day?












## What is PAR about

- PAR is aimed at:
  - a way of describing a digital preservation process that can be shared between preservation systems
  - a way of setting up new systems or processes based on good practice from another, trusted organisation



**FPR** 











## PAR Positioning

#### PAR

- Original idea from Jisc Open Research Hub project
  - Multi-vendor shared services platform for Research Data Management
- Jisc kick-started several systems vendors co-operating to build an interchange of digital preservation policies implemented through specific use of tools and settings
- Open Research Hub could then build good practice for researchers to use - 'off the shelf' to preserve their data using whatever system their organisation may have.
- What does this translate to in other environments?
- Can we share good practice in this way using PAR?
- Can we make PAR a sustainable success?











## The PAR Team

- Justin Simpson Managing Director; Artefactual
- Sarah Romkey Archivematica Program Manager;
   Artefactual
- Matthew Addis CTO; Arkivum
- Jack O'Sullivan Senior Software Engineer; Preservica
- Carl Wilson Technical Lead; OPF
- Becky Mcguinness Community Manager; OPF
- Martin Speller Project Manager; OPF
- Martin Wrigley Executive Director; OPF











# Agenda

Time	Session	Facilitator/Speaker
10:00 - 10:30	Coffee and registration	
10:30 - 10:40	Introduction / Overview of the day	Martin Wrigley, OPF
10:40 - 10:50	PAR Background and overview	Matthew Addis. Arkivum
10:50 - 11:10	PAR Model / Examples	Jack O'Sullivan, Preservica / Sarah Romkey, Artefactual
11:10 - 11:20	PAR demo	Jack O'Sullivan, Preservica / Sarah Romkey, Artefactual
11:20 - 11:35	PAR Going Forward / Sustainability	Carl Wilson / Martin Wrigley, OPF
11:35 - 12:00	Workshop overview	Justin Simpson, Artefactual
12:00 - 13:00	Break	
13:00 - 15:30	PAR Action Rules Workshop	Justin Simpson / All
15:30 - 16:00	Feedback, Q&A	All











## What is PAR?

### A way to describe how to do digital preservation

- Human and machine readable
- Enough detail to actually do something in the real world
- Knowledge sharing through a common language and terminology

#### A way to build registries of good preservation practice

- Within an institution, e.g. implementing policies
- Supporting a community, e.g. research data management
- Discipline specific, e.g. how to preserve AV content

### A way to achieve interoperability of DP systems

- Import and export from registries and exchange between systems
- Supports transparency and trust
- Allows comparison and migration











# Why do we need PAR?

- Users want good advice, wherever it comes from
  - Identification, property extraction, validation, migration, rendering, emulation, packaging, safeguarding ...
  - What works, what doesn't, when to use a particular approach, who's done it before, why they did it ...
- There is plenty of research and advice on good practice
  - Vendors, practitioners, academics, specialists
  - Tools, policies, examples, case studies
- But all this goodness is really hard to find and use
  - Fragmented, hard to find, inconsistent terminology, can't be used directly in DP systems, not always easy to establish trust, lack of context












## Where did PAR come from?

- Jisc Open Research Hub
  - Multi-vendor shared services platform for Research Data Management
- Discussions of interoperability between the DP solutions
  - No common format policies, hard for users to decide which one to use














# What sort of things does PAR describe?



https://doi.org/10.6084/m9.figshare.6628418











# Formalising PAR as a set of core concepts

- A Preservation Action is something done as part of DP
- An Action has an Action Type defined by PREMIS
- An Action acts upon an input Object or File
- May take Properties as inputs
- Executed using one or more **Tools**
- Controlled/configured by a set of Parameters
- May create an output Object or File
- May create/extract Properties and provide them as outputs
- Context on when/why/who/how is in Business Rules











# Some examples of Preservation Actions

- A Preservation Actions is one or more steps that are executed as part of performing digital preservation on digital content
- Some simple examples:
  - Create or check checksums
  - Convert a file from format A to format B
  - Extract properties X, Y, Z from a file
  - Validate a file against a format specification
  - Create an Archive Information Package
  - Make replicas and store in different locations











## That doesn't sound too hard...

- Some more complicated examples (beyond files):
  - Extract properties of content in wrappers and containers, e.g. zip, MXF, PST
  - Render compound objects, e.g. digitised books, websites, datasets
  - Migrate structured data, e.g. databases, spreadsheets
  - o Render interactive content, e.g. lab notebooks, games, eBooks, installation art
  - Capture shared content and experiences, e.g. multiplayer games, SM
- Preservation Actions on Objects:
  - Often require multiple steps, i.e. they will typically be workflows
  - Need to be done consistently across an intellectual entity as a whole
  - May require preservation of software as well as content

We're starting with the simple stuff and working our way up!











# PAR in the real world (property extraction)

- Property extraction
  - E.g. MediaInfo using EBUCore to AV properties
  - Same Tool, same File, multiple Properties
  - Parameter changes the schema, units, encoding and reported properties!

```
Video
Format
Format/Info
                                           : Advanced Video Codec
Format profile
                                           : Main@L3
                                           : CABAC / 3 Ref Frames
Format settings
Format settings, CABAC
Format settings, ReFrames
                                           : 3 frames
Codec ID
Codec ID/Info
                                           : Advanced Video Coding
Duration
                                           : 13 s 139 ms
Bit rate
                                           : 385 kb/s
Width
                                           : 854 pixels
Height
                                           : 480 pixels
Display aspect ratio
Frame rate mode
                                            Variable
Frame rate
                                           : 23.976 FPS
                                           : 23.974 FPS
Minimum frame rate
Maximum frame rate
                                           : 23.981 FPS
Color space
Chroma subsampling
                                           : 4:2:0
Bit depth
                                           : 8 bits
```

#### mediainfo video.mp4

mediainfo --Output=EBUCore video.mp4











# PAR in the real world (fixity)

- Checksum generation and validation
  - md5sum can generate an MD5 checksum for a file
  - md5sum can check an MD5 to get OK/FAIL for a file
  - Same Tool, same File, same Property
  - A Parameter changes the Action and Action Type (fixity check, digest calc)
  - A Fixity check is Property extraction followed by Property comparison

What is the fixity of parcore.ppt?

md5sum parcore.ppt: 92bc215089ccf35a8384fc25f9be1bd3 parcore.ppt

md5sum -c manifest.md5: parcore.ppt: OK











# PAR in the real world (file format identification)

#### File format identification

- Same Action, multiple Tools: Droid, Siegfried, Fido, FITS, File, Tika
- Can be applied to wrappers, containers, bitstreams
- Different schemas: Mimetype, PRONOM ID
- Business Rules needed on which Tools work best and when
- Business Rules needed on priority/ranking/consensus/conflict resolution

What is the file format of parcore.ppt?

File: Composite Document File V2 Document

Fido: fmt/111, "OLE2 Compound Document Format"

Siegfried, DROID: fmt/126, "Microsoft Powerpoint Presentation"

Tika: Content-Type: application/vnd.ms-powerpoint











# How much of PAR currently exists?

Glossary	Definition of the PAR core concepts
Conceptual Model	<ul> <li>Common framework for everyone to work to</li> <li>Something to argue about and agree on!</li> <li>Interlingua between preservation systems</li> </ul>
Json Schemas	<ul> <li>Formal definition of the PAR model</li> <li>Machine readable, used in API payloads</li> <li>Used to test and validate interoperability</li> </ul>
API	<ul> <li>Common interface for preservation systems</li> <li>Well defined way to exchange information</li> </ul>
Executable DP Actions	<ul> <li>Cross-platform way to deploy/run tools</li> <li>Unambiguous and vendor independent</li> </ul>
Proof of Concept	<ul> <li>Prove PAR is possible!</li> <li>Not just a talking shop or paper exercise</li> <li>Reference implementation to share</li> </ul>











# Agenda

Time	Session	Facilitator/Speaker
10:00 - 10:30	Coffee and registration	
10:30 - 10:40	Introduction / Overview of the day	Martin Wrigley, OPF
10:40 - 10:50	PAR Background and overview	Matthew Addis. Arkivum
10:50 - 11:10	PAR Model / Examples	Jack O'Sullivan, Preservica / Sarah Romkey, Artefactual
11:10 - 11:20	PAR demo	Jack O'Sullivan, Preservica / Sarah Romkey, Artefactual
11:20 - 11:35	PAR Going Forward / Sustainability	Carl Wilson / Martin Wrigley, OPF
11:35 - 12:00	Workshop overview	Justin Simpson, Artefactual
12:00 - 13:00	Break	
13:00 - 15:30	PAR Action Rules Workshop	Justin Simpson / All
15:30 - 16:00	Feedback, Q&A	All












# Registry (In)compatibility

#### **Preservica Registry**

#### **Archivematica FPR**














## Common Language













## Extract Metadata Use Case

- User Bob at Modern Institution is responsible for preserving AV content.
- Modern Institution has decided to adopt EBUcore as the metadata standard for its AV holdings.
- Bob discovers that a recent update to the MediaInfo tool allows him to extract metadata about AV files in EBUCore XML format.
- He introduces this change into his Preservica Preservation
   System and exports this information as a Preservation Action expressed in PAR Schema.











## Extract Metadata Use Case

- User Alice at Post-Modern Institution imports this newly published information into her Archivematica preservation system using its PAR API.
- Each PAR entry is stored in her installation as JSON files.
- She does not have to read it in JSON or even PAR schema format or have any knowledge about how Bob's system works.
- She instead reviews it in a PAR Form that appears under Archivematica's Preservation Planning tab.











## Extract Metadata Use Case

- Alice decides that this new capability is something she wants to implement.
- She selects the 'Convert to FPR' option to enter it as an active 'Metadata Extraction' Rule and Command in her Archivematica instance.
- At this point the PAR information is entered into the Archivematica database without affecting any existing Commands or Rules.
- The new Rules and Command are linked to the PAR Preservation Action.











# Agenda

Time	Session	Facilitator/Speaker
10:00 - 10:30	Coffee and registration	
10:30 - 10:40	Introduction / Overview of the day	Martin Wrigley, OPF
10:40 - 10:50	PAR Background and overview	Matthew Addis. Arkivum
10:50 - 11:10	PAR Model / Examples	Jack O'Sullivan, Preservica / Sarah Romkey, Artefactual
11:10 - 11:20	PAR demo	Jack O'Sullivan, Preservica / Sarah Romkey, Artefactual
11:20 - 11:35	PAR Going Forward / Sustainability	Carl Wilson / Martin Wrigley, OPF
11:35 - 12:00	Workshop overview	Justin Simpson, Artefactual
12:00 - 13:00	Break	
13:00 - 15:30	PAR Action Rules Workshop	Justin Simpson / All
15:30 - 16:00	Feedback, Q&A	All











## PAR Demo

Demo Export and Import of Preservation Action

https://youtu.be/ELjbqksjBmU











# Agenda

Time	Session	Facilitator/Speaker
10:00 - 10:30	Coffee and registration	
10:30 - 10:40	Introduction / Overview of the day	Martin Wrigley, OPF
10:40 - 10:50	PAR Background and overview	Matthew Addis. Arkivum
10:50 - 11:10	PAR Model / Examples	Jack O'Sullivan, Preservica / Sarah Romkey, Artefactual
11:10 - 11:20	PAR demo	Jack O'Sullivan, Preservica / Sarah Romkey, Artefactual
11:20 - 11:35	PAR Going Forward / Sustainability	Carl Wilson / Martin Wrigley, OPF
11:35 - 12:00	Workshop overview	Justin Simpson, Artefactual
12:00 - 13:00	Break	
13:00 - 15:30	PAR Action Rules Workshop	Justin Simpson / All
15:30 - 16:00	Feedback, Q&A	All











- All users want trusted information
- Some users want to make their own choices
- Some countries or communities have local rules for preservation formats
- Recommended action depends on user context e.g.public access vs minimum storage cost
- Many users want it to just work for their product in their context

PAR must be able to help in all of these situations











Content creation vendor

University

Expert

Research archive

PAR enables all of these links

Government rule

National standards body

Vendor

Production

Test

Vendor

Test

Production

User User

Manual | | Auto

Action | | | Action

User

Manual

Action

User

Override

Action

User

Auto

Action

**Expert User** 

**Evaluate** 

Action




















# Proposed PAR Development Plan

- To-date PAR has delivered a Proof of Concept largely funded by JISC as part of the RDSS project
- Working with the DP Community to gather user examples and adding local registry endpoints
- A plan has been created to drive PAR forward taking it to a beta production state
  - the required effort is estimated at 1 person-year











# Proposed PAR Development Plan

- The plan includes a set of development sprints aimed at:
  - Creating a more robust data model, business rule set and supporting specifications
  - Building out the detailed PAR model
  - Enhancing the API to handle complex payloads
  - Development of a Sync tool to align / compare registries
  - Updates to proprietary systems











# PAR Sustainability

- The initial round of PAR funding is coming to an end
  - (Many thanks to Jisc for starting this all off!)
- The PAR core team continues to collaborate on a regular basis defining the detailed work scope associated with 'productising' PAR
- The next step is to work closely with the DP Community to identify a viable future for PAR - based on a clear commercial need - and then to explore how we might secure any further funding that might be required











# Agenda

Time	Session	Facilitator/Speaker
10:00 - 10:30	Coffee and registration	
10:30 - 10:40	Introduction / Overview of the day	Martin Wrigley, OPF
10:40 - 10:50	PAR Background and overview	Matthew Addis. Arkivum
10:50 - 11:10	PAR Model / Examples	Jack O'Sullivan, Preservica / Sarah Romkey, Artefactual
11:10 - 11:20	PAR demo	Jack O'Sullivan, Preservica / Sarah Romkey, Artefactual
11:20 - 11:35	PAR Going Forward / Sustainability	Carl Wilson / Martin Wrigley, OPF
11:35 - 12:00	Workshop overview	Justin Simpson, Artefactual
12:00 - 13:00	Break	
13:00 - 15:30	PAR Action Rules Workshop	Justin Simpson / All
15:30 - 16:00	Feedback, Q&A	All











- Break into groups
- See one
  - review examples
- Do one
  - Write down new examples as a group
    - Business Rule
    - Preservation Action
- Teach one
  - Pair up with someone from another group
    - Explain your groups work
    - Listen to their explanation of their groups work












## What sort of things does PAR describe?



https://doi.org/10.6084/m9.figshare.6628418











#### **Business Rules**

- Description
- Notes
- Preservation Action Types
- Formats
- Format Families
- ID
- Preservation Actions
  - Priority
  - Inputs
  - Outputs

#### **Preservation Actions**

- Description
- Preservation Action Type
- Tool
- Tool Version
- Example
- Constraints
- Inputs
- Outputs
- ID











#### **Business Rules**

- Description
- Notes
- Preservation Action Types
- Formats
- Format Families
- ID
- Preservation Actions
  - Priority
  - Inputs
  - Outputs

Business Rules explain why particular Preservation Actions are performed in particular contexts

- Mostly narrative, but they provide a way to
- explicitly link Preservation Actions to policies
- b) Prioritize Preservation Actions
- c) Specify required inputs
- d) Specify expected outputs











#### **Business Rules Details**

- Description
  - A short human readable explanation/display name for the Business Rule
- Notes
  - A free text field for providing additional context. This may be used to record the decision making process that led to the formulation of this rule, details of real-world experience in applying the rule, or any other text.
- Preservation Action Types
  - One or more LoC Preservation Event Types
  - A list of Preservation Action Types that this Business Rule should be applied to. This might be a subset of those that the Preservation Actions themselves apply to.
- Format Families
  - A list of format families that this Business Rule should be applied to
- Formats
  - A list of file formats that this Business Rule should be applied to











#### **Business Rules Details**

- Preservation Actions
  - A list of specific actions. These are defined internally to reference the Core Preservation Action, the priority order in which it should be performed, and any inputs and outputs that should be used.

#### **Actions**

- Preservation action
  - Optional input properties
  - Output files retrieved
  - Output properties retrieved
  - Raw outputs retrieved
- Priority











#### **Preservation Actions**

- Description
- Preservation Action Type
- Tool
- Tool Version
- Example
- Constraints
- Inputs
- Outputs
- ID

Preservation Actions are processes that are run as part of performing digital preservation.

- Classified by Preservation Action Type
- Executed by one or more Tools
- Constraints define when to use this action
- Inputs define files or properties required to execute the action
- Outputs define objects or properties created by the action











#### Preservation Action Details

- Description
  - A short human readable explanation/display name
- Type
  - One LoC Preservation Event Type
  - A Preservation Action Type that this Preservation Action performs.
- Tool
  - A PAR Tool
- Tool Version
  - The specific version of the tool this Action requires
- Example
  - A human readable explanation of how to execute the Preservation Action.











#### Preservation Action Details

- Constraints
  - Defines limitations of when to perform this Action
    - Limit to files of specific formats, or
    - Limit to objects with specific properties
  - AllowedFormats, AllowedPropertiesAnyOf, AllowedPropertiesAllOf
- Inputs
  - A list of expected inputs (files or properties)
  - File, Property
- Outputs
  - A list of outputs created by this Action
  - File, Property, Raw











# Agenda

Time	Session	Facilitator/Speaker
10:00 - 10:30	Coffee and registration	
10:30 - 10:40	Introduction / Overview of the day	Martin Wrigley, OPF
10:40 - 10:50	PAR Background and overview	Matthew Addis. Arkivum
10:50 - 11:10	PAR Model / Examples	Jack O'Sullivan, Preservica / Sarah Romkey, Artefactual
11:10 - 11:20	PAR demo	Jack O'Sullivan, Preservica / Sarah Romkey, Artefactual
11:20 - 11:35	PAR Going Forward / Sustainability	Carl Wilson / Martin Wrigley, OPF
11:35 - 12:00	Workshop overview	Justin Simpson, Artefactual
12:00 - 13:00	Break	
13:00 - 15:30	PAR Action Rules Workshop	Justin Simpson / All
15:30 - 16:00	Feedback, Q&A	All











# Agenda

Time	Session	Facilitator/Speaker
10:00 - 10:30	Coffee and registration	
10:30 - 10:40	Introduction / Overview of the day	Martin Wrigley, OPF
10:40 - 10:50	PAR Background and overview	Matthew Addis. Arkivum
10:50 - 11:10	PAR Model / Examples	Jack O'Sullivan, Preservica / Sarah Romkey, Artefactual
11:10 - 11:20	PAR demo	Jack O'Sullivan, Preservica / Sarah Romkey, Artefactual
11:20 - 11:35	PAR Going Forward / Sustainability	Carl Wilson / Martin Wrigley, OPF
11:35 - 12:00	Workshop overview	Justin Simpson, Artefactual
12:00 - 13:00	Break	
13:00 - 15:30	PAR Action Rules Workshop	Justin Simpson / All
15:30 - 16:00	Feedback, Q&A	All











#### **Business Rules Details**

- Description
  - A short human readable explanation/display name for the Business Rule
- Notes
  - A free text field for providing additional context. This may be used to record the decision making process that led to the formulation of this rule, details of real-world experience in applying the rule, or any other text.
- Preservation Action Types
  - One or more LoC Preservation Event Types
  - A list of Preservation Action Types that this Business Rule should be applied to. This might be a subset of those that the Preservation Actions themselves apply to.
- Format Families
  - A list of format families that this Business Rule should be applied to
- Formats
  - A list of file formats that this Business Rule should be applied to











#### **Business Rules Details**

- Description
  - A short human readable explanation/display name for the Business Rule
- Notes
  - A free text field for providing additional context. This may be used to record the decision making process that led to the formulation of this rule, details of real-world experience in applying the rule, or any other text.
- Preservation Action Types
  - One or more LoC Preservation Event Types
  - A list of Preservation Action Types that this Business Rule should be applied to. This might be a subset of those that the Preservation Actions themselves apply to.
- Format Families
  - A list of format families that this Business Rule should be applied to
- Formats
  - A list of file formats that this Business Rule should be applied to











#### **Preservation Details**

- Preservation Actions
  - A list of specific actions. These are defined internally to reference the Core Preservation Action, the priority order in which it should be performed, and any inputs and outputs that should be used.

#### **Actions**

- Preservation action
  - Optional input properties
  - Output files retrieved
  - Output properties retrieved
  - Raw outputs retrieved
- Priority
























### Business Rule example one - Choice of file format ID tools

- Description: For File Format Identification of any type of file, use DROID (PAR-tool/1) as the first preference, and FIDO (PAR-tool/2) as the second
- Notes: My order of preference/priority when using multiple tools are available for file format identification is DROID then FIDO
- Preservation Action Types: format identification
- Formats:
- Format Families: ALL
- ID: a593036d-7427-54aa-b8c0-50a5fb7bd50b
- Preservation Actions
  - action/1
    - Priority: 1
    - Inputs
    - Outputs

- o action/2
  - Priority: 2
  - Inputs
  - Outputs

https://github.com/artefactual-labs/rdss-par/blob/am-characterize-1/examples/br-1.json











### Business Rule example two - Migrating AVI files

- Description: FFMPEG is preferable to HandBrake for migrating AVI files to WebM
- Notes: We have found that the HandBrake process occasionally hangs when performing this type of migration. FFMPEG displays no similar behaviour and therefore should be used in preference
- Preservation Action Types: migration; normalization
- Formats: fmt/5
- Format Families: AVI
- **ID**: bc6c7498-2b8d-5314-bb0d-c773e72e9ff2
- Preservation Actions
  - o action/123
    - Priority: 1
    - Inputs
    - Outputs

- o action/456
  - Priority: 2
  - Inputs
  - Outputs

https://github.com/artefactual-labs/rdss-par/blob/am-characterize-1/examples/br-2.json











### Business Rule example three - Resizing for access

- Description: Use resizing parameters on ImageMagick to perform generation of consistent size access copy JPEGs from TIFFs
- **Notes:** We want all JPEGs for presentation to fit into a 250x250px box so that they display properly in our access system, where the template for displaying images has a 300px div for the image itself, however, we only want to resize where the image itself is larger than that box.
- Preservation Action Types: migration
- Formats: fmt/353; fmt/155; fmt/154 [etc]
- Format Families: TIFF
- **D**: 7a71b0d2-d6f3-5d49-a132-9b6776ec6243
- Preservation Actions
  - o action/25
    - Priority: 1
    - Inputs: Resize to fit in 250px square box [etc]
    - Outputs:

https://github.com/artefactual-labs/rdss-par/blob/am-characterize-1/examples/br-3.json











### Preservation Action Example 1: Characterize with MediaInfo

- Description Extraction of properties for Video files using MediaInfo
- Preservation Action Type metadata extraction
- Tool mediainfo
- Tool Version 18.03
- Example commandline 'mediainfo --Output=EBUCore inputfile
- Constraints allowedFormats
- Inputs inputfile
- Outputs EBUCore XML output from MediaInfo
- **ID** 1caa0cde-e345-44ac-8d83-51afaa7427b6

https://github.com/artefactual-labs/rdss-par/blob/am-characterize-1/examples/preservation/mediainfo3.json











### Preservation Action Example 2: Validation of checksum with md5sum

- Description Validation of an MD5 checksum on a File using md5sum
- Preservation Action Type fixity check
- Tool md5sum
- Tool Version
- Example commandline 'md5sum -c manifest.md5', where manifest.md5 contains a MD5 checksum for a file called inputfile
- Constraints
- Inputs Manifest file containing the MD5 and name of the file to be checked
- Outputs Fixity PASS or FAIL
- **ID** f2e953e4-425e-5ed1-a65e-efd0b2e061be

https://github.com/artefactual-labs/rdss-par/blob/am-characterize-1/examples/md5check1\_ison











# Agenda

Time	Session	Facilitator/Speaker
10:00 - 10:30	Coffee and registration	
10:30 - 10:40	Introduction / Overview of the day	Martin Wrigley, OPF
10:40 - 10:50	PAR Background and overview	Matthew Addis. Arkivum
10:50 - 11:10	PAR Model / Examples	Jack O'Sullivan, Preservica / Sarah Romkey, Artefactual
11:10 - 11:20	PAR demo	Jack O'Sullivan, Preservica / Sarah Romkey, Artefactual
11:20 - 11:35	PAR Going Forward / Sustainability	Carl Wilson / Martin Wrigley, OPF
11:35 - 12:00	Workshop overview	Justin Simpson, Artefactual
12:00 - 13:00	Break	
13:00 - 15:30	PAR Action Rules Workshop	Justin Simpson / All
15:30 - 16:00	Feedback, Q&A	All











### Resources

- Project pages
  - http://www.parcore.org/
- Github repo
  - https://github.com/JiscRDSS/rdss-par/
- iPRES paper
  - https://doi.org/10.6084/m9.figshare.6628418
- DPC blog post
  - https://www.dpconline.org/blog/a-new-era-in-collaboration-in-digital
     -preservation-research
- Project announcement and contacts
  - http://openpreservation.org/news/arkivum-artefactual-the-open-preservation-n-foundation-and-preservica-collaborate-on-new-jisc-initiative-for-sharing-preservation-action-best-practice/
- Webinar
  - http://openpreservation.org/event/introducing-preservation-action-registries
     (OPF login required)









