CosmoML: A Machine Learning method to measure the cosmological parameters.

Martín de los Rios & Mariano Domínguez

November 5, 2017

Table of contents

Supervised Learning.



Simple Example:ANNz

ANNz: Estimating photometric redshift using artificial neural network. Collister & Lahav 2003 (0311058)




r.m.s. = 0.0229
Photometric z
Spectroscopic z
0
0.1
0.2
0.3
0.4
0.5

What are the cosmological parameters?

Homogeneous and isotropic Universe $\rightarrow$ FRW metric

$ds^2 = dt^2 - a^2(t)[\frac{dr^2}{1-kr^2} + r^2(d\theta^2 + sin^2\theta d\phi^2)]$

$(\frac{H}{H_0})^2 = \Omega_{rad} a^{-4} + \Omega_m a^{-3} + \Omega_\Lambda - Kc^2 a^{-2}$

How can we measure the cosmological parameters?



Planck Collaboration 2015 (1502.01589)

The training sample.

CAMB: Code for Anisotropies in the Cosmic Background



Studying different Machine Learning algorithms.



K-Nearest Neighbour
Random Forest
Support Vector Machine

Changing the minimum mutipole.



Measuring the cosmological parameters angular distributions.



de los Rios & Dominguez et al. (in preparation)


STRANGER
THINGS


ks=0
ad=0
qn=1e−21
Planck
Mock
Planck BF
CMB
Density
H_0
ks=0.02
ad=0.7
qn=0.007
$\Omega_{cdm}h^2$
ks=6e−12
ad=3e−13
qn=4e−15
$\Omega_b h^2$
ks=0.03
ad=0.1
qn=0.06
Ω_k
ks=4e−08
ad=2e−06
qn=2e−07
τ
ks=2e−09
ad=9e−09
qn=9e−10
n

Final Remarks

- We developed a machine learning technique that estimate the cosmological parameters in a more efficient way, and allow us to measure the angular distribution of this parameters.
- This technique can be easily extended to use more cosmological information as features (BAO, correlation function, SZ emission, etc.).
- We do not found statistically significant departures from what is expected in an homogeneous and isotropic universe, with the possible exception of a bi-modal H_0 distribution.
- We will extend the parameters space and add polarization information in a forthcoming work.
- We will analyze the correlations between the angular distribution of the cosmological parameters and the large scale structure (voids, filaments, etc.)


THANK YOU!!