

Authentication

To check identity of user

Validating user

userid+pwd

emailid+pwd

otp

emailid+otp

dynamic link

JPA Repo

Mongo Repo

authentication

op1

implement auth
mechanism

in all applications
individually

op2

implement one
centralized auth
mechanism, let all apps
use the same

Authorization

After authentication

Checks ROLE/Design/Permission

Allows to access a particular resource

id+pwd



client
app

RESTAPI

Authentication

auth

DB

raj@gmail.com
abc@gmail.com

12345

12345

RESTAPI

inbox

DB

raj@gmail.com
abc@gmail.com

m1,m2,m3

m4,m5,m6

RESTAPI

sent

DB

raj@gmail.com
abc@gmail.com

s1,s2,s3

s4,s5,s6

RESTAPI

profile

DB

raj@gmail.com
abc@gmail.com


Rajeswar theam1

Anand theam2

How to implement manual logincheck mechanism

capture userid+pwd
 send the same to BE
 BE checks whether the data matching with DB record or not
 if matching : login is success
 else : login failed

emailid *	password	role
rajeswar@gmail.com	12345	ROLE_USER
anand@gmail.com	12345	ROLE_USER
krsishna@gmail.com	12345	ROLE_USER



signup data

	emailid	pwd	name	address	product	name	desc	price
authapp	emailid	pwd						
productapp	emailid	name	address					


emailid	name	products	s1	creating user a/c in auth app
rajeswar@gmail.com	rajeswar	[]	s2	creating user a/c in product app
anand@gmail.com	anand	[]	s3	login check
krishna@gmail.com	krishna	[]	s4	access product data with token

S1 creating user account in auth app

create new springboot application (web,mysql,jpa,lombok)

model : emailid, pwd, role

create flow for creating user a/c in db



S2 creating user account in product app


create new springboot application (web,mongo data,lombok)

model : emailid, name, address,product[]

create flow for creating user a/c in db



S2



MongoDB
DB : Wave39DB
Table : User

POST `http://localhost:8888/add-user`

Params Authorization Headers (8) **Body** Pre-request Script Tests Settings

☐ none ☐ form-data ☐ x-www-form-urlencoded ☒ raw ☐ binary ☐ GraphQL **JSON**

```
1 {
2   "emailId": "xyz@gmail.com",
3   "name": "xyz",
4   "address": "chennai"
5 }
```

Body Cookies Headers (5) Test Results 🌐 Status: 200 OK

Pretty Raw Preview Visualize **JSON**

```
1 {
2   "emailId": "xyz@gmail.com",
3   "name": "xyz",
4   "address": "chennai",
5   "products": []
6 }
```


address
hyd
pune
mumbai

auth app
product app
auth app
product app