

Q1 Identify the flower parts *A* to *E* in the given diagram.



- (A) A-Androecium, B-Gynoecium, C-Corolla, D-Calyx, E-Pedicel
 (B) A-Androecium, B-Gynoecium, C-Corolla, D-Pedicel, E-Calyx
 (C) A-Androecium, B-Gynoecium, C-Pedicel, D-Corolla, E-Calyx
 (D) A-Androecium, B-Gynoecium, C-Calyx, D-Corolla, E-Pedicel

Q2 Flowers are highly modified.....

- (A) Root (B) Shoot
 (C) Stem (D) Leaves

Q3 Essential part of flower is:

- (A) Sepal
 (B) Petal
 (C) Stamen and pistil
 (D) All of the above

Q4 The proximal part of the filament of stamen is attached to:

- (A) Thalamus or the petal.
 (B) Sepals or thalamus.
 (C) Pedicel or petiole.
 (D) Ovary or ovule.

Q5 The innermost wall layer of a typical microsporangium is tapetum. Its function is to provide.

- (A) Protection
 (B) Dehiscence

(C) Nutrition

(D) Mechanical strength

Q6 Middle layers of microspangia are present between;

- (A) epidermis and endothecium
 (B) sporogenous tissue
 (C) endothecium and tapetum
 (D) inside the tapetum

Q7 Arrangement of four wall layers in microsporangium from inside to outside is as follows:

- (A) Epidermis, endothecium, tapetum and middle layers
 (B) Epidermis, middle layers, endothecium and tapetum
 (C) Epidermis, endothecium, middle layers and tapetum
 (D) Tapetum, middle layers, endothecium and epidermis

Q8 Tapetum present in the microsporangial wall occurs between

- (A) Epidermis and endothecium
 (B) Endothecium and middle layers
 (C) Epidermis and middle layers
 (D) Middle layers and sporogenous tissue

Q9 Match column I with column II:

Column I	Column II
A. Proximal end of filament	I. Three
B. Lobes in anther	II. Thalamus
C. Theca in anther	III. Two
D. Protective wall layers of microsporangium	IV. Four



- (A) A-III B- II C- IV D- I
- (B) A-II B- III C- IV D- I
- (C) A- I B-III C- II D-IV
- (D) A-IV B- I C- II D- III

Q10 Pollen grains are well preserved as fossils because of presence of-

- (A) intine
- (B) sporopollenin
- (C) low temperature of environment
- (D) pectin and cellulose

Q11 60% of the angiosperms shed their pollens at the-

- (A) 2-celled stage
- (B) 3-celled stage
- (C) 4-celled stage
- (D) 1 celled stage

Q12 The pollen grain represents

- (A) Male gamete
- (B) Male gametophyte
- (C) Microsporophyll
- (D) Microsporangium

Q13 Generative cell of pollen grain;

- (A) Has large irregularly shaped nucleus
- (B) Is spindle shaped
- (C) Is bigger in size than vegetative cell
- (D) Has abundant food reserve

Q14 Intine of pollen grain is made up of:

- (A) Callose
- (B) Pecto-cellulose
- (C) Cellulose
- (D) Fat-like sporopollenin



Answer Key

Q1 (A)
Q2 (B)
Q3 (C)
Q4 (A)
Q5 (C)
Q6 (C)
Q7 (D)

Q8 (D)
Q9 (B)
Q10 (B)
Q11 (A)
Q12 (B)
Q13 (B)
Q14 (B)



[Master NCERT with PW Books APP](#)

