

- Q1** Pollen viability is about thirty minutes in
(A) Wheat (B) Pea
(C) Gram (D) Potato
- Q2** In a pollen grain, sporopollenin is absent in all, except
(A) Germ pore (B) Intine
(C) Exine (D) Cytoplasm
- Q3** Pollen grains can be stored for several years in liquid nitrogen having a temperature of:
(A) -120°C (B) -80°C
(C) -196°C (D) -160°C
- Q4** The two-celled stage of mature pollen grain consists of
(A) Vegetative cell, generative cell
(B) Vegetative cell, one male gamete
(C) Two male gametes
(D) Generative cell, one male gamete
- Q5** In some members of which of the following pairs of families, pollen grains retain their viability for months after release?
(A) Poaceae; Rosaceae
(B) Poaceae; Leguminosae
(C) Poaceae; Solanaceae
(D) Rosaceae; Leguminosae
- Q6** One of the Most resistant biological material is
(A) Lignin (B) Hemicellulose
(C) Lignocellulose (D) Sporopollenin
- Q7** In 40% angiosperms, the pollen grains are shed at:
(A) Four-celled stage
(B) Three-celled stage
(C) Two-celled stage
(D) Five-celled stage
- Q8** The vegetative cell of pollen grain have all feature, except
(A) Irregular shape of nucleus
(B) Large size
(C) Abundant food reserve
(D) Spindle shape cell
- Q9** Which of the following is the reason for the formation of three celled pollen?
(A) Tapetum degenerates
(B) Generative cell divides into two non-motile male gametes
(C) Vegetative cell divides into two non-motile male gametes
(D) Middle layer secretes hormones
- Q10** In the question, a statement of assertion is followed by a statement of reason.
Assertion: Pollen grains can get preserved as fossils.
Reason: Exine of a pollen grain is made up of sporopollenins which are resistant to high temperatures, strong acids or alkali as well as enzymatic degradation.
Mark the correct choice :
(A) If both Assertion and Reason are true and Reason is the correct explanation of Assertion.
(B) If both Assertion and Reason are true but Reason is not the correct explanation of Assertion.
(C) If Assertion is true but Reason is false.
(D) If Assertion is false but Reason is true.



Q11 Statement I: The period for which pollen grains remain viable is highly variable.

Statement II: The viability of pollen grain depends on the temperature only.

- (A) Both Statement I and Statement II are correct.
- (B) Both Statement I and Statement II are incorrect.
- (C) Statement I is correct & Statement II is incorrect.
- (D) Statement I is incorrect & Statement II is correct.

Q12 Male gametophyte is also known as

- (A) Pollen tube
- (B) Stigma
- (C) Placenta or funiculus
- (D) Pollen grains

Q13 Stored pollen in liquid nitrogen at -196°C can be used for

- (A) Crop breeding
- (B) Food supplement
- (C) Syrup making
- (D) Parthenocarpy

Q14 Male gametes or sperms are developed from generative cell by

- (A) Meiotic division
- (B) Mitotic division
- (C) Amitotic division
- (D) None of these

Q15 Match column I with column II:

	Column I		Column II
A.	Over 60% angiosperms	I.	Pollen shed at 2 celled stage
B.	About 40% angiosperms	II.	Cellulose & pectin
C.	Intine	III.	Pollen shed at 3 celled stage
D.	germ pores	IV.	Sporopollenin absent

- (A) A-III, B-II, C-IV, D- I
- (B) A-II, B-III, C- IV, D- I
- (C) A-I, B-III, C-II, D- IV
- (D) A-IV, B-I, C-II, D-III



Answer Key

Q1 (A)

Q2 (C)

Q3 (C)

Q4 (A)

Q5 (D)

Q6 (D)

Q7 (B)

Q8 (D)

Q9 (B)

Q10 (A)

Q11 (C)

Q12 (D)

Q13 (A)

Q14 (B)

Q15 (C)



[Master NCERT with PW Books APP](#)