

- Q1** Number of seeds are equal to the
 (A) number of ovules
 (B) number of ovaries
 (C) Both (A) and (B)
 (D) None of these
- Q2** In flowering plants, which of the following structures is present before fertilisation?
 (A) Seed (B) Pericarp
 (C) Ovule (D) Endosperm
- Q3** Mark the correct choice as:
 Statement I: Micropyle hardens as a tough protective layer on seed coat.
 Statement II: Micropyle facilitates entry of O_2 and water into seed during seed germination.
 (A) Both Statement-I and Statement-II are correct.
 (B) Both Statement-I and Statement-II are incorrect.
 (C) Statement-I is correct & Statement-II is incorrect.
 (D) Statement-I is incorrect & Statement-II is correct.
- Q4** Function of micropyle in a mature seed is:
 (A) Entry of pollen tube
 (B) Entry of fertilization tube
 (C) Entry of water and air
 (D) Entry of chemicals
- Q5** Which of the following seeds are endospermous?
 (A) Pea and bean
 (B) Castor and coconut
 (C) Pea and groundnut
 (D) Coconut and bean
- Q6** The period of viability is maximum in the seed of
 (A) Lupine (B) Date palm
 (C) Lotus (D) *Orobanch*e
- Q7** Coconut water considered as:
 (A) Persistent nucellus
 (B) Endosperm
 (C) Testa
 (D) Triploid embryo
- Q8** Albuminous seeds store their reserve food mainly in :-
 (A) endosperm (B) cotyledons
 (C) hypocotyl (D) perisperm
- Q9** All the given fruits develop from other floral parts and thalamus along with the development of ovary wall, except
 (A) Apple (B) Mango
 (C) Strawberry (D) Cashew nut
- Q10** Identify the correct sequence of different layers in the pericarp of fleshy fruits.
 A. Endocarp
 B. Epicarp
 C. Mesocarp
 (A) $B \rightarrow C \rightarrow A$
 (B) $A \rightarrow B \rightarrow C$
 (C) $C \rightarrow B \rightarrow A$
 (D) $B \rightarrow A \rightarrow C$
- Q11** Which of the following is a group of fleshy fruit?
 (A) Guava, orange and mango
 (B) Groundnut and mustard
 (C) Guava, groundnut and mustard
 (D) Mango, guava and mustard
- Q12** False fruits are
 (A) Guava, pear and sapota
 (B) Black pepper and beet
 (C) Apple and strawberry



(D) Banana and apple

Q13 Find the incorrect match

- (A) Monosporic embryo sac - Majority of angiosperms
- (B) Free nuclear endosperm - Coconut
- (C) True fruit - Apple
- (D) Perispermic seed - Beet

Q14 Match column-I with column- II and select the correct answer using the codes given below.

Column-I	Column-II
A. Ovary	I. Groundnut, mustard
B. Ovule	II. Guava, orange, mango
C. Wall of ovary	III. Pericarp
D. Fleshy fruits	IV. Seed
E. Dry fruits	V. Fruit

(A) A-V, B-IV, C-III, D-II, E-I

(B) A-I, B-II, C-III, D-IV, E-V

(C) A-I, B-III, C-II, D-IV, E-V

(D) A-V, B-IV, C-I, D-II, E-III



Answer Key

Q1 (A)

Q2 (C)

Q3 (D)

Q4 (C)

Q5 (B)

Q6 (A)

Q7 (B)

Q8 (A)

Q9 (B)

Q10 (A)

Q11 (A)

Q12 (C)

Q13 (C)

Q14 (A)



[Master NCERT with PW Books APP](#)

