

Q1 Match the following

a	By the end of second trimester	i.	Embryo's heart is formed
b	By the end of nine months	ii.	Body is covered with fine hair
c	After one month of pregnancy	iii.	Foetus develops limbs and digits
d	By the end of the second month	iv.	Foetus is fully developed

- (A) a-iii, b-iv, c-i, d-ii
 (B) a-iv, b-iii, c-i, d-ii
 (C) a - ii, b-iv, c-i, d - iii
 (D) a - i, b-iv, c- iii, d-ii


Q2 The stem cells which have potency to give rise to all tissues and organs are formed from

- (A) Trophoblast
 (B) Umbilical cord
 (C) Inner cell mass
 (D) Placenta

Q3 What is the initial indication of a growing foetus that can be observed?

- (A) Breathing
 (B) Heart sound
 (C) Limb movements
 (D) Head movement

Q4 In the figure shown below, which labelled structure has not been correctly identified?



- (A) A-Placental villi
 (B) B-umbilical cord
 (C) C-Yolk sac
 (D) D-Cervical plug

Q5 Signals for the onset of parturition originate from

- (A) Mother's hypothalamus
 (B) Foetus's placenta
 (C) Mother's uterus
 (D) Mother's pituitary

Q6 The process of delivery of the foetus is called

- (A) Implantation (B) Parturition
 (C) Fertilisation (D) Lactation

Q7 The first movements of the foetus and appearance of hair on its head are usually observed during which month of pregnancy?

- (A) Fourth month (B) Fifth month
 (C) Sixth month (D) Third month

Q8 During embryonic development, the heartbeat begins at the end of

- (A) 1st trimester (B) 2nd trimester
 (C) 1st month (D) 2nd month

Q9 Fill i, ii, iii, iv, v in the blanks:



1. Zygote divides to form ...i... which is implanted to uterus.
2. The structure which provides vascular connection between foetus and uterus is called...ii...
3. Inner cell mass contains certain cells called...iii... which have the potency to give rise to all the tissues and organs.
4. By the end of...iv..., most of the major organ systems are formed, for example, the limbs and external genital organs are well developed.

5. Immediately after implantation, the ...v... differentiates into an outer layer called ectoderm and an inner layer called endoderm.
- (A) i-morula, ii-umbilical cord, iii-trophoblast, iv-second trimester, v-stem cells
- (B) i-blastocyst, ii-placenta, iii-stem cells, iv-first trimester, v-trophoblast
- (C) i-blastocyst, ii-umbilical cord, iii-stem cells, iv-second trimesters, v-inner cell mass
- (D) i-blastocyst, ii-placenta, iii-stem cells, iv-first trimester, v-inner cell mass



Answer Key

Q1 (C)

Q2 (C)

Q3 (B)

Q4 (C)

Q5 (B)

Q6 (B)

Q7 (B)

Q8 (C)

Q9 (D)



[Master NCERT with PW Books APP](#)

