


Q1 Match **List-I** with **List-II**.

	List-I		List-II
I.	To cover vagina and cervix	A.	Condom for male
II.	Under the skin	B.	Implants
III.	To cover the penis	C.	CuT
IV.	Cu ions released	D.	Condom for female

Choose the **correct** answer from the options given below.

- (A) I- (A), II- (B), III- (C), IV- (D)
 (B) I- (D), II- (B), III- (A), IV- (C)
 (C) I- (A), II- (D), III- (B), IV- (C)
 (D) I- (B), II- (D), III- (A), IV- (C)

Q2 Choose the correct option for A, B and C.



- (A) A-Condoms, B-Copper-T, C-Implants
 (B) A-Tubectomy, B-Implants, C-Copper-T
 (C) A-Vasectomy, B-Condoms, C-Copper-T
 (D) A-Copper-T, B-Condoms, C-Implants

Q3 The _____ is the world's most widely used method of reversible birth control.

Choose the **correct** option to fill the blank.

- (A) coitus interruptus
 (B) barrier contraceptives
 (C) surgical methods
 (D) Intra Uterine Devices (IUD's)

Q4 Match **List-I** with **List-II**.

List-I	List-II
--------	---------

A	Non-medicated IUDs	I	Progestasert and LNG-20
B	Copper releasing IUDs	II	Lippe's loop
C	Hormone releasing IUDs	III	Cu-T, Cu-7, Multiload-375
D	Barrier method	IV	Diaphragm

Choose the most appropriate answer from the following:

- (A) A-III, B-II, C-I, D-IV
 (B) A-IV, B-I, C-II, D-III
 (C) A-II, B-III, C-I, D-IV
 (D) A-II, B-I, C-III, D-IV

Q5 Choose the right one among the statements given below:

- (A) IUDs are generally inserted by the user herself.
 (B) IUDs increase phagocytosis reaction in the uterus.
 (C) IUDs suppress gametogenesis.
 (D) IUDs once inserted need not to be replaced.

Q6 The central Drug Research Institute (CDRI) is located at:

- (A) Lucknow (B) New Delhi
 (C) Hyderabad (D) Pune

Q7 The contraceptive 'SAHELI':

- (A) blocks estrogen receptors in uterus, preventing egg from getting implanted.
 (B) increase the concentration of estrogen and prevents ovulation in females
 (C) is an IUD.



(D) is a post-coital contraceptive.

Q8 Identify the **false** statements regarding the techniques of contraception and choose the **correct** option.

- I. There are many side effects of tubectomy and vasectomy.
II. Purpose of tubectomy is to prevent egg formation.
III. The most important component of the oral contraceptive pills is progesterone.
IV. Contraceptive oral pills help in birth control by preventing ovulation.

- (A) I, II and III
(B) III, IV and II
(C) I and II
(D) II and IV

Q9 'Saheli' can be included in all **except**;

- (A) oral contraceptive pill.
(B) non-steroidal pill.
(C) IUDs.
(D) 'once a week' pill.

Q10 Match List-I with List-II.

List-I		List-II	
A.	Vaults	P.	Entry of sperm through cervix is blocked
B.	IUDs	Q.	Cut and tie of vas deferens
C.	Vasectomy	R.	Phagocytosis of sperms within the uterus
D.	Tubectomy	S.	Cut and tie of fallopian tube

- (A) A-(P); B-(R); C-(Q); D-(S)
(B) A-(Q); B-(S); C-(R); D-(P)
(C) A-(R); B-(P); C-(S); D-(Q)
(D) A-(S); B-(Q); C-(P); D-(R)

Q11 Match the following columns

Column-I		Column-II	
(a)	Pills	(1)	Intra uterine device
(b)	Condoms	(2)	Prevent ovulation
(c)	Vasectomy	(3)	Prevent sperm from reaching the cervix
(d)	Cu-T	(4)	Semen contain no sperm

- (A) (a) – 1, (b) – 2, (c) – 4, (d) – 3
(B) (a) – 2, (b) – 3, (c) – 4, (d) – 1
(C) (a) – 4, (b) – 2, (c) – 3, (d) – 1
(D) (a) – 4, (b) – 3, (c) – 2, (d) – 1

Q12 In which year did the Government of India legalize MTP ?

- (A) 1951 (B) 1971
(C) 1981 (D) 1992

Q13 MTP are considered relatively safe during the _____ trimester; _____ trimester abortions are riskier.

Choose the option that fills the blank **correctly**.

- (A) first, second (B) second, first
(C) third, first (D) third, second



Answer Key

Q1 (B)

Q2 (A)

Q3 (D)

Q4 (C)

Q5 (B)

Q6 (A)

Q7 (A)

Q8 (C)

Q9 (C)

Q10 (A)

Q11 (B)

Q12 (B)

Q13 (A)



[Master NCERT with PW Books APP](#)

