

- Q1** STDs lead to
- (A) Itching, fluid discharge, slight pain, swellings, etc.
 - (B) Pelvic Inflammatory Diseases (PID), ectopic pregnancies, still births, infertility, abortions, etc.
 - (C) Both (A) and (B)
 - (D) None of these

- Q2** Though all persons are vulnerable to STDs, their incidences are reported to be very high among person in the age group of
- (A) 12-18 years
 - (B) 40-50 years
 - (C) 21-35 years
 - (D) 15-24 years

- Q3** Venereal diseases can spread through;
- I. using sterile needles.
 - II. transfusion of blood from an infected person.
 - III. infected mother to foetus.
 - IV. sterilized surgical instruments
 - V. inheritance.

Choose the **correct** answer from the options given below.

- (A) I, II and III only
 - (B) II, III and IV only
 - (C) II, III and V only
 - (D) II and III only
- Q4** Select the option including all sexually transmitted diseases.
- (A) Gonorrhoea, Syphilis, Genital herpes
 - (B) Gonorrhoea, Malaria, Genital herpes
 - (C) AIDS, Malaria, Filariasis
 - (D) Cancer, AIDS, Syphilis
- Q5** ART (used to help infertile couple) stands for
- (A) Artificial reproductive technology
 - (B) Assisted reproductive technology

- (C) Augmented reproductive technology
- (D) Anomalous reproductive technology

Q6 Match List-I with List-II.

	List-I		List-II
A	IVF	I	In vitro fertilisation
B	GIFT	II	Gamete Intra Fallopian Transfer
C	AI	III	Zygote Intra Fallopian Transfer
D	ZIFT	IV	Artificial Insemination

Choose the **correct** answer from the options given below:

- (A) A-I, B-IV, C-II, D-III
- (B) A-II, B-I, C-IV, D-III
- (C) A-I, B-II, C-III, D-IV
- (D) A-I, B-II, C-IV, D-III

Q7 Match the following columns.

Column I	Column II
A. ZIFT	1. Zygote Inter Fallopian Transfer
B. ICSI	2. Gamete Intra Fallopian Transfer
C. GIFT	3. Zygote Intra Fallopian Transfer
	4. Inter Cytoplasmic Sperm Injection
	5. Intra Cytoplasmic Sperm Injection

- (A) A-1, B-2, C-5
- (B) A-3, B-5, C-2
- (C) A-1, B-2, C-4
- (D) A-2, B-3, C-4



- Q8** Test-tube baby is one who;
- (A) is born out of artificial insemination.
 - (B) has undergone development in a test-tube.
 - (C) is born out of the technique of fertilisation in *vitro*.
 - (D) has been developed without fertilisation.

- Q9** Invitro fertilisation is a technique that involves transfer of which one of the following into the fallopian tube?
- (A) Embryo only, upto 8 cell stage
 - (B) Either zygote or early embryo upto 8 cell stage
 - (C) Embryo of 32 cell stage
 - (D) Zygote only

- Q10** Match List-I with List-II and choose the correct combination from the options given below.

List-I		List-II	
A.	ZIFT	P.	Transfer of ovum into oviduct
B.	GIFT	Q.	Transfer of embryo upto 8 blastomeres into oviduct
C.	IUT	R.	Transfer of semen into uterus
D.	IUI	S.	Transfer of embryo more than 8 blastomeres into uterus

- (A) A-(Q); B-(S); C-(P); D-(R)
- (B) A-(S); B-(R); C-(Q); D-(P)
- (C) A-(Q); B-(R); C-(S); D-(P)
- (D) A-(Q); B-(P); C-(S); D-(R)



Answer Key

Q1 (C)

Q2 (D)

Q3 (D)

Q4 (A)

Q5 (B)

Q6 (D)

Q7 (B)

Q8 (C)

Q9 (B)

Q10 (D)



[Master NCERT with PW Books APP](#)

