

Linguistic Analysis of the bioRxiv Preprint Landscape

This manuscript ([permalink](#)) was automatically generated from [greenelab/annoxiver manuscript@6eb08a5](#) on October 9, 2020.

Authors

- **David N. Nicholson**

 [0000-0003-0002-5761](#) ·  [danich1](#)

Department of Systems Pharmacology and Translational Therapeutics, University of Pennsylvania · Funded by The Gordon and Betty Moore Foundation (GBMF4552); The National Institutes of Health (T32 HG000046)

- **Jane Roe**

 [XXXX-XXXX-XXXX-XXXX](#) ·  [janeroe](#)

Department of Something, University of Whatever; Department of Whatever, University of Something

Abstract

Introduction

Preprints are scholarly works that are shared before they have been formally peer reviewed and published. The practice of sharing manuscripts before peer review has a long history [1]. The longest use on an ongoing basis started with physicists in the 1990s [2] and have become an essential tool for the scientific community [3,4,5,6]. Preprints were used in the life sciences in the 1960s before publisher pressure stopped the practice [1]. Life sciences preprints have made a resurgence within the past decade [7,8]. Common preprint repositories include arXiv [9], bioRxiv [7] and medRxiv [10]; however, there are over 60 different preprint repositories [11]. Preprints are becoming widely accepted and used within the life sciences community [3,12,13,14], providing an opportunity to examine their impact.

The scientific community has begun to analyze the impact of preprints in the life sciences. Studies have found that preprints are being posted at a high rate [15] and are rapidly shared on social media, routinely downloaded, and cited often [16]. Certain categories of preprints seem to be read and shared differently by both scientists and non-scientists [17]. Across preprint servers, analyses suggest that between two thirds and three quarters of preprints are eventually published [8,18]. Time required for a preprint to be published can vary from preprint to preprint; however, studies have found that preprints with a single version take less time than preprints with multiple versions [19]. Articles with preprints were more cited and more discussed than those without them [20,21].

Existing work largely focuses on the metadata associated with life sciences preprints. There is still a gap in understanding the language authors use in preprints and examining how language shifts between preprint and peer reviewed manuscript provides a unique opportunity to examine how the publishing process impacts the scholarly literature. We sought to understand the language landscape of preprints by performing a linguistic analysis of the *bioRxiv* corpus. We also examine textual differences between preprints and published literature by comparing the entire corpus of preprints with that available in the open access PubMed Central repository as well as a restricted set of preprint-published pairs. We find that neural-network derived document embeddings provide a useful space for determining the textual similarity of preprints. Preprints' nearest neighbors in this space are likely to share an eventual publishing venue with the preprint, so we created a webserver that will display these neighbors for any preprint on *bioRxiv* or *medRxiv*. Proximity in this space also reveals preprint-publication pairs that earlier analyses have been unable to identify. Our linguistic analysis reveals the impact of the publishing process, introduces a method to identify similar preprints, demonstrates that the text content of preprints is related to their eventual publication venue, and provides a more complete picture of the fraction of preprint that are eventually published.

Methods

Datasets

BioRxiv

BioRxiv [7] is a repository of biological and biomedical research preprints. We downloaded an xml snapshot of this repository on February 3, 2020 from bioRxiv's Amazon S3 resource [22] that contained the full text and image content of 98,023 preprints. Preprints on bioRxiv are versioned, and in our snapshot 26,905 of 98,023 contained more than one version. When preprints had multiple versions, we used only the latest one. Preprints in this snapshot were grouped by researchers submitting to *bioRxiv* into one of twenty-nine different categories. Each preprint was also classified as a new result, confirmatory finding, or contradictory finding. Some preprints in this snapshot have

been withdrawn from bioRxiv. When a preprint is withdrawn, its content is replaced with the reason for withdrawal. Because we used the latest version, withdrawn preprints in our analysis contained only statements indicating their removal.

PubMed Central

PubMed Central (PMC) [23] is a repository that contains free-to-read articles. PMC contains two types of contributions: closed access articles from research funded by the United States National Institutes of Health (NIH) appearing after an embargo period and articles published under Gold Open Access [24] publishing schemes. Paper availability within PMC is largely dependent on the journal's participation level [25]. Individual journals have can fully participate in submitting articles to PMC, selectively participate sending only a few few of papers to PMC, only submit papers according to NIH's public access policy [26], or not participate at all. As of September 2019, PMC had 5,725,819 articles available [27]. Out of these 5 million articles, about 3 million were open access and available for text processing systems [28,29]. We downloaded a snapshot of this open access subset on January 31, 2020. This snapshot contains papers such as literature reviews, book reviews, editorials, case reports, research articles and more; however, we used only the research articles.

Comparing Corpora

We compared bioRxiv against Pubmed Central's Open Access corpus (PMCOA) and the New York Times Annotated corpus (NYTAC) [30] to assess the similarities and differences between bioRxiv, PMCOA and NYTAC. Throughout our analysis we encountered non-word symbols (e.g., \pm), so we refer words and symbols as tokens to avoid confusion. We calculated the following statistics for each corpus: the number of documents, the number of sentences, the total number of tokens, the number of stopwords, the average length of a document, the average length of a sentence, the number of negations, the number of coordinating conjunctions, the number of pronouns and the number of past tense verbs. Next, we used spaCy's "en_core_web_sm" model [31] (version 2.2.3) to preprocess all corpora and filtered out 326 spaCy-provided stopwords.

Following the cleaning process, we calculated the frequency of every token across all corpora. Because many tokens were unique to one set or the other and observed at low frequency, we used the union of the top 100 most frequent tokens from each corpus to compare them. We generated a contingency table for each token and calculated the odds ratio from every generated table. We also calculated the 95% confidence interval for each token's odds ratio [???] and measured corpus similarity by calculating the KL divergence across all three corpora.

Visualizing the Preprint Landscape

Generate Document Representation

We used gensim [??] (version 3.8.1) to train a word2vec continuous bag of words (CBOW) [32] model over the bioRxiv corpus. Our neural network architecture had 300 hidden nodes, and we trained this model for 20 epochs. We set a fixed random seed and otherwise used gensim's default settings. Following training, we generated a document vector for every article within bioRxiv and PubMed Central. This document vector is calculated by taking the average of every token present within a given article, ignoring those that were absent from the word2vec model.

Dimensionality Reduction of Document Embeddings

We used principal component analysis (PCA) [33] to project bioRxiv document vectors into a low dimensional space. We trained this model using scikit-learn's [34] implementation of a randomized solver [35] with a random seed of 100, output of 50 principal components, and default settings for all

other parameters. For each principal component we calculated its cosine similarity with all tokens in our word2vec model's vocabulary. We report the top 100 positive and negative scoring tokens in the form of word clouds, where the size of each word corresponds to the magnitude of similarity and color represents positive (blue) or negative (orange) association.

Discovering Unannotated Preprint-Publication Relationships

Automated procedures are in place to link preprints to peer reviewed versions and many journals require authors to update preprints with a link to the published version. However, automated procedures at *bioRxiv* are often based on exact matching of certain attributes and authors can forget to establish a link after publication. For example, authors can change the title between a preprint and published version (e.g., [36] and [37]), which prevents *bioRxiv* from automatically establishing a link. If the authors do not report the publication to *bioRxiv*, the preprint and the published version are treated as distinct entities despite representing the same underlying research. We recognized that the distance in embedding space could reveal preprint to published version links that were missed by existing automated processes. First, we used CrossRef [38] to identify *bioRxiv* preprints that were linked to a corresponding published article. We filtered out links that contained papers not in PubMed Central's Open Access corpus. Following the preprocessing step, we calculated the distribution of known preprint to published distances by taking the Euclidean distance between the preprint's embedding coordinates and the coordinates of the published version. We also calculated a background distribution, which consisted of the distance between each preprint with an annotated publication and a randomly selected article from the same journal the published version. Next, we calculated distances between preprints without a published version link with PubMed Central articles that weren't matched with a corresponding preprint. We filtered any potential links with distances that were greater than the minimum value of the background distribution to reduce the curation burden. Lastly, we binned the remaining pairs based on percentiles from the annotated pairs at the [0,25th percentile), [25th percentile, 50th percentile), [50th percentile, 75th percentile), and [75th percentile, minimum background distance). We randomly sampled 50 articles from each bin for manual annotation. We shuffled these four sets to produce a list of 200 potential preprint-published pairs with a randomized order. We supplied these candidates to two scientists to manually determine if each link between a preprint and a putative matched version was correct or incorrect. After the curation process, we encountered eight disagreements between reviewers. The preprint-publication pairs on which reviewers disagreed were supplied to a third scientist, who carefully reviewed each case and made a final determination. Lastly, we used this curated set to evaluate the extent to which distance in the embedding space revealed true but unannotated links between preprints and their published versions.

Journal Recommendation

Determining the best journal venue for a preprint is a non-trivial task as there are too many options for authors to decide. We sought to provide a resource that recommends journals based on a preprint's embedding representation. We illustrate our recommendations as a short list along with a network visualization available at <https://greenelab.github.io/annorxiver-journal-recommender/>. Since we sought to examine if embeddings were related to publication venue, we used a simple k-nearest neighbors approach with Euclidean distance to recommend journals.

First, we filtered all journals that had fewer than 100 papers in the PMC dataset. A subset of our PMC corpus was directly linked to papers in *bioRxiv* as they had been published as open access articles. We held out this subset and treated it as our gold standard test set. We used the remainder of the PMC corpus for training and initial evaluation via cross validation. We considered a list of ten journal suggestions to be an appropriate number and we considered a prediction to be a true positive if the correct journal appeared within the ten closest neighbors of the query article.

Certain journals publish articles in a focused topic area, while others publish articles that cover many topics. Likewise, some journals have a publication rate of at most hundreds of papers per year while others publish at a rate of at least ten-thousand papers per year. Accounting for these characteristics, we designed two approaches for recommending journals.

The first approach is based on individual paper proximity, which enabled us to provide an example of the specific article or articles that led to the prediction. Conversely, predictions using this technique could be biased due to the overrepresentation of general topic journals. We call this approach the paper-based classifier. This classifier takes a query article that has been projected onto the embedding space trained on bioRxiv preprints as input and reports the journals of the top ten closest papers. The number of journals returned via this method could be less than ten as multiple papers in close proximity to query article may belong to the same journal.

The second approach is based on close proximity to a journal's centroid. This technique provides recommendations that are more focused on domain-specific publication venues. We call this approach the journal-based classifier. This classifier was trained by computing journal centroids via taking the average embedding of all papers published in each journal. Following the centroid calculation, this classifier takes a query article projected onto the same embedding space as above for input and reports the top ten nearest journals centroids. Both the paper-based classifier and the journal-based classifier were optimized via 10-fold cross validation. We evaluated performance of both classifiers on our gold standard test set of published preprints.

We used SAUCIE [39] to train a model that uses the latent space of a neural network to learn an embedding suitable for visualization. This model enabled us to visualize the PMC corpus and to efficiently embed new papers and preprints with the space. We trained this model using a learning rate of 0.001, lambda_b of 0, lambda_c of 0.001, and lambda_d of 0.001 for 2000 iterations. We used the fully trained model to project user-requested *bioRxiv* preprints onto the generated landscape to enable users to see where their preprint falls along the landscape.

Results

Comparing bioRxiv to PubMed Central

bioRxiv Repository




Figure 1: Neuroscience and bioinformatics are the two most common topics for preprints on bioRxiv. This bar chart depicts the number of preprints that fall into each author-selected topic area.

Each preprint on bioRxiv has an author-selected topic area, and the predominant area in past reports has been neuroscience [40]. Our analysis of the full text release of bioRxiv confirms this previous finding (Figure 1). The author-selected topic area abundances that we found in the full text largely matched previous studies [40,41]. One exception was microbiology, which has a larger share of preprints than in a previous report from 2018 [40] (Figure 1). Authors also select from three article types when they upload their preprints. We found that nearly all preprints were categorized as new results, which is consistent with previous findings [41].

Global Comparison of bioRxiv and PubMed Central

Table 1: Generated corpora statistics for all corpus used in this project.

Metric	bioRxiv	PMC	NYTAC
document count	71,118	1,977,647	1,855,658
sentence count	22,195,739	480,489,811	72,171,037
token count	420,969,930	8,597,101,167	1,218,673,384
stopword count	158,429,441	3,153,077,263	559,391,073
avg. document length	312.10	242.96	38.89
avg. sentence length	22.71	21.46	19.89
negatives	1,148,382	24,928,801	7,272,401
coordinating conjunctions	14,295,736	307,082,313	38,730,053
coordinating conjunctions%	3.40%	3.57%	3.18%
pronouns	4,604,432	74,994,125	46,712,553
pronouns%	1.09%	0.87%	3.83%
passives	15,012,441	342,407,363	19,472,053

Metric	bioRxiv	PMC	NYTAC
passive%	3.57%	3.98%	1.60%




Figure 2: BioRxiv is more similar to PubMed Central than to the reference corpus. This barplot represents the KL divergence between bioRxiv, Pubmed Central and the reference corpus. The y-axis is the KL divergence metric where lower values indicates similar distributions and vice versa for higher values. The x-axis represents the number of highly occurring tokens used to calculate the KL divergence.




Figure 3: BioRxiv is more focused on biological discoveries rather than disease treatments and clinical trials. The plot on the left (A) is a point range plot of the odds ratio with respect to bioRxiv. Values greater than one indicate a high association with bioRxiv whereas values less than one indicate high association with PubMed Central. The dotted line provides a breaking point between both categories. The plot on the right (B) is a bar chart of token frequency appearing in bioRxiv and PMC respectively.

The linguistic style of the bioRxiv corpus differs from the PMC corpus. We compared and contrasted preprints in bioRxiv, published manuscripts in PMC and newspaper articles from the New York Times (NYTAC) against eachother. We refer to NYTAC as our reference corpus for the following analysis. We found that bioRxiv is more similar to PMC than to the reference in terms of token frequencies and corpora statistics (Figure 2 and Table 1). When comparing bioRxiv and PMC to the reference, topic

associated and measurement related tokens appear highly enriched (Supplemental Figures 13 and 14). Furthermore, we found that tokens such as “neuron”, “genome”, “RNA” and “network” had a high odds ratio, while tokens such as “patient”, “health”, \pm , and “ml” to have a low odds ratio when comparing bioRxiv to PMC (Figure 3). This separation of tokens suggests that articles focused on clinical trials and patient research are more prevalent in PMC than to bioRxiv. This separation also suggests that bioRxiv has a predominance of neuroscience and bioinformatic topics. In regard to writing, citation styles diversify from the familiar “et al.” form as preprints transition through the publication process. Additionally, published articles have an increase of typesetting (\pm) and measurement symbols (“ml”, “age”) compared to preprints.

Published Preprint Differences




Figure 4: Top scoring tokens for preprints are focused on figure citations whereas their published versions are more focused on data availability. The plot on the left (A) is a point range plot of the odds ratio with respect to preprints. Values greater than one indicate a high association with preprints while values less than one indicate a high association with published articles. The dotted line provides a breaking point between both categories. The plot on the right (B) is a barchart of token frequency appearing in preprints and published versions of preprints respectively.

A preprint’s linguistic style can change once a preprint has undergone the revision process prior to being published. We quantified this linguistic difference by calculating the odds ratio of tokens appearing in the union of bioRxiv preprints and their published counterparts within PMC. Tokens with an odds ratio greater than one are mainly centered on paper/figure references and research specific terms (Figure 4). Tokens with an odds ratio of less than one are focused on data availability, and research measurements such as number of cases and controls or significance testing (Figure 4). This enrichment suggests that a key piece in the publication process is verifying that essential parts of research (e.g. data availability, specific measurements) are obvious to future readers within the scientific community.

Topic Analysis of bioRxiv’s Principal Components




Figure 6: Preprint categories have a diverse spread of quantitative and molecular biology results. This is box plot shows preprints in each article category projected along the PC1 direction. Negative values indicate molecular biology concepts, while positive values indicate quantitative biology concepts.




Figure 7: The second PC groups neuroscience related preprint categories and bioinformatics related preprint categories together. This is box plot shows preprints in each article category projected along the PC2 direction. Negative values indicate neuroscience concepts, while positive values indicate bioinformatic concepts.

Table 2: Top five and bottom five systems biology preprints projected onto the PC1 direction. These preprints contain quantitative and molecular biology concepts respectively.

Title [citation]	PC_1	Licnse	Fi g u r e L i n k
Conditional Robust Calibration (CRC): a new computational Bayesian methodology for model parameters estimation and identifiability analysis [42]	4.70055 4908074 704	Non e	h t t p s : / / w w w . b

Title [citation]	PC_1	License	Figure Link
			https://www.biorxiv.org/content/early/2017/10/02/197400/F1

Title [citation]	PC_1	License	Figure Link
			.large.jpg
Machine learning of stochastic gene network phenotypes [43]	4.410660604449826	CC-BY-NC-ND	https://www.biorxiv.org/content/biorxiv/ea

Title [citation]	PC_1	License	Figure Link
			rily/2019/10/31/825943/F5·large·jpg
Notions of similarity for computational biology models [44]	4.355295926618207	CC-BY-NC-ND	https://www.biorxi

Title [citation]	PC_1	License	Figure Link
			v . o r g / c o n t e n t / b i o r x i v / e a r l y / 2 0 1 6 / 0 3 / 2 1 / 0 4 4 8 1 8 / F 1 . l a r g

Title [citation]	PC_1	License	Figure Link
			e . j p g
GpABC: a Julia package for approximate Bayesian computation with Gaussian process emulation [45]	4.35151 7618262 304	CC-BY-NC-ND	h t t p s : / / w w w . b i o r x i v . o r g / c o n t e n t / b i o r x i v / e a r l y / 2

Title [citation]	PC_1	License	Figure Link
			019/09/18/769299/F1 · large · jpg
SBpipe: a collection of pipelines for automating repetitive simulation and analysis tasks [46]	4.321847854182741	CC-BY-NC-ND	https://www.biorxiv.org

Title [citation]	PC_1	License	Figure Link
			/content/bioRxiv/early/2017/02/09/107250/F1.large.jpg

Title [citation]	PC_1	License	Figure Link
Spatiotemporal proteomics uncovers cathepsin-dependent host cell death during bacterial infection [47]	-4.26396 4235099 807	CC-BY-ND	https://www.biorxiv.org/content/biorxiv/early/2018/11

Title [citation]	PC_1	License	Figure Link
			1 / 07 / 455048 / F1 · large · jpg
Systems analysis by mass cytometry identifies susceptibility of latent HIV-infected T cells to targeting of p38 and mTOR pathways [48]	-4.279016673409032	CC-BY-NC-ND	https://www.biorxiv.org/content

Title [citation]	PC_1	License	Figure Link
			ent / bioRxiv / early / 2018 / 07 / 19 / 371922 / F1 · large · jpg
NADPH consumption by L-cystine reduction creates a metabolic vulnerability upon glucose deprivation [49]	-4.592209988884236	None	http

Title [citation]	PC_1	License	Figure Link
			S : / / www . bioRxiv . org / content / bioRxiv / early / 2019 / 08 / 13 /

Title [citation]	PC_1	License	Figure Link
			733162/F1 · large · jpg
Inhibition of Bruton's tyrosine kinase reduces NF-kB and NLRP3 inflammasome activity preventing insulin resistance and microvascular disease [50]	-4.736613689905791	None	https://www.biorxiv.org/content/b

Title [citation]	PC_1	License	Figure Link
			i o r x i v / e a r l y / 2 0 1 9 / 0 8 / 2 8 / 7 4 5 9 4 3 / F 1 . l a r g e . j p g
AKT but not MYC promotes reactive oxygen species-mediated cell death in oxidative culture [51]	-4.82679 3742506 695	None	h t t p s : / / w

Title [citation]	PC_1	License	Figure Link
			www.biorxiv.org/content/biorxiv/early/2019/09/01/75457

Title [citation]	PC_1	License	Figure Link
			2 / F1 · large · jpg

We explored the primary differences between the full text of bioRxiv preprints by performing principal components analysis on generated document embeddings. We visualized the correspondence between tokens and the loadings for each principal component (Figure {5}A,C). We also visualized documents projected on selected principal components (Figure {5}B). The first principal component separates bioRxiv preprints that encompass molecular biology results with preprints that contain quantitative biology results (Figure {5}C). This highlights the bisection of biomedical research where majority of results can be categorized under the molecular biology category or the quantitative biology category. Furthermore, this bisecting trend is evident across individual preprint categories as most categories lie on either side of the first principal component (Figure 6). We also provide example preprints from the systems biology category to reinforce this concept (Table 2).

The second principal component represents the concept of neuroscience vs bioinformatics (Figure {5}A). This principal component suggests that the bulk of preprints within bioRxiv are largely focused around neuroscience and bioinformatic concepts. This split is evident in Figure 7 as enriched categories along this principal component are quite related to neuroscience (negative end) or bioinformatics (positive end). As with the first principal component we provide example preprints from the systems biology category to reinforce this concept (Supplemental Table 3). More principal component word clouds can be found on our journal recommender website (greenelab.github.io/annorxiver-journal-recommender) and within our online repository (see Data Availability).

Identifying preprints that were not linked with their corresponding publications




Figure 8: The distances between preprints and their published version was on average lower than the distance between preprints and a randomly selected published article in the same journal. This violin plot shows the distribution of distances between both categories.




Figure 9: The proportion of publication-preprint pairs decreased as the distance for publication-preprint pairs increased. This bar chart depicts the fraction of true positives over the total number of pairs in each bin. Each bin contains a total of 200 annotated pairs and is based on the percentiles of the preprint-published distribution.

Many journals require that authors update preprints with links to the published version of their article. This is accomplished in two ways: *bioRxiv* may detect the link and automatically add it or authors may notify *bioRxiv* that their preprint was published. Missing preprint-publication links can make it more difficult to identify the latest version of scientific manuscripts and estimate the fraction

of articles that are eventually published [40]. We used distance in the document space to identify preprints without an annotated publication but contained very similar content to published articles. We found that distances between preprints and their corresponding published versions were lower than preprints paired with a random article published in the same journal (Figure 8). This observation suggests that pairs with low embedding distances could be considered a true match, so we separated articles into quantiles based on the distribution of distances between true preprint-publication pairs. We curated 50 potential preprint-publication pairs from each of four quantiles in duplicate, and found a high inter-rater reliability for this task achieving a Cohen's Kappa [52] of 91.7%. Out of these two hundred pairs we found that approximately 98% of pairs with an embedding distance in the 0-25th and 25th-50th percentile bins were true matches (Figure 9). These two bins contained 1,720 preprint-article pairs, suggesting that many preprints have been published but not previously connected with their published versions.




Figure 10: The overall fraction of published preprints is higher than originally estimated in [40]. This line plot shows the publication rate of preprints since bioRxiv first started. The x-axis represents months since bioRxiv started and the y-axis represents the proportion of preprints published. The light blue line represents the publication rate estimated by Abdill et al. [40]. The dark blue line represents the updated publication rate without missing links added while the dark green line is the updated publication rate with missing links added. The horizontal lines represent the overall proportion of preprints that are published.

We overlaid these new annotations onto existing annotations to reassess the overall preprint publication rate reported by Abdill et al. [40]. Our filtering criteria were intentionally stringent, so the increased estimate of publication rate amounts to a few percent (Figure 10). Many of these missed annotations were for preprints posted in the 2017-2018 interval. As opposed to those published in 2019 and later, these preprints are old enough that they are likely to have been published but it was interesting that the rate was not observed to be higher for older preprints.

Recommending Journals Based on Preprint Representation




Figure 11: Both classifiers outperform the randomized baseline when predicting a paper’s journal endpoint. This bargraph shows each model’s accuracy in respect to predicting the training and test set.

We sought to identify journals that might publish a preprint based on the text of a paper. We trained two different classifiers to predict the journal endpoints for already published papers. One classifier uses the nearest journal centroids, which attempts to capture the topic area of a journal. The other classifier aims to be more granular and uses the journals that published the nearest papers. Both classifiers outperformed a randomized baseline. A classifier that aimed to predict centroids performed better on the held out test set compared than the nearest paper classifier (Figure 11). There are 2516 journals in our dataset, so the baseline performance of a classifier is quite low. We were able to achieve a substantial increase with respect to random performance at predicting the journals that a paper was published in. However, the predictor is not perfect (Figure 11), which we should expect because there are multiple journals that cover certain topic areas and others have a very broad set of covered topic areas. Still, our software provides a starting point for authors to use the text of their preprints to identify potentially suitable publication venues.

Conclusion and Future Directions

Our linguistic analysis did not reveal substantial changes in the language during the peer-reviewed publishing process. The tokens most strongly associated with the peer reviewed form, as opposed to the preprint form, were associated with data availability and statistical reporting. We found that embeddings of preprints and publications could be compared and that distance in this space was meaningful in terms of topic area and the journal of eventual publication. Being able to identify similar preprints and publications using text content makes it feasible to begin tackling more detailed questions, and our analytical software is all open source to enable others to build upon them. The analysis of preprints' full text can support new tools that accelerate publishing, integrity checks, and other critically important contributions.

Software and Data Availability

An online version of this manuscript is available under a Creative Commons Attribution License at https://greenelab.github.io/annorxiver_manuscript/. Source for the research portions of this project is dual licensed under the BSD 3-Clause and Creative Commons Public Domain Dedication Licenses at <https://github.com/greenelab/annorxiver>. The journal recommendation website can be found at <https://greenelab.github.io/annorxiver-journal-recommender/> and code for the website is available under a BSD-2-Clause Plus Patent License at <https://github.com/greenelab/annorxiver-journal-recommender>. Full text access for the bioRxiv repository is available at <https://www.biorxiv.org/tdm>. Access to PubMed Central's Open Access subset is available on NCBI's FTP server at <https://www.ncbi.nlm.nih.gov/pmc/tools/ftp/>. Access to the New York Times Annotated Corpus (NYTAC) is available upon request with the Linguistic Data Consortium at <https://catalog.ldc.upenn.edu/LDC2008T19>.

Acknowledgements

The authors would like to thank Ariel Hippen Anderson for evaluating potential missing preprint to published version links. We also would like to thank Richard Sever and the *bioRxiv* team for their assistance with access to and support with questions about preprint full text downloaded from *bioRxiv*. This work was supported by [Grant GBMF4552](#) from the Gordon Betty Moore Foundation and by NIH T32HG00046, Computational Genomics training grant, from the National Human Genome Research Institute (NHGRI).

References

1. The prehistory of biology preprints: A forgotten experiment from the 1960s

Matthew Cobb

PLOS Biology (2017-11-16) <https://doi.org/c6wv>

DOI: [10.1371/journal.pbio.2003995](https://doi.org/10.1371/journal.pbio.2003995) · PMID: [29145518](https://pubmed.ncbi.nlm.nih.gov/29145518/) · PMCID: [PMC5690419](https://pubmed.ncbi.nlm.nih.gov/PMC5690419/)

2. Preprint Déjà Vu

Paul Ginsparg

The EMBO Journal (2016-10-19) <https://doi.org/f3r9vf>

DOI: [10.15252/embj.201695531](https://doi.org/10.15252/embj.201695531) · PMID: [27760783](https://pubmed.ncbi.nlm.nih.gov/27760783/) · PMCID: [PMC5167339](https://pubmed.ncbi.nlm.nih.gov/PMC5167339/)

3. Biologists urged to hug a preprint

Ewen Callaway, Kendall Powell

Nature (2016-02-16) <https://doi.org/ghdd62>

DOI: [10.1038/530265a](https://doi.org/10.1038/530265a) · PMID: [26887471](https://pubmed.ncbi.nlm.nih.gov/26887471/)

4. Peer Review and bioRxiv

Leslie M. Loew

Biophysical Journal (2016-08) <https://doi.org/ghdd6x>

DOI: [10.1016/j.bpj.2016.06.035](https://doi.org/10.1016/j.bpj.2016.06.035) · PMID: [27508451](https://pubmed.ncbi.nlm.nih.gov/27508451/) · PMCID: [PMC4982934](https://pubmed.ncbi.nlm.nih.gov/PMC4982934/)

5. Preprints for the life sciences

J. M. Berg, N. Bhalla, P. E. Bourne, M. Chalfie, D. G. Drubin, J. S. Fraser, C. W. Greider, M. Hendricks, C. Jones, R. Kiley, ... C. Wolberger

Science (2016-05-19) <https://doi.org/bmp7>

DOI: [10.1126/science.aaf9133](https://doi.org/10.1126/science.aaf9133) · PMID: [27199406](https://pubmed.ncbi.nlm.nih.gov/27199406/)

6. The rise of preprints in chemistry

François-Xavier Coudert

Nature Chemistry (2020-05-18) <https://doi.org/ghdd64>

DOI: [10.1038/s41557-020-0477-5](https://doi.org/10.1038/s41557-020-0477-5) · PMID: [32424256](https://pubmed.ncbi.nlm.nih.gov/32424256/)

7. bioRxiv: the preprint server for biology

Richard Sever, Ted Roeder, Samantha Hindle, Linda Sussman, Kevin-John Black, Janet Argentine, Wayne Manos, John R. Inglis

bioRxiv (2019-11-06) <https://doi.org/ggc46z>

DOI: [10.1101/833400](https://doi.org/10.1101/833400)

8. Abstract

eLife Sciences Publications, Ltd

(2019-05-09) <https://doi.org/gf5cqt>

DOI: [10.7554/elife.45133.001](https://doi.org/10.7554/elife.45133.001)

9. arXiv.org: the Los Alamos National Laboratory e-print server

Gerry McKiernan

International Journal on Grey Literature (2000-09) <https://doi.org/fg8pw7>

DOI: [10.1108/14666180010345564](https://doi.org/10.1108/14666180010345564)

10. medRxiv.org - the preprint server for Health Sciences <https://www.medrxiv.org/>

11. **The Second Wave of Preprint Servers: How Can Publishers Keep Afloat?**
By
The Scholarly Kitchen (2019-10-16) <https://scholarlykitchen.sspnet.org/2019/10/16/the-second-wave-of-preprint-servers-how-can-publishers-keep-afloat/>
12. **Preprints: An underutilized mechanism to accelerate outbreak science**
Michael A. Johansson, Nicholas G. Reich, Lauren Ancel Meyers, Marc Lipsitch
PLOS Medicine (2018-04-03) <https://doi.org/gg922h>
DOI: [10.1371/journal.pmed.1002549](https://doi.org/10.1371/journal.pmed.1002549) · PMID: [29614073](https://pubmed.ncbi.nlm.nih.gov/29614073/) · PMCID: [PMC5882117](https://pubmed.ncbi.nlm.nih.gov/PMC5882117/)
13. **On the value of preprints: An early career researcher perspective**
Sarvenaz Sarabipour, Humberto J. Debat, Edward Emmott, Steven J. Burgess, Benjamin Schwessinger, Zach Hensel
PLOS Biology (2019-02-21) <https://doi.org/gfw8hd>
DOI: [10.1371/journal.pbio.3000151](https://doi.org/10.1371/journal.pbio.3000151) · PMID: [30789895](https://pubmed.ncbi.nlm.nih.gov/30789895/) · PMCID: [PMC6400415](https://pubmed.ncbi.nlm.nih.gov/PMC6400415/)
14. **In praise of preprints**
Norman K. Fry, Helina Marshall, Tasha Mellins-Cohen
Microbial Genomics (2019-04-01) <https://doi.org/gg3bxc>
DOI: [10.1099/mgen.0.000259](https://doi.org/10.1099/mgen.0.000259) · PMID: [30938670](https://pubmed.ncbi.nlm.nih.gov/30938670/) · PMCID: [PMC6521583](https://pubmed.ncbi.nlm.nih.gov/PMC6521583/)
15. **Rxivist.org: Sorting biology preprints using social media and readership metrics**
Richard J. Abdill, Ran Blekhman
PLOS Biology (2019-05-21) <https://doi.org/dm27>
DOI: [10.1371/journal.pbio.3000269](https://doi.org/10.1371/journal.pbio.3000269) · PMID: [31112533](https://pubmed.ncbi.nlm.nih.gov/31112533/) · PMCID: [PMC6546241](https://pubmed.ncbi.nlm.nih.gov/PMC6546241/)
16. **How the Scientific Community Reacts to Newly Submitted Preprints: Article Downloads, Twitter Mentions, and Citations**
Xin Shuai, Alberto Pepe, Johan Bollen
PLoS ONE (2012-11-01) <https://doi.org/f4cw6r>
DOI: [10.1371/journal.pone.0047523](https://doi.org/10.1371/journal.pone.0047523) · PMID: [23133597](https://pubmed.ncbi.nlm.nih.gov/23133597/) · PMCID: [PMC3486871](https://pubmed.ncbi.nlm.nih.gov/PMC3486871/)
17. **Quantifying and contextualizing the impact of bioRxiv preprints through automated social media audience segmentation**
Jedidiah Carlson, Kelley Harris
bioRxiv (2020-03-10) <https://doi.org/ghdd66>
DOI: [10.1101/2020.03.06.981589](https://doi.org/10.1101/2020.03.06.981589)
18. **An analysis of published journals for papers posted on bioRxiv**
Hiroyuki Tsunoda, Yuan Sun, Masaki Nishizawa, Xiaomin Liu, Kou Amano
Proceedings of the Association for Information Science and Technology (2019-10-18)
<https://doi.org/ggz7f9>
DOI: [10.1002/pra2.175](https://doi.org/10.1002/pra2.175)
19. **The Need for Speed: How Quickly Do Preprints Become Published Articles?**
Rachel Herbert, Kate Gasson, Alex Ponsford
SSRN Electronic Journal (2019) <https://doi.org/ghd3mt>
DOI: [10.2139/ssrn.3455146](https://doi.org/10.2139/ssrn.3455146)
20. **The relationship between bioRxiv preprints, citations and altmetrics**
Nicholas Fraser, Fakhri Momeni, Philipp Mayr, Isabella Peters
Quantitative Science Studies (2020-04-01) <https://doi.org/gg2cz3>
DOI: [10.1162/qss_a_00043](https://doi.org/10.1162/qss_a_00043)

21. **Releasing a preprint is associated with more attention and citations for the peer-reviewed article**
Darwin Y Fu, Jacob J Hughey
eLife (2019-12-06) <https://doi.org/ghd3mv>
DOI: [10.7554/elife.52646](https://doi.org/10.7554/elife.52646) · PMID: [31808742](https://pubmed.ncbi.nlm.nih.gov/31808742/) · PMCID: [PMC6914335](https://pubmed.ncbi.nlm.nih.gov/PMC6914335/)
22. **Machine access and text/data mining resources | bioRxiv**<https://www.biorxiv.org/tdm>
23. **PubMed Central: The GenBank of the published literature**
R. J. Roberts
Proceedings of the National Academy of Sciences (2001-01-16) <https://doi.org/bbn9k8>
DOI: [10.1073/pnas.98.2.381](https://doi.org/10.1073/pnas.98.2.381) · PMID: [11209037](https://pubmed.ncbi.nlm.nih.gov/11209037/) · PMCID: [PMC33354](https://pubmed.ncbi.nlm.nih.gov/PMC33354/)
24. **Gold open access: the best of both worlds**
M. A. G. van der Heyden, T. A. B. van Veen
Netherlands Heart Journal (2017-12-01) <https://doi.org/ggzfr9>
DOI: [10.1007/s12471-017-1064-2](https://doi.org/10.1007/s12471-017-1064-2) · PMID: [29196877](https://pubmed.ncbi.nlm.nih.gov/29196877/) · PMCID: [PMC5758455](https://pubmed.ncbi.nlm.nih.gov/PMC5758455/)
25. **How Papers Get Into PMC**<https://www.ncbi.nlm.nih.gov/pmc/about/submission-methods/>
26. **8.2.2 NIH Public Access Policy**https://grants.nih.gov/grants/policy/nihgps/html5/section_8/8.2.2_nih_public_access_policy.htm
27. **PMC Overview**<https://www.ncbi.nlm.nih.gov/pmc/about/intro/>
28. **PMC text mining subset in BioC: about three million full-text articles and growing**
Donald C Comeau, Chih-Hsuan Wei, Rezarta Islamaj Doğan, Zhiyong Lu
Bioinformatics (2019-09-15) <https://doi.org/ggzfsb>
DOI: [10.1093/bioinformatics/btz070](https://doi.org/10.1093/bioinformatics/btz070) · PMID: [30715220](https://pubmed.ncbi.nlm.nih.gov/30715220/) · PMCID: [PMC6748740](https://pubmed.ncbi.nlm.nih.gov/PMC6748740/)
29. **PubTator central: automated concept annotation for biomedical full text articles**
Chih-Hsuan Wei, Alexis Allot, Robert Leaman, Zhiyong Lu
Nucleic Acids Research (2019-07-02) <https://doi.org/ggzfsc>
DOI: [10.1093/nar/gkz389](https://doi.org/10.1093/nar/gkz389) · PMID: [31114887](https://pubmed.ncbi.nlm.nih.gov/31114887/) · PMCID: [PMC6602571](https://pubmed.ncbi.nlm.nih.gov/PMC6602571/)
30. **The new york times annotated corpus**
Evan Sandhaus
Linguistic Data Consortium, Philadelphia (2008)
31. **spaCy 2: Natural language understanding with Bloom embeddings, convolutional neural networks and incremental parsing**
Matthew Honnibal, Ines Montani
(2017)
32. **Efficient Estimation of Word Representations in Vector Space**
Tomas Mikolov, Kai Chen, Greg Corrado, Jeffrey Dean
arXiv (2013-09-10) <https://arxiv.org/abs/1301.3781>
33. **Probabilistic Principal Component Analysis**
Michael E. Tipping, Christopher M. Bishop
Journal of the Royal Statistical Society: Series B (Statistical Methodology) (1999-08)

<https://doi.org/b3hjwt>

DOI: [10.1111/1467-9868.00196](https://doi.org/10.1111/1467-9868.00196)

34. Scikit-learn: Machine learning in Python

F. Pedregosa, G. Varoquaux, A. Gramfort, V. Michel, B. Thirion, O. Grisel, M. Blondel, P. Prettenhofer, R. Weiss, V. Dubourg, ... E. Duchesnay
Journal of Machine Learning Research (2011)

35. Finding structure with randomness: Probabilistic algorithms for constructing approximate matrix decompositions

Nathan Halko, Per-Gunnar Martinsson, Joel A. Tropp
arXiv (2014-04-29) <https://arxiv.org/abs/0909.4061>

36. The *Drosophila* Cortactin Binding Protein 2 homolog, Nausicaa, regulates lamellipodial actin dynamics in a Cortactin-dependent manner

Meghan E. O'Connell, Divya Sridharan, Tristan Driscoll, Ipsita Krishnamurthy, Wick G. Perry, Derek A. Applewhite
bioRxiv (2018-07-24) <https://doi.org/gg4hp7>
DOI: [10.1101/376665](https://doi.org/10.1101/376665)

37. The *Drosophila* protein, Nausicaa, regulates lamellipodial actin dynamics in a Cortactin-dependent manner

Meghan E. O'Connell, Divya Sridharan, Tristan Driscoll, Ipsita Krishnamurthy, Wick G. Perry, Derek A. Applewhite
Biology Open (2019-06-15) <https://doi.org/gg4hp8>
DOI: [10.1242/bio.038232](https://doi.org/10.1242/bio.038232) · PMID: [31164339](https://pubmed.ncbi.nlm.nih.gov/31164339/) · PMCID: [PMC6602326](https://pubmed.ncbi.nlm.nih.gov/PMC6602326/)

38. CrossRef Text and Data Mining Services

Rachael Lammey
Insights the UKSG journal (2015-07-07) <https://doi.org/gg4hp9>
DOI: [10.1629/uksg.233](https://doi.org/10.1629/uksg.233)

39. Assessing the Heterogeneity of Cardiac Non-myocytes and the Effect of Cell Culture with Integrative Single Cell Analysis

Brian S. Iskra, Logan Davis, Henry E. Miller, Yu-Chiao Chiu, Alexander R. Bishop, Yidong Chen, Gregory J. Aune
bioRxiv (2020-03-05) <https://doi.org/gg9353>
DOI: [10.1101/2020.03.04.975177](https://doi.org/10.1101/2020.03.04.975177)

40. Tracking the popularity and outcomes of all bioRxiv preprints

Richard J Abdill, Ran Blekhman
eLife (2019-04-24) <https://doi.org/gf2str>
DOI: [10.7554/elife.45133](https://doi.org/10.7554/elife.45133) · PMID: [31017570](https://pubmed.ncbi.nlm.nih.gov/31017570/) · PMCID: [PMC6510536](https://pubmed.ncbi.nlm.nih.gov/PMC6510536/)

41. Altmetric Scores, Citations, and Publication of Studies Posted as Preprints

Stylianios Serghiou, John P. A. Ioannidis
JAMA (2018-01-23) <https://doi.org/gftc69>
DOI: [10.1001/jama.2017.21168](https://doi.org/10.1001/jama.2017.21168) · PMID: [29362788](https://pubmed.ncbi.nlm.nih.gov/29362788/) · PMCID: [PMC5833561](https://pubmed.ncbi.nlm.nih.gov/PMC5833561/)

42. Conditional Robust Calibration (CRC): a new computational Bayesian methodology for model parameters estimation and identifiability analysis

Fortunato Bianconi, Chiara Antonini, Lorenzo Tomassoni, Paolo Valigi

bioRxiv (2017-10-02) <https://doi.org/gg9393>
DOI: [10.1101/197400](https://doi.org/10.1101/197400)

43. Machine learning of stochastic gene network phenotypes

Kyemyung Park, Thorsten Prüstel, Yong Lu, John S. Tsang
bioRxiv (2019-10-31) <https://doi.org/gg94bm>
DOI: [10.1101/825943](https://doi.org/10.1101/825943)

44. Notions of similarity for computational biology models

Ron Henkel, Robert Hoehndorf, Tim Kacprowski, Christian Knüpfer, Wolfram Liebermeister, Dagmar Waltemath
bioRxiv (2016-03-21) <https://doi.org/gg939z>
DOI: [10.1101/044818](https://doi.org/10.1101/044818)

45. GpABC: a Julia package for approximate Bayesian computation with Gaussian process emulation

Evgeny Tankhilevich, Jonathan Ish-Horowicz, Tara Hameed, Elisabeth Roesch, Istvan Kleijn, Michael PH Stumpf, Fei He
bioRxiv (2019-09-18) <https://doi.org/gg94bj>
DOI: [10.1101/769299](https://doi.org/10.1101/769299)

46. SBpipe: a collection of pipelines for automating repetitive simulation and analysis tasks

Piero Dalle Pezze, Nicolas Le Novère
bioRxiv (2017-02-09) <https://doi.org/gg9392>
DOI: [10.1101/107250](https://doi.org/10.1101/107250)

47. Spatiotemporal proteomics uncovers cathepsin-dependent host cell death during bacterial infection

Joel Selkig, Nan Li, Jacob Bobonis, Annika Hausmann, Anna Sueki, Haruna Imamura, Bachir El Debs, Gianluca Sigismondo, Bogdan I. Florea, Herman S. Overkleeft, ... Athanasios Typas
bioRxiv (2018-11-07) <https://doi.org/gg94bc>
DOI: [10.1101/455048](https://doi.org/10.1101/455048)

48. Systems analysis by mass cytometry identifies susceptibility of latent HIV-infected T cells to targeting of p38 and mTOR pathways

Linda E. Fong, Victor L. Bass, Serena Spudich, Kathryn Miller-Jensen
bioRxiv (2018-07-19) <https://doi.org/gg9398>
DOI: [10.1101/371922](https://doi.org/10.1101/371922)

49. NADPH consumption by L-cystine reduction creates a metabolic vulnerability upon glucose deprivation

James H. Joly, Alireza Delfarah, Philip S. Phung, Sydney Parrish, Nicholas A. Graham
bioRxiv (2019-08-13) <https://doi.org/gg94bf>
DOI: [10.1101/733162](https://doi.org/10.1101/733162)

50. Inhibition of Bruton's tyrosine kinase reduces NF- κ B and NLRP3 inflammasome activity preventing insulin resistance and microvascular disease

Gareth S. D. Purvis, Massimo Collino, Haidee M. A. Tavio, Fausto Chiazza, Caroline E. O'Riordan, Lynda Zeboudj, Nick Guisot, Peter Bunyard, David R. Greaves, Christoph Thiemermann
bioRxiv (2019-08-28) <https://doi.org/gg94bg>
DOI: [10.1101/745943](https://doi.org/10.1101/745943)

51. **AKT but not MYC promotes reactive oxygen species-mediated cell death in oxidative culture**
Dongqing Zheng, Jonathan H. Sussman, Matthew P. Jeon, Sydney T. Parrish, Alireza Delfarah, Nicholas A. Graham
bioRxiv (2019-09-01) <https://doi.org/gg94bh>
DOI: [10.1101/754572](https://doi.org/10.1101/754572)
52. **A Coefficient of Agreement for Nominal Scales**
Jacob Cohen
Educational and Psychological Measurement (2016-07-02) <https://doi.org/dghsrr>
DOI: [10.1177/001316446002000104](https://doi.org/10.1177/001316446002000104)
53. **Biologists debate how to license preprints**
Lindsay McKenzie
Nature (2017-06-16) <https://doi.org/b9fb>
DOI: [10.1038/nature.2017.22161](https://doi.org/10.1038/nature.2017.22161)
54. **The licensing of *bioRxiv* preprints**
Daniel Himmelstein
Satoshi Village (2016-12-05) <https://blog.dhimmel.com/biorxiv-licenses/>
55. **Pangenome Analysis of Enterobacteria Reveals Richness of Secondary Metabolite Gene Clusters and their Associated Gene Sets**
Omkar S. Mohite, Colton J. Lloyd, Jonathan M. Monk, Tilmann Weber, Bernhard O. Palsson
bioRxiv (2019-09-25) <https://doi.org/gg94bk>
DOI: [10.1101/781328](https://doi.org/10.1101/781328)
56. **QTG-Finder: a machine-learning based algorithm to prioritize causal genes of quantitative trait loci**
Fan Lin, Jue Fan, Seung Y. Rhee
bioRxiv (2019-04-29) <https://doi.org/gg94bd>
DOI: [10.1101/484204](https://doi.org/10.1101/484204)
57. **Identification of candidate genes underlying nodulation-specific phenotypes in *Medicago truncatula* through integration of genome-wide association studies and co-expression networks**
Jean-Michel Michno, Liana T. Burghardt, Junqi Liu, Joseph R. Jeffers, Peter Tiffin, Robert M. Stupar, Chad L. Myers
bioRxiv (2018-08-16) <https://doi.org/gg94bb>
DOI: [10.1101/392779](https://doi.org/10.1101/392779)
58. **Raw sequence to target gene prediction: An integrated inference pipeline for ChIP-seq and RNA-seq datasets**
Nisar Wani, Khalid Raza
bioRxiv (2017-11-16) <https://doi.org/gg9394>
DOI: [10.1101/220152](https://doi.org/10.1101/220152)
59. **The y-ome defines the thirty-four percent of *Escherichia coli* genes that lack experimental evidence of function**
Sankha Ghatak, Zachary A. King, Anand Sastry, Bernhard O. Palsson
bioRxiv (2018-12-03) <https://doi.org/gg9396>
DOI: [10.1101/328591](https://doi.org/10.1101/328591)

60. **The effects of time-varying temperature on delays in genetic networks**
 Marcella M Gomez, Richard M Murray, Matthew R Bennett
bioRxiv (2015-09-24) <https://doi.org/gg939x>
 DOI: [10.1101/019687](https://doi.org/10.1101/019687)
61. **An analog to digital converter creates nuclear localization pulses in yeast calcium signaling**
 Ian S Hsu, Bob Strome, Sergey Plotnikov, Alan M Moses
bioRxiv (2018-06-28) <https://doi.org/gg9397>
 DOI: [10.1101/357939](https://doi.org/10.1101/357939)
62. **Nicotinic modulation of hierarchal inhibitory control over prefrontal cortex resting state dynamics: modeling of genetic modification and schizophreniarelated pathology**
 Marie Rooy, Fani Koukoulis, Uwe Maskos, Boris Gutkin
bioRxiv (2018-04-13) <https://doi.org/gg9395>
 DOI: [10.1101/301051](https://doi.org/10.1101/301051)
63. **Electrical propagation of vasodilatory signals in capillary networks**
 Pilhwa Lee
bioRxiv (2019-11-13) <https://doi.org/gg94bn>
 DOI: [10.1101/840280](https://doi.org/10.1101/840280)
64. **Dendritic spine geometry and spine apparatus organization govern the spatiotemporal dynamics of calcium**
 Miriam Bell, Tom Bartol, Terrence Sejnowski, Padmini Rangamani
bioRxiv (2019-05-29) <https://doi.org/gg9399>
 DOI: [10.1101/386367](https://doi.org/10.1101/386367)

Supplemental Figures




Figure 13: Topic associated tokens are highly enriched when comparing bioRxiv to the New York Times. The plot on the left (A) is a point range plot of the odds ratio with respect to bioRxiv. Values greater than one indicate a high association with bioRxiv whereas values less than one indicate high association with the New York Times. The dotted line provides a breaking point between both categories. The plot on the right (B) is a bar chart of token frequency appearing in bioRxiv and New York Times respectively.




Figure 14: Typesetting symbols and biologically relevant tokens are highly enriched when comparing PubMed Central (PMC) to the New York Times. The plot on the left (A) is a point range plot of the odds ratio with respect to PMC. Values greater than one indicate a high association with PMC whereas values less than one indicate high association with the New York Times. The dotted line provides a breaking point between both categories. The plot on the right (B) is a bar chart of token frequency appearing in PMC and New York Times respectively.

Supplemental Tables

Table 3: Top five and bottom five systems biology preprints projected onto the PC2 direction. These preprints contain bioinformatics and neuroscience concepts respectively.

Title [citation]	PC_2	Lic ense	F i g u r e L i n k
Pangenome Analysis of Enterobacteria Reveals Richness of Secondary Metabolite Gene Clusters and their Associated Gene Sets [55]	3.5865 702659 438883	CC- BY- ND	h t t p s : / / w w w . b i o r x i v . o r g /

Title [citation]	PC_2	License	Figure Link
			content / bioRxiv / early / 2019 / 09 / 25 / 781328 / Fig 1 . large . jpg

QTG-Finder: a machine-learning based algorithm to prioritize causal genes of quantitative trait loci [56]	3.4703 883830 23157	No ne	F i g u r e L i n k
Title [citation]	PC_2	Lic ens e	
			h t t p s : / / w w w . b i o r x i v . o r g / c o n t e n t / b i o r x i v / e a r l y / 2 0 1 9 / 0 4

Title [citation]	PC_2	License	Figure Link
			/29/484204/F1 ·large·jpg
Identification of candidate genes underlying nodulation-specific phenotypes in <i>Medicago truncatula</i> through integration of genome-wide association studies and co-expression networks [57]	3.3814 906334 073953	CC-BY-NC-ND	https://www.biorxiv.org/content

Title [citation]	PC_2	License	Figure Link
			nt / bioRxiv / early / 2018 / 08 / 16 / 392779 / F1 · large · jpg
Raw sequence to target gene prediction: An integrated inference pipeline for ChIP-seq and RNA-seq datasets [58]	3.3632 576028 389742	None	https

Title [citation]	PC_2	License	Figure Link
			: / / www.biorxiv.org/content/biorxiv/early/2017/11/16/2

Title [citation]	PC_2	License	Figure Link
			20152/F3 · large · jpg
The y-ome defines the thirty-four percent of Escherichia coli genes that lack experimental evidence of function [59]	3.2874 278664 1417	CC-BY	https://www.biorxiv.org/content/bi

Title [citation]	PC_2	License	Figure Link
			o r x i v / e a r l y / 2 0 1 8 / 1 2 / 0 3 / 3 2 8 5 9 1 / F 1 . l a r g e . j p g
The effects of time-varying temperature on delays in genetic networks [60]	-2.7047 102478 958056	No ne	h t t p s : / / w w

Title [citation]	PC_2	License	Figure Link
			www.biorxiv.org/content/biorxiv/early/2015/09/24/019687

Title [citation]	PC_2	License	Figure Link
			/ F1 · large · jpg
An analog to digital converter creates nuclear localization pulses in yeast calcium signaling [61]	-2.7757 450002 60895	None	https://www.biorxiv.org/content/biorxiv

Title [citation]	PC_2	License	Figure Link
			/early/2018/06/28/357939/F1.large.jpg
Nicotinic modulation of hierarchal inhibitory control over prefrontal cortex resting state dynamics: modeling of genetic modification and schizophreniarelated pathology [62]	-3.0473 423827 98414	None	https://www.bio

Title [citation]	PC_2	License	Figure Link
			rxiv.org/content/biorxiv/early/2018/04/13/301051/F1.I

Title [citation]	PC_2	License	Figure Link
			a r g e . j p g
Electrical propagation of vasodilatory signals in capillary networks [63]	-3.1077 155787 93087	CC-BY-NC-ND	h t t p : / / w w w . b i o r x i v . o r g / c o n t e n t / b i o r x i v / e a r l

Title [citation]	PC_2	License	Figure Link
			y / 2019 / 11 / 13 / 840280 / F1 · large · jpg
Dendritic spine geometry and spine apparatus organization govern the spatiotemporal dynamics of calcium [64]	-3.2153 349907 2831	CC-BY-NC-ND	https://www.biorxiv.

Title [citation]	PC_2	License	Figure Link
			org/content/biorxiv/early/2019/05/29/386367/F1.large.

Title [citation]	PC_2	License	Figure Link
			jpg