Checkpoint_MongoDB

Create a database called 'contact'

Use contact

```
> show dbs
admin 0.000GB
config 0.000GB
local 0.000GB
> use Contact_db
switched to db Contact_db
```

Create a collection called 'list_contact'

```
> db.createCollection ("list_contact")
{ "ok" : 1 }
>
```

Insert these document in "listcontact"

Display all the information about only one person using his id

```
,
> db.list_contact.find({"_id": ObjectId("61240a0694475111b88e5e20")})
{ "_id" : ObjectId("61240a0694475111b88e5e20"), "Last_name" : "Ben Lahmar", "First_name" : "Fares", "Email" : "fares@gmail.com", "age" : 26 }
>
```

Display all the contact list having age>18

```
> db.list_contact.find({"age":{$gt:18}}).pretty()
{
        "_id" : ObjectId("61221f2d8f606a3b7eb1e306"),
        "last_name" : "ben Lahmar",
        "First_name" : "Fares",
        "Email" : "fares@gmail.com",
        "age" : 26
}
{
        "_id" : ObjectId("61221f2d8f606a3b7eb1e308"),
        "last_name" : "Fatnassi",
        "First_name" : "Sarra",
        "Email" : "sarra.f@gmail.com",
        "age" : 40
}
```

❖ Display all the contact list having age>18 and name containing "ah"

Change the contact first name of "kefi Seif" by "Kefi Anis"

- Delete the the contact list having age < 5</p>
- Display all the contact list

```
> db.list_contact.deleteMany({"age":{$1t:5}})
{    "acknowledged" : true, "deletedCount" : 2 }
> db.list_contact.find().pretty()
{
        "_id" : ObjectId("61240a0694475111b88e5e20"),
        "Last_name" : "Ben Lahmar",
        "First_name" : "Fares",
        "Email" : "fares@gmail.com",
        "age" : 26
}
{
        "_id" : ObjectId("61240a0694475111b88e5e21"),
        "Last_name" : "Kefi",
        "First_name" : "Anis",
        "Email" : "kefi@gmail.com",
        "age" : 15
}
{
        "_id" : ObjectId("61240a0694475111b88e5e22"),
        "Last_name" : "Fatnassi",
        "First_name" : "Sarra",
        "Email" : "sarra.f@gmail.com",
        "age" : 40
}
```