https://restful-booker.herokuapp.com/booking/

auth

Post Request

1.Paste the URL after selecting post requests

2. Write the request data as Json format in the raw section.

Get Request

1. Paste the URL with id that you want to get

Save Share

GET https://restful-booker.herokuapp.com/booking/3667 Send

Params Authorization Headers (6) Body Scripts Settings Cookies

Query Params

Key	Value	Description	Bulk Edit
Key	Value	Description	

Body Cookies Headers (11) Test Results

200 OK 366 ms 928 B Save Response

Pretty Raw Preview Visualize JSON

```
1  {
2      "firstname": "Marwa Khanom",
3      "lastname": "Nurtaj",
4      "totalprice": 342,
5      "depositpaid": true,
6      "bookingdates": {
7          "checkin": "2023-02-03",
           "checkout": "2024-10-04"
       },
       "additionalneeds": "brealfast"
   }
```

Authentication needed for update so we need to login through post request and receive a token value to execute the put request.

Put Request

1. Input the URL with an id that you want to update
2. Set the cookie token in header section

PUT ⌄	https://restful-booker.herokuapp.com/booking/3667	Send ⌄

Params   Authorization   Headers (9)   Body ●   Scripts   Settings   Cookies

○ none ○ form-data ○ x-www-form-urlencoded ● raw ○ binary ○ GraphQL   JSON ⌄   Beautify

```
 1  {
 2      "firstname" : "lol",
 3      "lastname" : "Brown",
 4      "totalprice" : 111,
 5      "depositpaid" : true,
 6      "bookingdates" : {
 7          "checkin" : "2018-01-01",
 8          "checkout" : "2019-01-01"
 9      },
10      "additionalneeds" : "Breakfast"
```

Body   Cookies   Headers (11)   Test Results   ⟲   200 OK · 1242 ms · 926 B · ⊕ 🖼 Save Response ⋯

Pretty   Raw   Preview   Visualize   JSON ⌄   🔗 ⎘ 🔍

```
 1  {
 2      "firstname": "lol",
 3      "lastname": "Brown",
 4      "totalprice": 111,
 5      "depositpaid": true,
 6      "bookingdates": {
 7          "checkin": "2018-01-01",
 8          "checkout": "2019-01-01"
 9      },
        "additionalneeds": "Breakfast"
    }
```

Delete

Automation

Create a environment and set a variable like base_URL

Connect the Environment with Collection.

We can see the environmental information's also.

We can use environment variables in this 5 Params, Auth, Headers , body and Scrips space. We can use it by using {{ }}

Post responses data will be saved in a variable like jsonData

We need to write into scripts post-response

To set the id in the environment automatically Send it form the resoponse.

var jsonData = pm.response.json()