Demo suite

Execution Environment

Host name marwa - LAPTOP-3G6PEO70

Local OS Windows 11 64bit

Katalon version 9.4.0.212

Browser Chrome 124.0.0.0

Summary

ID Test Suites/Demo suite

Description

Total 2

Passed 1 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 22-04-2024 12:06:12 End 22-04-2024 12:07:33

Elapsed 1m - 20.647s

#	ID	Description	Status
1	Test Cases/Demo tests/Test1_RecordMode	This is record test	PASSED
2	Test Cases/Demo tests/Test3_ScriptMode		FAILED

Test1_RecordMode

Information

ID Test Cases/Demo tests/Test1_RecordMode

Description This is record test

Tag @sanity

Start 22-04-2024 12:06:12 End 22-04-2024 12:06:23

Elapsed 10.669s Status PASSED

Service/input_Password_password'

Details

#	Description	Elapsed	Status
1	openBrowser("") Browser is opened with url: "	1.396s	PASSED
2	navigateToUrl("https://katalon-demo-cura.herokuapp.com/") Navigate to 'https://katalon-demo-cura.herokuapp.com/' successfully	1.751s	PASSED
3	click(findTestObject("Object Repository/Page_CURA Healthcare Service/a_Make Appointment")) Object: 'Object Repository/Page_CURA Healthcare Service/a_Make Appointment' is clicked on	0.757s	PASSED
4	setText(findTestObject("Object Repository/Page_CURA Healthcare Service/input_Username_username"), "John Doe") Text 'John Doe' is set on object 'Object Repository/Page_CURA Healthcare Service/input_Username_username'	0.685s	PASSED
5	setEncryptedText(findTestObject("Object Repository/Page_CURA Healthcare Service/input_Password_password"), "9NLz+4tGZcQ=") Text ****** has been set on object 'Object Repository/Page_CURA Healthcare	0.358s	PASSED

Test1_RecordMode

#	Description	Elapsed	Status
6	click(findTestObject("Object Repository/Page_CURA Healthcare Service/div_Demo account_form-group")) Object: 'Object Repository/Page_CURA Healthcare Service/div_Demo account_form-group' is clicked on	0.336s	PASSED
7	setEncryptedText(findTestObject("Object Repository/Page_CURA Healthcare Service/input_Password_password"), "g3/DOGG74jC3Flrr3yH+3D/yKbOqqUNM") Text ****** has been set on object 'Object Repository/Page_CURA Healthcare Service/input_Password_password'	0.337s	PASSED
8	click(findTestObject("Object Repository/Page_CURA Healthcare Service/button_Login")) Object: 'Object Repository/Page_CURA Healthcare Service/button_Login' is clicked on	0.691s	PASSED
9	selectOptionByValue(findTestObject("Object Repository/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center5b4107"), "Hongkong CURA Healthcare Center", true) All options with value 'Hongkong CURA Healthcare Center' are selected in object 'Object Repository/Page_CURA Healthcare Service/select_Tokyo CURA Healthcare Center _5b4107' using regular expression	1.199s	PASSED
10	waitForPageLoad(5) Wait for page load successfully	0.109s	PASSED
11	click(findTestObject("Object Repository/Page_CURA Healthcare Service/input_Apply for hospital readmission_hospit_63901f")) Object: 'Object Repository/Page_CURA Healthcare Service/input_Apply for hospital readmission_hospit_63901f' is clicked on	0.385s	PASSED
12	click(findTestObject("Object Repository/Page_CURA Healthcare Service/span_Visit Date (Required)_glyphicon glyphi_cada34")) Object: 'Object Repository/Page_CURA Healthcare Service/span_Visit Date (Required)_glyphicon glyphi_cada34' is clicked on	0.361s	PASSED
13	click(findTestObject("Object Repository/Page_CURA Healthcare Service/td_26")) Object: 'Object Repository/Page_CURA Healthcare Service/td_26' is clicked on	0.580s	PASSED

Test1_RecordMode

#	Description	Elapsed	Status
14	setText(findTestObject("Object Repository/Page_CURA Healthcare Service/textarea_Comment_comment"), "connet") Text 'connet' is set on object 'Object Repository/Page_CURA Healthcare Service/textarea_Comment_comment'	0.884s	PASSED
15	rightClick(findTestObject("Object Repository/Page_CURA Healthcare Service/textarea_Comment_comment")) Object: 'Object Repository/Page_CURA Healthcare Service/textarea_Comment_comment' is right clicked on	0.468s	PASSED
16	closeBrowser() Browser is closed	0.150s	PASSED

Information

ID Test Cases/Demo tests/Test3_ScriptMode

Description

Tag @sainty

Start 22-04-2024 12:07:06 End 22-04-2024 12:07:33

Elapsed 26.883s Status FAILED

Details

#	Description	Elapsed	Status
1	openBrowser("https://opensource-demo.orangehrmlive.com/web/index.php/auth/login") Browser is opened with url: 'https://opensource-demo.orangehrmlive.com/web/index.php/auth/login'	3.337s	PASSED
2	setText(findTestObject("Object Repository/Page_OrangeHRM/input_Username_username"), "Admin") Text 'Admin' is set on object 'Object Repository/Page_OrangeHRM/input_Username_username'	1.206s	PASSED
3	setEncryptedText(findTestObject("Page_OrangeHRM/input_Password_password"), "hUKwJTbofgPU9eVlw/CnDQ==") Text ****** has been set on object 'Object Repository/Page_OrangeHRM/input_Password_password'	0.353s	PASSED
4	click(findTestObject("Page_OrangeHRM/button_Login")) Object: 'Object Repository/Page_OrangeHRM/button_Login' is clicked on	1.546s	PASSED
5	verifyElementVisible(findTestObject("Page_OrangeHRM/h6_Dashboard")) Object 'Object Repository/Page_OrangeHRM/h6_Dashboard' is visible	2.061s	PASSED

Descrip	tion	Elapsed	Status
setText "marwa	findTestObject("Page_CURA Healthcare Service/input_Username_username"),	18.366s	FAILED
Unable	to set text 'marwa' of object 'Object Repository/Page_CURA Healthcare		
	input_Username_username' (Root cause: com.kms.katalon.core.exception.		
	edException: Unable to set text 'marwa' of object 'Object Repository/Page_CURA		
Healthc	are Service/input_Username_username'		
(Webl II	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed KeywordMain.groovy:64)		
(**************************************	at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword		
(WebUI	KeywordMain.groovy:26)		
	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText		
(SetTex	tKeyword.groovy:85)		
(CotTox	at com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.execute tKeyword.groovy:39)		
(Set lex	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
execute	KeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText		
(WebUi	BuiltInKeywords.groovy:1019)		
	at Test3_ScriptMode.run(Test3_ScriptMode:30)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
java:119	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.		
java. i i	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.		
java:448			
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.		
java:43			
(TootCo	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase seExecutor.java:418)		
(Testos	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCa	seExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:28			
iovo.260	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.		
java:369	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase		
(Comm	onExecutor.java:65)		
(at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase		
(TestSu	iteExecutor.java:150)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:		
106)	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:		
180)	at com.kms.katalon.core.main. restoaselviam.start restouite(restoaselviam.java.		
100)	at TempTestSuite1713780368383.run(TempTestSuite1713780368383.groovy:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method			
/NI=401	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(Nativei	MethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(Delega	tingMethodAccessorImpl.java:43)		
	by: org.openqa.selenium.WebDriverException: disconnected: not connected to		
DevToo	s		
	to check if window was closed: disconnected: not connected to DevTools)		
	on info: chrome=124.0.6367.60)		
	o: version: '3.141.59', revision: 'e82be7d358', time: '2018-11-14T08:25:53' info: host: 'LAPTOP-3G6PEO70', ip: '10.241.100.43', os.name: 'Windows 11', os.		
	nd64', os.version: '10.0', java.version: '17.0.7'		
	fo: com.kms.katalon.selenium.driver.CChromeDriver		

Elapsed

Status

Description Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 124.0.6367.60, chrome: {chromedriverVersion: 123.0.6312.58 (6b4b19e9dfbb..., userDataDir: C:\Users\marwa\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:62604}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension: credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: af65087d2aa3a60c0360f7991885d732 *** Element info: {Using=xpath, value=//input[@id='txt-username']} at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openga.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute (DriverCommandExecutor.java:83) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.selenium.driver.CChromeDriver.execute(CChromeDriver.java: 19) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:353) $at\ org. open qa. selenium. remote. Remote Web Driver. find Elements By XPath$ (RemoteWebDriver.java:432) at org.openqa.selenium.By\$ByXPath.findElements(By.java:348) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:311) at jdk.internal.reflect.GeneratedMethodAccessor10.invoke(Unknown Source) $at\ java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke$ (DelegatingMethodAccessorImpl.java:43) at org.openqa.selenium.support.events.EventFiringWebDriver.lambda\$new\$1 (EventFiringWebDriver.java:105) at jdk.proxy2/jdk.proxy2.\$Proxy23.findElements(Unknown Source) $at\ org. open qa. selenium. support. events. Event Firing Web Driver. find Elements$ (EventFiringWebDriver.java:182) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementByNormalMethods(WebUiCommonHelper.java:1036) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:921) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:902) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsBySelectedMethod(WebUiCommonHelper.java:897) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsByDefault(WebUiCommonHelper.java:893) at com.kms.katalon.core.webui.common.WebUiCommonHelper. findElementsWithSelfHealing(WebUiCommonHelper.java:739)

Description Elapsed Status $at\ com. kms. katalon. core. we buil common. We bUi Common Helper. find Web Elements$ (WebUiCommonHelper.java:723) $at\ com. kms. katalon. core. webui. common. WebUiCommon Helper. find WebElement$ (WebUiCommonHelper.java:1416) at com.kms.katalon.core.webui.keyword.internal.WebUIAbstractKeyword. findWebElement(WebUIAbstractKeyword.groovy:27) $at\ com. kms. katalon. core. webui. keyword. internal. WebUIAbstract Keyword.$ findWebElement(WebUIAbstractKeyword.groovy:26) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.doCall(SetTextKeyword.groovy:53) at com.kms.katalon.core.webui.keyword.builtin. SetTextKeyword\$_setText_closure1.call(SetTextKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUlKeywordMain.groovy:20) $at\ com.kms.katalon.core.webui.keyword.builtin.SetTextKeyword.setText$ (SetTextKeyword.groovy:85) $at\ com. kms. katalon. core. we bui. keyword. builtin. Set Text Keyword. execute$ (SetTextKeyword.groovy:39) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.setText (WebUiBuiltInKeywords.groovy:1019) at Script1713430122175.run(Script1713430122175.groovy:30) ... 16 more