



Faculty of Computers and Artificial Intelligence

Cairo University

Final Assessment Project

Course Title: Web Technology - IS231

Semester: Second Semester

Date: May 2020

Instructors: Dr. Iman Hassan & Dr. Amani Hassan

Prepared by:

Student Name

Student ID

Marwan Ahmed Ebrahim

20180267

Hesham Samir Saaed

20180329

Chapter 1: Introduction

- **Description**

University Library Management is a website that lets the user do many tasks it helps to explore the books easily and borrow any book he wants it.

University Library Management has options for Browsing and security, it lets to the user to signup if he is admin or student and then login with some proceedings and it checks carefully about his/her email and password, then lets the students to Browsing the books and its information and borrow if they want. and lets the admin add a book or Sending emails to late borrowers.

Home screen page

On this page, there is a navigation bar includes books page, login-signup pages if the user is unlogged in, and log out if logged in.

Login-signup pages

On this pages let the user to signup but first asks him if he student or admin then stores his data to the database of the system and check if his username already exists asks him to change the username, and lets to login but ask him first if he wants to log in as student or admin then check his username and password from the database.

Books page

On this page when the user login he can browsing books as a list of the table has details of the book like name, ISBN, publication year, author name, publication year, status, quantity, and department.

And can update his details by the “Edit Profile” icon and then update the data on the system.

And if the user is admin can update a book details by the “Edit book” icon first choose the id of a book and then the data will be updated in the system.

Then there is a side navigation bar for the admin page Through it can add a book or send an email to the late borrowers.

- **Technology and tools used**

- HTML, CSS, Ajax
- JavaScript
- PHP
- Visual Studio IDE
- XAMPP Control Panel

- **Team members Roles**

| Member | Role |
|---------------------|--|
| Marwan Ahmed | <ul style="list-style-type: none"> • Navbar-design-php • Books page-design-php • Side navbar -design-php • Add book page-design-php • Edit book page-design-php • Edit profile page-design-php • Login page-php |
| Hesham Samir | <ul style="list-style-type: none"> • Index page -design-php • Login page -design • Signup page -design-php • Late borrower page-design-php |

Chapter 2: Design/Implementation

Index.php

```

<?php
    session_start();
?>

<!DOCTYPE html>
<html>
<head>
    <title>
        University Library
    </title>
    <link rel="stylesheet" type="text/css" href="style.css">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">

<style type="text/css">
    nav
    {
        float: right;
        word-spacing: 30px;
        padding: 20px;
        font-size:17px;
    }
    nav li
    {
        display: inline-block;
        line-height: 80px;
    }

```

```

</style>
</head>

<body>
  <div class="wrapper">
    <header>

      <?php

        if(isset($_SESSION["login_user"]))
        {
          ?>

          <nav>
            <ul>
              <li><a href="index.php">HOME</a></li>
              <li><a href="books.php">BOOKS</a></li>
              <li><a href="logout.php">LOGOUT</a></li>
            </ul>
          </nav>
          <?php

        }

        else
        {
          ?>
          <nav>
            <ul>
              <li><a href="index.php">HOME</a></li>
              <li><a href="books.php">BOOKS</a></li>
              <li><a href="login.php">LOGIN</a></li>
              <li><a href="signup.php">SIGN-UP</a></li>
            </ul>
          </nav>

          <?php
          }
          ?>
          <br><br>
          <br>
          <h1 style="color: white;float :left; padding-left: 20px;font-size:22px;">UNIVERSITY
LIBRARY MANGEMENT </h1>
        </header>
        <section>
          <div class="sec_img">
            <br><br><br>
            <div class="box">
              <br><br><br><br>
              <h1 style="text-align: center; font-size: 45px;">Welcom to
library</h1><br><br>
            </div>
          </div>
        </section>

      </div>
    </body>
  </html>

```

style.css

```
html, body, div, span, object, iframe,
h1, h2, h3, h4, h5, h6, p, blockquote, pre,
abbr, address, cite, code,
del, dfn, em, img, ins, kbd, q, samp,
small, strong, sub, sup, var,
b, i,
dl, dt, dd, ol, ul, li,
fieldset, form, label, legend,
table, caption, tbody, tfoot, thead, tr, th, td,
article, aside, canvas, details, figcaption, figure,
footer, header, hgroup, menu, nav, section, summary,
time, mark, audio, video {
margin:0;
padding:0;
border:0;
outline:0;
font-size:100%;
vertical-align:baseline;
background:transparent;
}

body {
line-height:1;
}

table {
border-collapse:collapse;
border-spacing:0;
}

hr {
display:block;
height:1px;
border:0;
border-top:1px solid #cccccc;
margin:1em 0;
padding:0;
}

input, select {
vertical-align:middle;
}

/*-----INDEX-----*/

.wrapper
{
height: 50px;
width: 50px;
}
```

```
header
{
    height: 80px;
    width: 1365px;
    background-color: black;
    padding: 5px;
}
section
{
    height: 1000px;
    width: 1375px;
    background-color: black;
}

li a
{
    color: white;
    text-decoration: none;
}

section
.sec_img
{
    height: 550px;
    margin-top: 0px;
    background-image: url("images/index.jpg");
}
.box
{
    height: 150px;
    width: 400px;
    background-color: #030002;
    margin: 110px auto;
    opacity: .8;
    color: white;
}

/*-----login-----*/

.log_img
{
    height: 650px;
    margin-top: 0px;
    background-image: url("images/login.png");
}
.box1
{
    height: 450px;
    width: 450px;
    background-color: black;
    margin: 70px auto;
    opacity: .7;
    color: white;
```

```

padding: 20px;
}

form .login
{
margin: auto 50px;
}
input
{
height: 25px;
width: 300px;

}

/*-----registration-----*/
.reg_img
{
height: 630px;
margin-top: 0px;
background-image: url("images/6.jpg");
}
.box2
{
height: 585px;
width: 400px;
background-color: black;
margin: 0px auto;
opacity: .7;
color: white;
padding: 35px;
}

```

Connection.php

```

<?php

$db=mysqli_connect("localhost","root","","library");

?>

```

navbar.php

```

<?php
    session_start();
?>

<!DOCTYPE html>
<html>
<head>
    <title>
    </title>

    <link rel="stylesheet" type="text/css" href="style.css">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>

</head>
<body>

<nav class="navbar navbar-inverse">
    <div class="container-fluid">
        <ul class="nav navbar-nav">
            <li><a href="index.php">HOME</a></li>
            <li><a href="books.php">BOOKS</a></li>
        </ul>

        <?php
            if(isset($_SESSION['login_user']))
            {?>

                <ul class="nav navbar-nav">
                    <li><a href="edit.php">Edit Profile</a></li>

                </ul>

                <ul class="nav navbar-nav navbar-right">
                    <li><a href="">
                        <div style="color: cyan">
                            <?php
                                echo "Welcome ".$_SESSION['login_user']." - Student";
                            ?>
                        </div>
                    </a></li>
                    <li><a href="logout.php"><span class="glyphicon glyphicon-log-out">
LOGOUT</span></a></li>
                </ul>
            <?php
            }
            else
            { ?>
                <ul class="nav navbar-nav navbar-right">

                    <li><a href="login.php"><span class="glyphicon glyphicon-log-in"> LOGIN</span></a></li>

```



```
        <li><a href="signup.php"><span class="glyphicon glyphicon-user"> SIGN
UP</span></a></li>
    </ul>
    <?php
    }
    ?>

</div>
</nav>

</body>
</html>
```

[login.php](#)

```

<?php
    include"connection.php";
    include"navbar.php";
?>

<!DOCTYPE html>
<html>
<head>

    <title>User Login</title>
    <link rel="stylesheet" type="text/css" href="style.css">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">

    <style type="text/css">
        section
        {
            margin-top: -20px;
        }

        .box1
    {
        height:500px;
        width: 450px;
        background-color: black;
        margin: 70px auto;
        opacity: .8;
        color: white;
        padding: 20px;
    }
    label
    {
        font-size:18px;
        font-weight:600;
    }

    </style>
</head>
<body>

<section>
    <div class="log_img">
        <br>
        <div class="box1">
            <h1 style="text-align: center; font-size: 35px;font-family: Lucida Console;">University
Library</h1>
            <h1 style="text-align: center; font-size: 25px;">User Login</h1><br>

            <form name="login" action="" method="post">

                <b><p style="padding-left:50px; font-size:15px; font-weight:700;" >Login as:</p></b>
                <input style="margin-left: 50px; width:18px;" type="radio" name="user"
id="admin" value="admin">

```

```

        <label for="admin">Admin</label>

        <input style="margin-left: 50px; width:18px;" type="radio" name="user"
id="student" value="student" checked="">
        <label for="student">Student</label>

        <div class="login">
            <input class="form-control" type="text" name="username" placeholder="Username"
required=""> <br>
            <input class="form-control" type="password" name="password" placeholder="Password"
required=""> <br>
            <input class="btn btn-default" type="submit" name="submit" value="Login" style="color:
black; width: 70px; height: 30px">
        </div>

        <p style="color: white; padding-left: 160px;font-size:23px;">
            <br><br>
            <a style="color: white;" href="signup.php">Sign Up</a>
        </p>
        </form>
    </div>
</div>
</section>

    <?php

    if(isset($_POST['submit']))
    {
        if($_POST['user']=='admin')
        {
            $count=0;
            $res=mysqli_query($db,"SELECT * FROM `admin` WHERE
username='$_POST[username]' && password='$_POST[password]';");
            $count=mysqli_num_rows($res);

            if($count==0)
            {
                ?>

                <script type="text/javascript">
                    alert("The username or password doesn't match");
                </script>

                <?php
            }
            else
            {
                $_SESSION['login_user'] = $_POST['username'];

                ?>
                <script type="text/javascript">
                    window.location="admin/index.php"
                </script>
                <?php
            }
        }
    }
    else

```

```

{

    $count=0;
    $res=mysqli_query($db,"SELECT * FROM `student` WHERE
username='$_POST[username]' && password='$_POST[password]';");
    $count=mysqli_num_rows($res);

    if($count==0)
    {
        ?>

        <script type="text/javascript">
            alert("The username or password doesn't match");
        </script>

        <?php
    }
    else
    {
        $_SESSION['login_user'] = $_POST['username'];

        ?>
        <script type="text/javascript">
            window.location="student/index.php"
        </script>
        <?php
    }
}

?>

</body>
</html>

```

logout.php

```

<?php
    session_start();
    if(isset($_SESSION['login_user']))
    {
        unset($_SESSION['login_user']);
    }
    header("location:index.php");

?>

```

[signup.php](#)

```

<?php
    include"connection.php";
    include"navbar.php";
?>

<!DOCTYPE html>
<html>
<head>

    <title>Student Registration</title>
    <link rel="stylesheet" type="text/css" href="style.css">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">

<style type="text/css">
    section
    {
        margin-top: -20px;
        height:630px;
        width:1350;
        background-image: url("images/6.jpg");
        background-repeat:no-repeat;
    }

    .box
    {
        height:400px;
        width: 450px;
        background-color: black;
        margin: 0px auto;
        opacity: .8;
        color: white;
        padding: 20px;
        padding-top:150px;

    }
    label
    {
        font-weight:600;
        font-size:18px;
    }

</style>
</head>
<body>

<section> <br><br><br><br>
    <div class="box">
        <form name="signup" action="" method="post">

            <b><p style="padding-left:50px; font-size:15px; font-weight:700;" >Sign Up</p></b>
            <input style="margin-left: 50px; width:18px;" type="radio" name="user"
id="admin" value="admin">
            <label for="admin">Admin</label>

```

```

        <input style="margin-left: 50px; width:18px;"          type="radio" name="user"
id="student" value="student" checked="">
        <label for="student">Student</label>&nbsp; &nbsp; &nbsp; &nbsp; &nbsp; &nbsp;

        <button class="btn btn-default" type="submit" name="submit1"
style="color:black; font-weight:700; width:70px; height:30px; ">Ok</button>

    </form>
</div>
<?php

if (isset($_POST['submit1']))
{
    if($_POST['user']=='admin')
    {
        ?>
        <script type="text/javascript">
            window.location="admin/signup.php"
        </script>
        <?php
    }
    else
    {
        ?>
        <script type="text/javascript">
            window.location="student/signup.php"
        </script>
        <?php
    }
}
?>
</section>
</body>

```

```

<?php
    include "connection.php";
    include "navbar.php";
?>
<!DOCTYPE html>
<html>
<head>
    <title>Books</title>
</head>
<body>
    <h2>List Of Books</h2>
    <?php

        $res=mysqli_query($db,"SELECT * FROM `books` ORDER BY
`books`.`publication_year` ASC;");

        echo "<table class='table table-bordered table-hover' >";
        echo "<tr style='background-color: white;'>";

            echo "<th>"; echo "ISBN"; echo "</th>";
            echo "<th>"; echo "Book-Name"; echo "</th>";
            echo "<th>"; echo "Authors Name"; echo "</th>";
            echo "<th>"; echo "PUBLICATION YEAR"; echo "</th>";
            echo "<th>"; echo "Status"; echo "</th>";
            echo "<th>"; echo "Quantity"; echo "</th>";
            echo "<th>"; echo "Department"; echo "</th>";
        echo "</tr>";

        while($row=mysqli_fetch_assoc($res))
        {
            echo "<tr>";
            echo "<td>"; echo $row['ISBN']; echo "</td>";
            echo "<td>"; echo $row['name']; echo "</td>";
            echo "<td>"; echo $row['author']; echo "</td>";
            echo "<td>"; echo $row['publication_year']; echo "</td>";
            echo "<td>"; echo $row['status']; echo "</td>";
            echo "<td>"; echo $row['quantity']; echo "</td>";
            echo "<td>"; echo $row['department']; echo "</td>";

            echo "</tr>";
        }
        echo "</table>"
;    ?>
</body>
</html>

```

←-----Admin-Folder-----→

index.php
style.css
logout.php
connection.php
(prev code)

navbar.php

```
<?php
    session_start();
?>

<!DOCTYPE html>
<html>
<head>
    <title>
    </title>

    <link rel="stylesheet" type="text/css" href="style.css">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>

</head>
<body>

<nav class="navbar navbar-inverse">
    <div class="container-fluid">
        <ul class="nav navbar-nav">
            <li><a href="index.php">HOME</a></li>
            <li><a href="books.php">BOOKS</a></li>
        </ul>

        <?php
```

```

if(isset($_SESSION['login_user']))
{?>

    <ul class="nav navbar-nav">
        <li><a href="edit.php">Edit Profile</a></li>
            <li><a href="edit_book.php">Edit book</a></li>

    </ul>

    <ul class="nav navbar-nav navbar-right">
        <li><a href="">
            <div style="color: cyan">
                <?php
                    echo "Welcome ".$_SESSION['login_user']." - Admin";
                ?>
            </div>
        </a></li>
        <li><a href="logout.php"><span class="glyphicon glyphicon-log-out">
LOGOUT</span></a></li>
    </ul>
    <?php
    }
    else
    { ?>
        <ul class="nav navbar-nav navbar-right">

            <li><a href="admin_login.php"><span class="glyphicon glyphicon-log-in">
LOGIN</span></a></li>

            <li><a href="signup.php"><span class="glyphicon glyphicon-user"> SIGN
UP</span></a></li>
        </ul>
        <?php
        }
        ?>

    </div>
</nav>

</body>
</html>

```

admin_login.php

```

<?php
    include"connection.php";
    include"navbar.php";
?>

<!DOCTYPE html>
<html>
<head>

    <title>Admin Login</title>
    <link rel="stylesheet" type="text/css" href="style.css">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>

    <style type="text/css">
        section
        {
            margin-top: -20px;
        }
    </style>
</head>
<body>

<section>
    <div class="log_img">
        <br>
        <div class="box1">
            <h1 style="text-align: center; font-size: 35px;font-family: Lucida Console;">University
Library</h1>
            <h1 style="text-align: center; font-size: 25px;">Student Login</h1><br>
            <form name="login" action="" method="post">

                <div class="login">
                    <input class="form-control" type="text" name="username" placeholder="Username"
required=""> <br>
                    <input class="form-control" type="password" name="password" placeholder="Password"
required=""> <br>
                    <input class="btn btn-default" type="submit" name="submit" value="Login" style="color:
black; width: 70px; height: 30px">
                </div>

                <p style="color: white; padding-left: 160px;font-size:23px;">
                    <br><br>
                    <a style="color: white;" href="signup.php">Sign Up</a>
                </p>
            </form>
        </div>
    </div>
</section>

    <?php

    if(isset($_POST['submit']))

```

```
{
    $count=0;
    $res=mysqli_query($db,"SELECT * FROM `admin` WHERE username='$_POST[username]' &&
password='$_POST[password]';");
    $count=mysqli_num_rows($res);

    if($count==0)
    {
        ?>

        <script type="text/javascript">
            alert("The username or password doesn't match");
        </script>
        <?php
    }
    else
    {
        $_SESSION['login_user'] = $_POST['username'];

        ?>
        <script type="text/javascript">
            window.location="index.php"
        </script>
        <?php
    }
}

?>

</body>
</html>
```

signup.php

```

<?php
    include"connection.php";
    include"navbar.php";
?>

<!DOCTYPE html>
<html>
<head>

    <title>Admin Registration</title>
    <link rel="stylesheet" type="text/css" href="style.css">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>

<style type="text/css">
    section
    {
        margin-top: -20px;
    }
</style>
</head>
<body>

<section>
    <div class="reg_img">

        <div class="box2">
            <h1 style="text-align: center; font-size: 35px;font-family: Lucida Console;">University
library</h1>
            <h1 style="text-align: center; font-size: 25px;">Admin Registration</h1>
            <form name="Registration" action="" method="post">
                <div class="login">
                    <input class="form-control" type="text" name="first" placeholder="First Name" required="">
<br>
                    <input class="form-control" type="text" name="last" placeholder="Last Name" required="">
<br>
                    <input class="form-control" type="text" name="phone" placeholder="Phone
number"><br>
                    <input class="form-control" type="text" name="email" placeholder="Email"
required=""><br>
                    <input class="form-control" type="text" name="username" placeholder="Username"
required=""> <br>
                    <input class="form-control" type="password" name="password" placeholder="Password"
required=""> <br>

                    <input class="btn btn-default" type="submit" name="submit" value="Sign Up"
style="color: black; width: 75px; height: 30px">
                </div>
            </form>
        </div>
    </div>
</section>

<?php

```

```

if(isset($_POST['submit']))
{
    $count=0;
    $sql="SELECT username from `admin`";
    $res=mysqli_query($db,$sql);

    while($row=mysqli_fetch_assoc($res))
    {
        if($row['username']==$_POST['username'])
        {
            $count=$count+1;
        }
    }
    if($count==0)
    {
        mysqli_query($db,"INSERT INTO `admin` VALUES('".$_POST['first']."','".$_POST['last']."',
        '".$_POST['phone']."', '".$_POST['email']."', '".$_POST['username']."', '".$_POST['password']."');");
        ?>
        <script type="text/javascript">
        alert("Registration successful");
        window.location="admin_login.php"
        </script>

        <?php
        }
        else
        {
            ?>
            <script type="text/javascript">
            alert("The username already exist.");
            </script>
            <?php
            }
        }
    }
    ?>
</body>

```

```

<?php
    include "connection.php";
    include "navbar.php";
?>
<!DOCTYPE html>
<html>
<head>
    <title>Books</title>
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <style type="text/css">
        .srch
        {
            padding-left: 1000px;

        }

        body {
font-family: "Lato", sans-serif;
transition: background-color .5s;
}

.sidenav {
    height: 100%;
    margin-top: 50px;
    width: 0;
    position: fixed;
    z-index: 1;
    top: 0;
    left: 0;
    background-color: #222;
    overflow-x: hidden;
    transition: 0.5s;
    padding-top: 60px;
}

.sidenav a {
    padding: 8px 8px 8px 32px;
    text-decoration: none;
    font-size: 25px;
    color: #818181;
    display: block;
    transition: 0.3s;
}

.sidenav a:hover {
    color: #f1f1f1;
}

.sidenav .closebtn {
    position: absolute;
    top: 0;
    right: 25px;
    font-size: 36px;
    margin-left: 50px;
}

```

```

#main {
  transition: margin-left .5s;
  padding: 16px;
}

</style>

</head>
<body>
  <!-- _____sidenav_____ -->

  <div id="mySidenav" class="sidenav">
    <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">&times;</a>

    <a href="books.php">Books</a>
    <a href="add.php">Add Book</a>
    <a href="late.php">Send Email To Late Borrowers</a>
  </div>

  <div id="main">

    <span style="font-size:30px;cursor:pointer" onclick="openNav()">&#9776; open</span>

  <script>
function openNav() {
  document.getElementById("mySidenav").style.width = "300px";
  document.getElementById("main").style.marginLeft = "300px";
  document.body.style.backgroundColor = "rgba(0,0,0,0.4)";
}

function closeNav() {
  document.getElementById("mySidenav").style.width = "0";
  document.getElementById("main").style.marginLeft = "0";
  document.body.style.backgroundColor = "white";
}
</script>

  <h2>List Of Books</h2>
  <?php

    if(isset($_POST['submit']))
    {
      $q=mysqli_query($db,"SELECT * from books where name like
'%$_POST[search]%' ");

      if(mysqli_num_rows($q)==0)
      {
        echo "Sorry! No book found ";
      }

    }
  else
  {

```



```

        $res=mysqli_query($db,"SELECT * FROM `books` ORDER BY `books`.`ID`
ASC;");

        echo "<table class='table table- table-hover' >";
        echo "<tr style='background-color: #6db6b9e6;'>";
            echo "<th>"; echo "ID";   echo "</th>";
            echo "<th>"; echo "ISBN"; echo "</th>";
            echo "<th>"; echo "Book-Name"; echo "</th>";
            echo "<th>"; echo "Authors Name"; echo "</th>";
            echo "<th>"; echo "PUBLICATION YEAR"; echo "</th>";
            echo "<th>"; echo "Status"; echo "</th>";
            echo "<th>"; echo "Quantity"; echo "</th>";
            echo "<th>"; echo "Department"; echo "</th>";
        echo "</tr>";

        while($row=mysqli_fetch_assoc($res))
        {
            echo "<tr>";
            echo "<td>"; echo $row['ID']; echo "</td>";
            echo "<td>"; echo $row['ISBN']; echo "</td>";
            echo "<td>"; echo $row['name']; echo "</td>";
            echo "<td>"; echo $row['author']; echo "</td>";
            echo "<td>"; echo $row['publication_year']; echo "</td>";
            echo "<td>"; echo $row['status']; echo "</td>";
            echo "<td>"; echo $row['quantity']; echo "</td>";
            echo "<td>"; echo $row['department']; echo "</td>";

            echo "</tr>";

        }
        echo "</table>";
    }
    ?>
</div>
</body>
</html>

```

```
<?php
include "connection.php";
include "navbar.php";
?>

<!DOCTYPE html>
<html>
<head>
    <title>Books</title>
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <style type="text/css">
        .srch
        {
            padding-left: 1000px;

        }

        body {
background-color: #a7d0e1;
font-family: "Lato", sans-serif;
transition: background-color .5s;
}

.sidenav {
height: 100%;
margin-top: 50px;
width: 0;
position: fixed;
z-index: 1;
top: 0;
left: 0;
background-color: #222;
overflow-x: hidden;
transition: 0.5s;
padding-top: 60px;
}

.sidenav a {
padding: 8px 8px 8px 32px;
text-decoration: none;
font-size: 25px;
color: #818181;
display: block;
transition: 0.3s;
}

.sidenav a:hover {
color: white;
}

.sidenav .closebtn {
position: absolute;
top: 0;
right: 25px;
font-size: 36px;
margin-left: 50px;
```

```

}

#main {
  transition: margin-left .5s;
  padding: 16px;
}

.book
{
  width: 400px;
  margin: 0px auto;
}
.form-control
{

  color: black;
  height: 40px;
}

</style>

</head>
<body>
  <!--_____sidenav_____-->

  <div id="mySidenav" class="sidenav">
    <a href="javascript:void(0)" class="closebtn" onclick="closeNav()">&times;</a>

    <a href="books.php">Books</a>
    <a href="add.php">Add Books</a>
    <a href="late.php">Send Email To Late Borrowers</a>

  </div>

  <div id="main">
    <span style="font-size:30px;cursor:pointer; color: black;" onclick="openNav()">&#9776;
  open</span>
    <div class="container" style="text-align: center;">
      <h2 style="color:black; font-family: Lucida Console; text-align: center"><b>Add New
Books</b></h2>

      <form class="book" action="" method="post">

        <input type="text" name="ISBN" class="form-control" placeholder="Book ISBN"
required=""><br>
        <input type="text" name="name" class="form-control" placeholder="Book Name"
required=""><br>
        <input type="text" name="author" class="form-control" placeholder="Authors Name"
required=""><br>
        <input type="text" name="publication_year" class="form-control" placeholder=" Publication
Year" required=""><br>
        <input type="text" name="status" class="form-control" placeholder="Status" required=""><br>

```

```

        <input type="text" name="quantity" class="form-control" placeholder="Quantity"
required=""><br>
        <input type="text" name="department" class="form-control" placeholder="Department"
required=""><br>

        <button style="text-align: center;" class="btn btn-default" type="submit"
name="submit">ADD</button>
    </form>
</div>
<?php
    if(isset($_POST['submit']))
    {
        if(isset($_SESSION['login_user']))
        {
            mysqli_query($db,"INSERT INTO books VALUES ('$_POST[ISBN]', '$_POST[name]',
'$_POST[author]', '$_POST[publication_year]', '$_POST[status]', '$_POST[quantity]',
'$_POST[department]')");
            ?>
            <script type="text/javascript">
                alert("Book Added Successfully.");
                window.location="books.php"
            </script>

            <?php
            }
            else
            {
                ?>
                <script type="text/javascript">
                    alert("You need to login first.");
                </script>
            <?php
            }
        }
    }
?>
</div>
<script>
function openNav() {
    document.getElementById("mySidenav").style.width = "300px";
    document.getElementById("main").style.marginLeft = "300px";
    document.body.style.backgroundColor = "rgba(0,0,0,0.4)";
}

function closeNav() {
    document.getElementById("mySidenav").style.width = "0";
    document.getElementById("main").style.marginLeft = "0";
    document.body.style.backgroundColor = "#a7d0e1";
}
</script>
</body>

```

[edit_book.php](#)

```

<?php
    include "navbar.php";
    include "connection.php";
?>
<!DOCTYPE html>
<html>
<head>
    <title>edit profile</title>
    <style type="text/css">
        .form-control
        {
            width:250px;
            height: 38px;
        }
        .form1
        {
            margin:0 540px;
        }
        label
        {
            color: black;
        }

    </style>
</head>
<body style="background-color: #a7d0e1;">

    <h2 style="text-align: center;color: black;">update book details</h2>

    <div class="book_info" style="text-align: center;">
        <span style="color: black;">Welcome,</span>
        <h4 style="color: black;"><?php echo $_SESSION['login_user']; ?></h4>
    </div><br><br>

    <div class="form1">
        <form action="" method="post" enctype="multipart/form-data">

            <label><h4><b>Old ID: </b></h4></label>
            <input class="form-control" type="text" name="ID">

            <label><h4><b>ISBN: </b></h4></label>
            <input class="form-control" type="text" name="ISBN">

            <label><h4><b>Book Name: </b></h4></label>
            <input class="form-control" type="text" name="name" >

            <label><h4><b>Authors:</b></h4></label>
            <input class="form-control" type="text" name="author">

            <label><h4><b>publication year: </b></h4></label>
            <input class="form-control" type="text" name="publication_year">

            <label><h4><b>Status: </b></h4></label>
            <input class="form-control" type="text" name="status">

            <label><h4><b>quantity: </b></h4></label>

```

```

        <input class="form-control" type="text" name="quantity">

        <label><h4><b>department: </b></h4></label>
        <input class="form-control" type="text" name="department">

        <br>
        <div style="padding-left: 100px;">
            <button class="btn btn-default" type="submit"
name="submit">save</button></div>
        </form>
    </div>
    <?php
        if(isset($_POST['submit']))
        {
            $ID=$_POST['ID'];
            $ISBN=$_POST['ISBN'];
            $name=$_POST['name'];
            $author=$_POST['author'];
            $publication_year=$_POST['publication_year'];
            $status=$_POST['status'];
            $quantity=$_POST['quantity'];
            $department=$_POST['department'];

            $sql1= "UPDATE books SET  ISBN='$ISBN', name='$name',
author='$author', publication_year='$publication_year', status='$status',
quantity='$quantity', department='$department' WHERE ID ='$ID';";
            /*$sql1= "UPDATE books
                SET name = 'Alfred Schmidt'
                WHERE ID = 1;";*/
            if(mysqli_query($db,$sql1))
            {
                ?>
                <script type="text/javascript">
                    alert("Saved Successfully.");
                    window.location="books.php";
                </script>
                <?php
            }
        }
    ?>
</body>
</html>

```

```

<?php
    include "navbar.php";
    include "connection.php";
?>
<!DOCTYPE html>
<html>
<head>
    <title>edit profile</title>
    <style type="text/css">
        .form-control
        {
            width:250px;
            height: 38px;
        }
        .form1
        {
            margin:0 540px;
        }
        label
        {
            color: black;
        }

    </style>
</head>
<body style="background-color: #a7d0e1;">

    <h2 style="text-align: center;color: black;">Edit Information</h2>
    <?php

        $sql = "SELECT * FROM `admin` WHERE username='$_SESSION[login_user]'";
        $result = mysqli_query($db,$sql) or die (mysqli_error());

        while ($row = mysqli_fetch_assoc($result))
        {
            $first=$row['first'];
            $last=$row['last'];
            $phone=$row['phone'];
            $email=$row['email'];
            $username=$row['username'];
            $password=$row['password'];
        }

    ?>

    <div class="profile_info" style="text-align: center;">
        <span style="color: black;">Welcome,</span>
        <h4 style="color: black;"><?php echo $_SESSION["login_user"]; ?></h4>
    </div><br><br>

    <div class="form1">
        <form action="" method="post" enctype="multipart/form-data">

            <label><h4><b>First Name: </b></h4></label>
            <input class="form-control" type="text" name="first" value="<?php echo $first;
?>">

```

```

        <label><h4><b>Last Name</b></h4></label>
        <input class="form-control" type="text" name="last" value="<?php echo $last;
?>">

        <label><h4><b>Phone number</b></h4></label>
        <input class="form-control" type="text" name="phone" value="<?php echo
$phone; ?>">

        <label><h4><b>Email</b></h4></label>
        <input class="form-control" type="text" name="email" value="<?php echo $email;
?>">

        <label><h4><b>Username</b></h4></label>
        <input class="form-control" type="text" name="username" value="<?php echo
$username; ?>">

        <label><h4><b>Password</b></h4></label>
        <input class="form-control" type="text" name="password" value="<?php echo
$password; ?>">

        <br>
        <div style="padding-left: 100px;">
            <button class="btn btn-default" type="submit"
name="submit">save</button></div>
        </form>
    </div>
    <?php

        if(isset($_POST['submit']))
        {

            $first=$_POST['first'];
            $last=$_POST['last'];
            $phone=$_POST['phone'];
            $email=$_POST['email'];
            $username=$_POST['username'];
            $password=$_POST['password'];

            $sql1= "UPDATE admin SET first='$first', last='$last', phone='$phone',
email='$email', username='$username', password='$password' WHERE
username='".$_SESSION['login_user']."'";

            if(mysqli_query($db,$sql1))
            {
                ?>
                <script type="text/javascript">
                    alert("Saved Successfully.");
                    window.location="books.php";
                </script>
                <?php
            }
        }
    ?>
</body>
</html>

```


late.php

```
<?php
include "connection.php";
include "navbar.php";
?>

<!DOCTYPE html>
<html>
<head>
    <title>mails</title>
    <link rel="stylesheet" type="text/css" href="style.css">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">

    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
    <style type="text/css">
        body
        {
            background-color: #a7d0e1;
        }
        .wrapper
        {
            padding: 10px;
            margin: -20px auto;
            width:1000px;
            height: 600px;
            color: black;
        }
        .form-control
        {
            height: 80px;
            width: 60%;
        }

    </style>
</head>
<body>
    <div class="wrapper">
        <h1 style="text-align: center; font-size: 25px;">Sending emails to late
        borrowers</h1><br>

        <form style="" action="" method="post">
            <input class="form-control" type="text" name="mail" placeholder="Write the
            mail..." required=""> <br>
            <input class="form-control" type="text" name="message" placeholder="Write the Message..."
            required=""> <br>
            <input class="btn btn-default" type="submit" name="submit" value="Send"
            style="color: black; width: 100px; height: 30px">
        </form>
    </div>
</body>
</html>
```

```
<br><br>
<div class="scroll">
  <?php
    if(isset($_POST['submit']))
    {

        $res=mysqli_query($db,$sql);
        mysqli_query($db,"INSERT INTO `mail` VALUES('','$_POST[mail]',
'$_POST[message]');");

        ?>
        <script type="text/javascript">
            alert("the message has been sent");
            window.location="books.php"
        </script>

    <?php
    }

  ?>
</div>

</div>
</body>
</html>
```

←-----Student-Folder-----→

index.php
style.css
logout.php
connection.php
(prev code)

navbar.php

```
<?php
    session_start();
?>

<!DOCTYPE html>
<html>
<head>
    <title>
    </title>

    <link rel="stylesheet" type="text/css" href="style.css">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>
```

```

</head>
<body>

<nav class="navbar navbar-inverse">
  <div class="container-fluid">
    <ul class="nav navbar-nav">
      <li><a href="index.php">HOME</a></li>
      <li><a href="books.php">BOOKS</a></li>
    </ul>

    <?php
    if(isset($_SESSION['login_user']))
    {?>

      <ul class="nav navbar-nav">
        <li><a href="edit.php">Edit Profile</a></li>

      </ul>

      <ul class="nav navbar-nav navbar-right">
        <li><a href="">
          <div style="color: cyan">
            <?php
            echo "Welcome ".$_SESSION['login_user']." - Student";
            ?>
          </div>
        </a></li>
        <li><a href="logout.php"><span class="glyphicon glyphicon-log-out">
LOGOUT</span></a></li>
      </ul>
      <?php
      }
      else
      { ?>
        <ul class="nav navbar-nav navbar-right">

          <li><a href="login.php"><span class="glyphicon glyphicon-log-in">
LOGIN</span></a></li>

          <li><a href="signup.php"><span class="glyphicon glyphicon-user"> SIGN
UP</span></a></li>
        </ul>
        <?php
        }
        ?>
      </div>
    </nav>

</body>
</html>

```

signup.php

```

<?php
    include"connection.php";
    include"navbar.php";
?>

<!DOCTYPE html>
<html>
<head>

    <title>Admin Registration</title>
    <link rel="stylesheet" type="text/css" href="style.css">
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/css/bootstrap.min.css">
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js"></script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/3.3.7/js/bootstrap.min.js"></script>

<style type="text/css">
    section
    {
        margin-top: -20px;
    }
</style>
</head>
<body>

<section>
    <div class="reg_img">

        <div class="box2">
            <h1 style="text-align: center; font-size: 35px;font-family: Lucida Console;">University
library</h1>
            <h1 style="text-align: center; font-size: 25px;">Admin Registration</h1>
            <form name="Registration" action="" method="post">
                <div class="login">
                    <input class="form-control" type="text" name="first" placeholder="First Name" required="">
<br>
                    <input class="form-control" type="text" name="last" placeholder="Last Name" required="">
<br>
                    <input class="form-control" type="text" name="phone" placeholder="Phone
number"><br>
                    <input class="form-control" type="text" name="email" placeholder="Email"
required=""><br>
                    <input class="form-control" type="text" name="username" placeholder="Username"
required=""> <br>
                    <input class="form-control" type="password" name="password" placeholder="Password"
required=""> <br>

                    <input class="btn btn-default" type="submit" name="submit" value="Sign Up"
style="color: black; width: 75px; height: 30px">
                </div>
            </form>
        </div>
    </div>
</section>

<?php

```

```

if(isset($_POST['submit']))
{
    $count=0;
    $sql="SELECT username from `admin`";
    $res=mysqli_query($db,$sql);

    while($row=mysqli_fetch_assoc($res))
    {
        if($row['username']==$_POST['username'])
        {
            $count=$count+1;
        }
    }
    if($count==0)
    {
        mysqli_query($db,"INSERT INTO `admin` VALUES('".$_POST['first']."','".$_POST['last']."',
        '".$_POST['phone']."', '".$_POST['email']."', '".$_POST['username']."', '".$_POST['password']."');");
        ?>
        <script type="text/javascript">
        alert("Registration successful");
        window.location="admin_login.php"
        </script>

    <?php
    }
    else
    {
        ?>
        <script type="text/javascript">
        alert("The username already exist.");
        </script>
    <?php

    }
}

?>
</body>

```

```

<?php
    include "connection.php";
    include "navbar.php";
?>
<!DOCTYPE html>
<html>
<head>
    <title>Books</title>
</head>
<body>
    <h2>List Of Books</h2>
    <?php

        $res=mysqli_query($db,"SELECT * FROM `books` ORDER BY
`books`.`publication_year` ASC;");

        echo "<table class='table table-bordered table-hover' >";
        echo "<tr style='background-color: white;'>";

            echo "<th>"; echo "ISBN"; echo "</th>";
            echo "<th>"; echo "Book-Name"; echo "</th>";
            echo "<th>"; echo "Authors Name"; echo "</th>";
            echo "<th>"; echo "PUBLICATION YEAR"; echo "</th>";
            echo "<th>"; echo "Status"; echo "</th>";
            echo "<th>"; echo "Quantity"; echo "</th>";
            echo "<th>"; echo "Department"; echo "</th>";
        echo "</tr>";

        while($row=mysqli_fetch_assoc($res))
        {
            echo "<tr>";
            echo "<td>"; echo $row['ISBN']; echo "</td>";
            echo "<td>"; echo $row['name']; echo "</td>";
            echo "<td>"; echo $row['author']; echo "</td>";
            echo "<td>"; echo $row['publication_year']; echo "</td>";
            echo "<td>"; echo $row['status']; echo "</td>";
            echo "<td>"; echo $row['quantity']; echo "</td>";
            echo "<td>"; echo $row['department']; echo "</td>";

            echo "</tr>";
        }
        echo "</table>"
    ;
?>
</body>
</html>

```

```

<?php
    include "navbar.php";
    include "connection.php";
?>
<!DOCTYPE html>
<html>
<head>
    <title>edit profile</title>
    <style type="text/css">
        .form-control
        {
            width:250px;
            height: 38px;
        }
        .form1
        {
            margin:0 540px;
        }
        label
        {
            color: black;
        }

    </style>
</head>
<body style="background-color: #a7d0e1;">

    <h2 style="text-align: center;color: black;">Edit Information</h2>
    <?php

        $sql = "SELECT * FROM `student` WHERE username='$_SESSION[login_user]'";
        $result = mysqli_query($db,$sql) or die (mysql_error());

        while ($row = mysqli_fetch_assoc($result))
        {
            $first=$row['first'];
            $last=$row['last'];
            $phone=$row['phone'];
            $email=$row['email'];
            $username=$row['username'];
            $password=$row['password'];
        }

    ?>

    <div class="profile_info" style="text-align: center;">
        <span style="color: black;">Welcome,</span>
        <h4 style="color: black;"><?php echo $_SESSION["login_user"]; ?></h4>
    </div><br><br>

    <div class="form1">
        <form action="" method="post" enctype="multipart/form-data">

            <label><h4><b>First Name: </b></h4></label>
            <input class="form-control" type="text" name="first">

```



```

<label><h4><b>Last Name</b></h4></label>
<input class="form-control" type="text" name="last">

<label><h4><b>Phone number</b></h4></label>
<input class="form-control" type="text" name="phone">

<label><h4><b>Email</b></h4></label>
<input class="form-control" type="text" name="email">

<label><h4><b>Username</b></h4></label>
<input class="form-control" type="text" name="username">

<label><h4><b>Password</b></h4></label>
<input class="form-control" type="text" name="password">

<br>
<div style="padding-left: 100px;">
    <button class="btn btn-default" type="submit"
name="submit">save</button></div>
</form>
</div>
<?php

    if(isset($_POST['submit']))
    {

        $first=$_POST['first'];
        $last=$_POST['last'];
        $phone=$_POST['phone'];
        $email=$_POST['email'];
        $username=$_POST['username'];
        $password=$_POST['password'];


        $sql1= "UPDATE student SET  first='$first', last='$last', phone='$phone',
email='$email', username='$username', password='$password' WHERE
username='".$_SESSION['login_user']."'";

        if(mysqli_query($db,$sql1))
        {
            ?>
                <script type="text/javascript">
                    alert("Saved Successfully.");
                    window.location="books.php";
                </script>
            <?php
        }
    }
?>
</body>
</html>


```

Chapter 3: Project Output


Index-before-login Page




Index-after-login Page



Signup-1 Page



Signup-Admin Page



Signup-Student Page

[HOME](#) [BOOKS](#) [LOGIN](#) [SIGN UP](#)

University library

Student Registration

Login Page

[HOME](#) [BOOKS](#) [LOGIN](#) [SIGN UP](#)

University Library

User Login

Login as:

☐ Admin ☒ Student

Books-Admin Page

≡ open

List Of Books

| ID | ISBN | Book-Name | Authors Name | PUBLICATION YEAR | Status | Quantity | Department |
|----|------------|--|--|------------------|-----------|----------|----------------|
| 1 | 2147483647 | Code: The Hidden Language of Computer Hardware and Software | Charles Petzold | 1999 | available | 10 | CS |
| 2 | 1780735605 | Structure and Interpretation of Computer Programs | Gerald Jay Sussman- Hal Abelson | 1979 | available | 5 | CS |
| 3 | 1125735605 | Gödel, Escher, Bach: an Eternal Golden Braid | Douglas Hofstadter | 1979 | available | 3 | CS |
| 4 | 1537735605 | Linear algebra done right | Sheldon Axler | 1995 | available | 7 | Mathematics |
| 5 | 1541483647 | Abstract Algebra | David Steven Dummit - Richard M. Foote | 1991 | available | 8 | Mathematics |
| 6 | 2037483647 | Discrete Mathematics: An Open Introduction | Oscar Levin | 2015 | available | 7 | CS-Mathematics |
| 7 | 1800082184 | The Hidden Life of Trees: What They Feel, How They Communicate – Discoveries from a Secret World | Peter Wohlleben | 2015 | available | 20 | biology |

Books-Student Page

List Of Books

| ISBN | Book-Name | Authors Name | PUBLICATION YEAR | Status | Quantity | Department |
|------------|--|--|------------------|-----------|----------|----------------|
| 1780735605 | Structure and Interpretation of Computer Programs | Gerald Jay Sussman- Hal Abelson | 1979 | available | 5 | CS |
| 1125735605 | Gödel, Escher, Bach: an Eternal Golden Braid | Douglas Hofstadter | 1979 | available | 3 | CS |
| 1541483647 | Abstract Algebra | David Steven Dummit - Richard M. Foote | 1991 | available | 8 | Mathematics |
| 1537735605 | Linear algebra done right | Sheldon Axler | 1995 | available | 7 | Mathematics |
| 2147483647 | Code: The Hidden Language of Computer Hardware and Software | Charles Petzold | 1999 | available | 10 | CS |
| 2037483647 | Discrete Mathematics: An Open Introduction | Oscar Levin | 2015 | available | 7 | CS-Mathematics |
| 1800082184 | The Hidden Life of Trees: What They Feel, How They Communicate – Discoveries from a Secret World | Peter Wohlleben | 2015 | available | 20 | biology |

Edit Profile Page

[HOME](#) [BOOKS](#) [Edit Profile](#) [Edit book](#)

Welcome marwan25235 - Admin [LOGOUT](#)

Edit Information

Welcome,
marwan25235

First Name:

Last Name

Phone number

Email

Username

Password

Edit Book Page

[HOME](#) [BOOKS](#) [Edit Profile](#) [Edit book](#)

Welcome marwan25235 - Admin [LOGOUT](#)

update book details

Welcome,
marwan25235

Old ID:

ISBN:

Book Name:

Authors:

publication year:

Status:

quantity:

department:

Side navigation bar-Admin Page

HOME

BOOKS

Edit Profile

Edit book

Welcome marwan25235 - Admin

LOGOUT

×

Books

Add Book

Send Email To Late Borrowers

≡ open

List Of Books

| ID | ISBN | Book-Name | Authors Name | PUBLICATION YEAR | Status | Quantity | Department |
|----|------------|--|--|------------------|-----------|----------|-----------------|
| 1 | 2147483647 | Code: The Hidden Language of Computer Hardware and Software | Charles Petzold | 1999 | available | 10 | CS |
| 2 | 1780735605 | Structure and Interpretation of Computer Programs | Gerald Jay Sussman- Hal Abelson | 1979 | available | 5 | CS |
| 3 | 1125735605 | Gödel, Escher, Bach: an Eternal Golden Braid | Douglas Hofstadter | 1979 | available | 3 | CS |
| 4 | 1537735605 | Linear algebra done right | Sheldon Axler | 1995 | available | 7 | Mathematics |
| 5 | 1541483647 | Abstract Algebra | David Steven Dummit - Richard M. Foote | 1991 | available | 8 | Mathematics |
| 6 | 2037483647 | Discrete Mathematics: An Open Introduction | Oscar Levin | 2015 | available | 7 | CS- Mathematics |
| 7 | 1800082184 | The Hidden Life of Trees: What They Feel, How They Communicate – Discoveries from a Secret World | Peter Wohlleben | 2015 | available | 20 | biology |

Add book-Admin Page

HOME

BOOKS

Edit Profile

Edit book

Welcome marwan25235 - Admin

LOGOUT

≡ open

Add New Books

Book ISBN

Book Name

Authors Name

Publication Year

Status

Quantity

Department

ADD


Side navigation bar-Add book Page

The screenshot shows a web application interface. At the top, there is a dark header bar with navigation links: HOME, BOOKS, Edit Profile, and Edit book. On the right side of the header, it says 'Welcome marwan25235 - Admin' and has a LOGOUT button. A side navigation bar is open on the left, showing a list of options: Books, Add Books, Send Email To Late Borrowers, and Borrowers. The main content area is titled 'Add New Books' and contains a form with the following fields: Book ISBN, Book Name, Authors Name, Publication Year, Status, Quantity, and Department. Below these fields is an 'ADD' button.

Send email-Add book Page

The screenshot shows a web application interface. At the top, there is a dark header bar with navigation links: HOME, BOOKS, Edit Profile, and Edit book. On the right side of the header, it says 'Welcome marwan25235 - Admin' and has a LOGOUT button. The main content area is titled 'Sending emails to late borrowers' and contains a form with the following fields: 'Write the mail...' and 'Write the Message...'. Below these fields is a 'Send' button.

Date Base-Admin Page



Server: 127.0.0.1 • Database: library • Table: admin

Showing rows 0 - 1 (2 total, Query took 0.0007 seconds.)

SELECT * FROM `admin`


Options: ☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

| | ID | first | last | phone | email | username | password |
|--------------------------|----|--------|-------|------------|-----------------------|-------------|----------|
| <input type="checkbox"/> | 1 | Marwan | Ahmed | 1148661701 | marwan24236@gmail.com | Marwan147 | 22329119 |
| <input type="checkbox"/> | 2 | Marwan | Ahmed | 114866171 | marwan24236@gmail.com | marwan25235 | 22329119 |

Query results operations: [Print](#) [Copy to clipboard](#) [Export](#) [Display chart](#) [Create view](#)

Bookmark this SQL query: Label: ☐ Let every user access this bookmark [Bookmark this SQL query](#)

Date Base-Books Page



Server: 127.0.0.1 • Database: library • Table: books

Showing rows 0 - 6 (7 total, Query took 0.0014 seconds.)

SELECT * FROM `books`

Options: ☐ Show all | Number of rows: 25 | Filter rows: Search this table | Sort by key: None

| | ID | ISBN | name | author | publication_year | status | quantity | department |
|--------------------------|----|------------|---|--|------------------|-----------|----------|--------------------|
| <input type="checkbox"/> | 1 | 2147483647 | Code: The Hidden Language of Computer Hardware and... | Charles Petzold | 1999 | available | 10 | CS |
| <input type="checkbox"/> | 2 | 1780735605 | Structure and Interpretation of Computer Programs | Gerald Jay Sussman - Hal Abelson | 1979 | available | 5 | CS |
| <input type="checkbox"/> | 3 | 1125735605 | Godel, Escher, Bach: an Etemal Golden Braid | Douglas Hofstadter | 1979 | available | 3 | CS |
| <input type="checkbox"/> | 4 | 1537735605 | Linear algebra done right | Sheldon Axler | 1995 | available | 7 | Mathematics |
| <input type="checkbox"/> | 5 | 1541483647 | Abstract Algebra | David Steven Dummit - Richard M. Foote | 1991 | available | 8 | Mathematics |
| <input type="checkbox"/> | 6 | 2037483647 | Discrete Mathematics. An Open Introduction | Oscar Levin | 2015 | available | 7 | CS- Mathematics |
| <input type="checkbox"/> | 7 | 1800082184 | The Hidden Life of Trees: What They Feel, How They... | Peter Wohlleben | 2015 | available | 20 | biology |

Query results operations: [Print](#) [Copy to clipboard](#) [Export](#) [Display chart](#) [Create view](#)