

Bulk event import (CSV)

File format

- Encoding: UTF-8.
- First row: Column headers (required). Header names are trimmed but must match the names below (recommended: use lowercase names exactly as listed).
- Rows: One event per row. Empty lines are skipped.
- Commas in text: If a field contains commas, wrap the whole cell in double quotes ("). To include a double quote inside a quoted field, double it ("").

Column reference

Column	Required	Description
<code>id</code>	No	Your own reference number from another system. Stored as source id on the event (not the same as the app's auto-generated event id). If present, must be a non-negative integer (e.g. <code>0</code> , <code>42</code>). Leave empty if you do not use an external id.
<code>name</code>	Yes	Event title. 1–255 characters after trimming; extra spaces are collapsed.
<code>description</code>	No	Longer description text.
<code>location_name</code>	No	Venue or place name. If provided, 1–255 characters after trimming.
<code>address</code>	No	Street or full address text.
<code>latitude</code>	Yes ¹	Latitude in decimal degrees (e.g. <code>25.2048</code>). Must appear together with <code>longitude</code> .

Column	Required	Description
longitude	Yes ¹	Longitude in decimal degrees (e.g. 55.2708). Must appear together with latitude.
start_time	Yes	Event start as a date/time the system can parse (e.g. ISO 8601). Interpreted as local wall time in the timezone inferred from latitude and longitude , then stored in UTC.
end_time	No	Event end; same parsing rules as start_time.
city	No	City name. If provided, 1–100 characters after trimming; stored normalized (e.g. lowercased).
primary_category	Yes	Exact name of a primary event category that already exists in the system. Matching is case-insensitive (e.g. Music matches music). This row's event is assigned only this category as primary.
tags	No	Zero or more tags, separated by commas (e.g. outdoor, family). Each tag 1–30 characters; up to 10 tags are kept after normalization.
thumbnail_image	No	URL of the main/thumbnail image. If provided, must start with http:// or https:// .
additional_images	No	Extra image URLs, separated by commas . Each URL must start with http:// or https:// .

Column	Required	Description
<code>external_link</code>	No	Public link (e.g. ticketing). If provided, must be a valid URL.
<code>is_paid</code>	No	Paid event flag. Use true or false (case-insensitive). If empty or omitted, treated as false .

¹ **Latitude and longitude** are required **together** for bulk import: the system uses the coordinates to infer the **IANA timezone** and convert `start_time` / `end_time` from local civil time to UTC. If either coordinate is missing, event creation will fail.

Response columns

The returned CSV includes the columns above and adds:

Column	Meaning
<code>status</code>	Success if the row created an event (and images were attached when URLs were valid), or Failed if something went wrong.
<code>error_message</code>	Empty on success. On failure, a short explanation (e.g. unknown category, invalid date, invalid URL).

Use this file to fix failed rows and re-upload as needed.

Quick checklist

1. Headers match the documented names (e.g. `primary_category`, not `Primary Category`, unless your tool exports that exact header consistently).
2. Every row has a non-empty **name**, **start_time**, **primary_category** (existing), and **both latitude** and **longitude**.
3. Image fields are either empty or valid **http://** / **https://** URLs.
4. **id** is a non-negative integer or left blank.