E K Mutomeka


ID: 147

Questions

Question 1

```
SQLQuery31.sql - M...9 (MARX\User (56))
select @@VERSION
```

Result:




Question 2

```
SQLQuery31.sql - M...9 (MARX\User (56))

SQLQuery30.sql - M...9 (MARX\User (53))* 

SQLQuery30.sql - M...9 (MAR
```

Result:



Question 3

```
SQLQuery31.sql - M...9 (MARX\User (56)) + X SQLQuery30.sql - M...9 (MARX\User (53))* + X SQLQuery29.sql - M...9 (MARX\User (63))

| select * from [SalesLT].[SalesOrderDetail] where OrderQty = ( SELECT MAX(OrderQty) FROM [SalesLT].[SalesOrderDetail]);

| select * from [SalesLT].[SalesOrderDetail] where OrderQty = ( SELECT MAX(OrderQty) FROM
```

Result:

[SalesLT].[SalesOrderDetail]);

■ Results ■ Messages								
	SalesOrderID	SalesOrderDetaillD	OrderQty	ProductID	UnitPrice	UnitPriceDiscount	LineTotal	rowguid
1	71783	110716	25	976	850.495	0.10	19136.137500	F9E75552-B9D0-4CFE-AC23-ABBFFA8DA03B

Question 4

```
SQLQuery31.sql - M...9 (MARX\User (56)) 

SQLQuery30.sql - M...9 (MARX\User (53))* 

X SQLQuery30.sql - M...9 (MARX\U
```

Results:



Question 5

```
select PD.Description
from SalesLT.ProductDescription PD

join SalesLT.ProductModelProductDescription PMPD ON PD.ProductDescriptionID = PMPD.ProductDescriptionID
join SalesLT.ProductModel PM ON PMPD.ProductModelID = PM. ProductModelID

join SalesLT. Product P ON PM.ProductModelID = P.ProductModelID

where P.ProductNumber in ('SE-M236') AND PMPD.Culture IN ('en');
```

Result:

