

NAME: Mary Nyambura Gitau
GMAIL:marynyambura657@gmail.com
ADMISSION NUMBER: CS-SA12-26067

THREAT INTELLIGENCE TOOL WITH TRY HACK ME

1.1 Introduction

This module gives real world knowledge on how to identify, analyze and leverage actionable intelligence in the digital threat landscape. It details the ability to gather and interpret threat intelligence and how doing this is crucial for proactive defense. This module explores techniques such as PhishTools, Urlscan and Cisco's Talos. By the end of the lesson, I will not only understand how to collect and contextualize threat data but also how to apply this intelligence effectively to strengthen organizational security posture.

2.1 Room Outline

The write up detailed the fundamentals of threat intelligence and its classifications and how i will use **UrlScan.io** to detect malicious URLs, **Abuse.ch** to track malware and botnet activity, **PhishTool** to investigate phishing emails, and **Cisco Talos Intelligence** to gather actionable threat intelligence, enabling a comprehensive approach to identifying and mitigating cyber threats.

Answer the questions below

Read the description! Continue to the next task.

No answer needed

✓ Correct Answer

3.1.Threat Intelligence

Threat Intelligence focuses on understanding the relationship between an organisation's operational environment and its adversaries, and it is classified into four key types.

1. **Strategic intelligence** provides high-level insight into the overall threat landscape, analysing trends and emerging risks that may **influence business decisions**.
2. Technical intelligence examines technical indicators such as **IP addresses, hashes, and malware** artefacts to support detection and incident response.
3. **Tactical intelligence** analyses adversaries' tactics, techniques, and procedures (TTPs) to strengthen security controls and guide real-time investigations.
4. **Operational intelligence** focuses on an attacker's motives, intent, and potential targets, helping organisations protect critical assets including people, processes, and technologies.

Answer the questions below

I've read on Threat Intel and the classifications

No answer needed

✓ Correct Answer

4.1 UrlScan.io

[Urlscan.io](#) is a free service developed to assist in scanning and analysing websites. It is used to automate the process of browsing and crawling through websites to record activities and interactions.

Question

a) What was TryHackMe's Cisco Umbrella Rank based on the screenshot?

Answer: **345612**

What was TryHackMe's Cisco Umbrella Rank based on the screenshot?

345612

✓ Correct Answer

tryhackme.com

2606:4700:10::ac43:1b0a 

Submitted URL: <http://www.tryhackme.com/>

Effective URL: <https://tryhackme.com/>

Submission: On April 20 via manual (April 20th 2022, 5:22:48 pm UTC) from **KE**  — Scanned from **DE** 

[Summary](#) [HTTP](#) **109** [Redirects](#) [Links](#) **9** [Behaviour](#) [Indicators](#) [Similar](#) [Documents](#)

Summary

This website contacted **17 IPs** in **4 countries** across **13 domains** to perform **109 HTTP transactions**. The main IP is **2606:4700:10::ac43:1b0a**, located in **United States** and belongs to **CLOUDFLARENET, US**. The main domain is **tryhackme.com**. The Cisco Umbrella rank of the primary domain is **345612**.

b) How many domains did UrlScan.io identify on the screenshot?

Answer: **13**

How many domains did UrlScan.io identify on the screenshot?

13

✓ Correct Answer

tryhackme.com

2606:4700:10::ac43:1b0a 

Submitted URL: <http://www.tryhackme.com/>

Effective URL: <https://tryhackme.com/>

Submission: On April 20 via manual (April 20th 2022, 5:22:48 pm UTC) from KE  — Scanned from DE 

 Summary	 HTTP 109	 Redirects	 Links 9	 Behaviour	 Indicators	 Similar	
---	--	---	---	---	--	---	---

Summary

This website contacted **17 IPs** in **4 countries** across **13 domains** to perform **109 HTTP transactions**. The main IP is **2606:4700:10::ac43:1b0a**, located in **United States** and belongs to **CLOUDFLARENET, US**. The main domain is **tryhackme.com**. The Cisco Umbrella rank of the primary domain is **345612**.

c)What was the main domain registrar listed on the screenshot?

Answer:NAMECHEAP INC

What was the main domain registrar listed on the screenshot?

NAMECHEAP INC

✓ Correct Answer

Live information

Google Safe Browsing:  No classification for *tryhackme.com*

Current DNS A record: 104.22.55.228 (AS13335 - CLOUDFLARENET, US)

Domain created: July 5th 2018, 22:46:15 (UTC)

Domain registrar: NAMECHEAP INC

d)What was the main IP address identified for TryHackMe on the screenshot?

Answer:2606:4700:10::ac43:1b0a

What was the main IP address identified for TryHackMe on the screenshot?

2606:4700:10::ac43:1b0a

✓ Correct Answer

tryhackme.com

2606:4700:10::ac43:1b0a 

Submitted URL: <http://www.tryhackme.com/>

Effective URL: <https://tryhackme.com/>

Submission: On April 20 via manual (April 20th 2022, 5:22:48 pm UTC) from KE  — Scanned from DE 



Summary

This website contacted **17 IPs** in **4 countries** across **13 domains** to perform **109 HTTP transactions**. The main IP is **2606:4700:10::ac43:1b0a**, located in **United States** and belongs to **CLOUDFLARENET, US**. The main domain is **tryhackme.com**. The Cisco Umbrella rank of the primary domain is **345612**.

5.1 Abuse.ch

It was developed to identify and track malware and botnets through several operational platforms developed under the project. These platforms are:

- Malware Bazaar
- Feodo Tracker
- SSL Blacklist
- URL Haus
- Threat Fox

Question

a) The IOC 212.192.246.30:5555 is identified under which malware alias name on ThreatFox?

Answer: **Katana**

Answer the questions below


The IOC **212.192.246.30:5555** is identified under which malware alias name on ThreatFox?

Katana

✓ Correct Answer



Explanation: Navigate to the threatfox site. Browse IOC and type **ioc:212.192.246.30:5555**



Using the form below, you can search for malware samples by a hash (MD5, SHA256, SHA1), imphash, tlsh hash, ClamAV signature, tag or malware family.

Browse Database

ioc:212.192.246.30:5555

Search

IOC ID:	395319
IOC:	 212.192.246.30:5555
IOC Type ②:	ip:port
Threat Type ②:	botnet_cc
Malware:	 Mirai
Malware alias:	Katana
Confidence Level ②:	⬆ Confidence level is elevated (75%)

b) Which malware is associated with the JA3 Fingerprint 51c64c77e60f3980eea90869b68c58a8 on SSL Blacklist?

Answer: **Dridex**

Which malware is associated with the JA3 Fingerprint **51c64c77e60f3980eea90869b68c58a8** on SSL Blacklist?

Dridex

✓ Correct Answer

Explanation : I navigated the SSL Blacklist site, i then navigated the JA3 fingerprints and searched the fingerprint as shown in the screenshot.

JA3 Fingerprints

Here you can browse a list of malicious JA3 fingerprints identified by SSLBL. JA3 is an [open source tool](#) used to fingerprint SSL/TLS client applications. In the best case, you can use JA3 to identify malware traffic that is leveraging SSL/TLS.

Caution!

The JA3 fingerprints below have been collected by analysing more than 25,000,000 PCAPs generated by malware samples. These fingerprints have **not been tested against known good traffic yet and may cause a significant amount of FPs!**

Show

50

entries

Search:

51c64c77e60f3980eea90869b68c58a8

Listing Date (UTC)	JA3 Fingerprint	Listing Reason	Malware Samples
2018-12-17 07:47:19	51c64c77e60f3980eea90869b68c58a8	Dridex	292'848

Showing 1 to 1 of 1 entries (filtered from 96 total entries)

Previous 1 Next

After opening the link, more information on 51c64c77e60f3980eea90869b68c58a8 fingerprint appears. And the malware associated with fingerprint is as shown in the screenshot.

Database Entry

JA3 Fingerprint:	51c64c77e60f3980eea90869b68c58a8
First seen:	2018-08-30 21:04:57 UTC
Last seen:	2021-08-11 08:13:08 UTC
Status:	Blacklisted
Malware samples:	292'848
Destination IPs:	6'109
Malware:	Dridex
Listing date:	2018-12-17 07:47:19

c) From the statistics page on URLHaus, what malware-hosting network has the ASN number AS14061?

Answer: **DIGITALOCEAN-ASN**

From the statistics page on URLHaus, what malware-hosting network has the ASN number **AS14061**?

DIGITALOCEAN-ASN

✓ Correct Answer

Explanation: I navigated the URL haus site, then accessed data and chose Statics. I searched through ASN for the required ASN number.

URLhaus
from ABUSE²⁴ | SPAMHAUS

[Browse](#) [Hunting Alerts](#) [Access Data](#) [FAQ](#) [About](#) [Login](#)

Top malware hosting networks in total (counting online and offline malware distribution sites):

Rank	ASN	Country	Average Reaction Time	Malware URLs
1	AS4837 CHINA169-Backbone	CN	2 days, 13 hours, 12 minutes	929'155
2	AS9829 BSNL-NIB	IN	9 hours, 29 minutes	437'155
3	AS4134 CHINANET-BACKBONE	CN	4 days, 6 hours, 12 minutes	194'091
4	AS17488 HATHWAY-NET-AP	IN	5 hours, 56 minutes	142'692
5	AS13335 CLOUDFLARENET	US	3 days, 7 hours, 9 minutes	107'087
6	AS8661 PTK	AL	2 days, 1 hours, 28 minutes	97'550
7	AS207569 I-SERVERS-NORTH-EU	RU	23 hours, 40 minutes	91'344
8	AS17816 CHINA169-GZ	CN	1 day, 10 hours, 19 minutes	85'018
9	AS14061 DIGITALOCEAN-ASN	US	5 days, 3 hours, 34 minutes	60'221
10	AS16509 AMAZON-02	US	3 days, 12 hours, 13 minutes	58'326
11	AS16506 UNIFIEDLAYER-AS-1	US	14 days, 2 hours, 6 minutes	56'762

d) Which country is the botnet IP address 178.134.47.166 associated with according to FeodoTracker?

Answer: **Georgia**

Which country is the botnet IP address **178.134.47.166** associated with according to FeodoTracker?

Georgia

✓ Correct Answer

Explanation: I navigated the Feodo tracker site, searched for the IP as indicated in the screenshot below, got the country to be Georgia

Show entries

Search:

Firstseen (UTC)	Host	Malware	Status	Network (ASN)	Country
2021-04-22 22:04:30	178.134.47.166	TrickBot	Offline	AS35805 SILKNET-AS	GE

FEODO tracker
from ABUSE^{ch} | SPAMHAUS

Database Entry

IP address:	178.134.47.166
Hostname:	178-134-47-166.dsl.utg.ge
AS number:	AS35805
AS name:	SILKNET-AS
Country:	GE
First seen:	2021-04-22 22:04:30 UTC
Last online:	2022-04-04 12:xx:xx UTC

6.1 PhishTool

Question

a) What social media platform is the attacker trying to pose as in the email?

Answer: **LinkedIn**


Explanation:

I started my machine, clicked the emails icon and opened email.1 using thunderbird.

What social media platform is the attacker trying to pose as in the email?

LinkedIn

✓ Correct Answer




b)What is the sender's email address?

Answer:darkabutla@sc500.whpservers.com

What is the senders email address?

darkabutla@sc500.whpservers.com

✓ Correct Answer




c) What is the recipient's email address?

Answer:cabbagecare@hotmail.com

What is the recipient's email address?

cabbagecare@hotmail.com

✓ Correct Answer




d)What is the Originating IP address? Defang the IP address.

Answer:204[.]93[.]183[.]11

Explanation


Defang means changing the ip address so that it cannot be clicked and also keeping the records for the IP for accountability.

To get the IP address, I opened the email with Pluma.



I got the sender's IP address as 204.93.183.11 from line 17.

Defragging the ip i used [Cyberchef.org](https://cyberchef.org) .



The output is the answer as shown in the screenshot above.

e)How many hops did the email go through to get to the recipient?

Answer: **4**

How many hops did the email go through to get to the recipient?

4

✓ Correct Answer

Explanation: I counted the number of times the email was received which was 4.

```
1 Received: from DB9P194MB1386.EURP194.PROD.OUTLOOK.COM  
  (2603:10a6:10:296::24) by  
2  AM8P194MB1513.EURP194.PROD.OUTLOOK.COM with HTTPS; Tue, 29 Mar  
  2022 20:39:29  
3  +0000  
4 Received: from DM3PR12CA0063.namprd12.prod.outlook.com  
  (2603:10b6:0:56::31) by  
5  DB9P194MB1386.EURP194.PROD.OUTLOOK.COM (2603:10a6:10:296::24)  
  with Microsoft  
6  SMTP Server (version=TLS1_2,  
  cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384)  
7  id 15.20.5102.17; Tue, 29 Mar 2022 20:39:28 +0000  
8 Received: from DM6NAM10FT030.eop-nam10.prod.protection.outlook.com  
  (2603:10b6:0:56:cafe::5d) by DM3PR12CA0063.outlook.office365.com  
9  (2603:10b6:0:56::31) with Microsoft SMTP Server (version=TLS1_2,  
10 cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.5123.13  
11 via Frontend  
12 Transport; Tue, 29 Mar 2022 20:39:28 +0000  
13 Received: from sc500.whpsservers.com (204.93.183.11) by  
14 DM6NAM10FT030.mail.protection.outlook.com (10.13.152.224) with
```

6.1 Cisco Talos Intelligence

Cisco Talos has six teams that work together to protect against threats: they turn IOCs into actionable intelligence, create detection rules, maintain inspection engines, identify vulnerabilities with vendors, manage open-source contributions, and share intelligence with the security community.

Questions

a) What is the listed network owner of the IP address from the previous task?

Answer: **DEFT.COM**

Answer the questions below

What is the listed network owner of the IP address from the previous task?


DEFT.COM

✓ Correct Answer




Explanation: I navigated the Cisco Talos site, i then searched the previous IP address 204.93.183.11.

More details of the IP address appeared as shown in the screenshots below.



The Network owner is as shown below.



b)What is the customer name of the IP address?

Answer: **Complete Web Reviews**

What is the customer name of the IP address?

Complete Web Reviews

✓ Correct Answer



Explanation: From the hint, I used WHOIS and searched the IP address 204.93.183.11
The answer: Complete Web Review.

The screenshot shows the IPinfo website interface. At the top, there's a navigation bar with the IPinfo logo, a search bar, and links for Products, Data, Why IPinfo?, Pricing, Resources, Docs, Login, and Sign up. Below the navigation bar, the breadcrumb trail reads: All IP Ranges > 204.0.0.0/8 > 204.93.0.0/16 > 204.93.183.0/24 > 204.93.183.11. The main heading is 204.93.183.11, followed by a copy icon and a star icon labeled 'Star'. Below the heading, there are three tags: Chicago, Illinois, US (with a US flag icon), Hosting, SSH, and Webserver. A green banner at the top of the main content area says: 'Need more data or want to access it via API or data downloads? Sign up to get free access' with a 'Sign up for free >' button. On the left side, there's a sidebar with a list of categories: Summary, Geolocation, Privacy, ASN, Company, and Abuse. The main content area displays a 'Summary' table with the following information:

Summary	
ASN	AS23352 - DEFT.COM
Hostname	sc500.whpservers.com
Range	204.93.176.0/21
Company	Complete Web Reviews
Hosted domains	111

7.1 Scenario 1

a) According to Email2.eml, what is the recipient's email address?

Answer: chris.lyons@supercarcenterdetroit.com


Answer the questions below

According to **Email2.eml**, what is the recipient's email address?

chris.lyons@supercarcenterdetroit.com

✓ Correct Answer

Explanation: The recipient is who the email is going to.



b)On VirusTotal, which year recorded the first submission details of the mentioned file?

Answer: 2017

On VirusTotal, which year recorded the first submission details of the mentioned file?

2017

✓ Correct Answer

Explanation:

First I created a hash for email2.eml so as to create a "digital fingerprint" that allowed me to track threats without exposing the actual identity of the sender.

I opened the terminal in my target machine:

ls

cd Desktop


ls

cd Emails

ls


sha256sum Email2.eml

A hash was created =97028b1b198af6da1043b78e40e1efe519fe3def754cd9d1f29380ca11e5c361 as shown in the screenshot below.



```
ubuntu@tryhackme: ~/Desktop/Emails
File Edit View Search Terminal Help
ubuntu@tryhackme:~/Desktop$ ls
Emails mate-terminal.desktop thunderbird.desktop
ubuntu@tryhackme:~/Desktop$ cd Desktop
bash: cd: Desktop: No such file or directory
ubuntu@tryhackme:~/Desktop$ ls
Emails mate-terminal.desktop thunderbird.desktop
ubuntu@tryhackme:~/Desktop$ cd Emails
ubuntu@tryhackme:~/Desktop/Emails$ ls
Email1.eml Email2.eml Email3.eml
ubuntu@tryhackme:~/Desktop/Emails$ sha256sum Email2.eml
97028b1b198af6da1043b78e40e1efe519fe3def754cd9d1f29380ca11e5c361 Email2.eml
ubuntu@tryhackme:~/Desktop/Emails$
```

I navigated to [virustotal.com](https://www.virustotal.com) and in the search bar I pasted the hash.



After the Detection button there is the detail button which I clicked to view the details of the email. There are basic information and History of the email2.eml and in the History section , there is the first submission of the email as clearly shown in the screenshot below. First submission =2017

Basic properties ⓘ	
MDS	d36260d9c3d6ff2d8ad0b92b1ff3af28
SHA-1	0a8535a48d8fd1af3b5050404df32f8fd1219db7
SHA-256	97028b1b198af6da1043b78e40e1efe519fe3def754cd9d1f29380ca11e5c361
SSDEEP	6144:8vhxWOuktmI+44iFFcOmc6++wg+wSo0uE0kbF3/loqNqdmib+GC:zEJVhL6KwSbuEQQF3/locqnc
TLSH	T19C6422BCA9D409752E52F1FBF82EF97521DD19800D836746433B427E77B24A4EC02E6A
File type	Email internet email
Magic	RFC 822 mail, Non-ISO extended-ASCII text, with CRLF, LF line terminators
TriD	E-Mail message (Var. 5) (100%)
Magika	EML
File size	309.03 KB (316446 bytes)
History ⓘ	
First Submission	2017-12-22 01:21:07 UTC
Last Submission	2026-02-02 03:02:47 UTC
Last Analysis	2026-02-09 17:10:15 UTC

8.1 Scenario 2

a) What is the name of the attachment on Email3.eml?


Answer: Sales_Receipt 5606.xls

What is the name of the attachment on **Email3.eml**?

Sales_Receipt 5606.xls

✓ Correct Answer

Explanation: After opening the email with thunderbird, it is clear that the email attachment is named sales_receipt 5606.xls as in the screenshot below.



b)What malware family is associated with the attachment on Email3.eml?

Answer:**Dridex**

What malware family is associated with the attachment on **Email3.eml**?

Dridex

✓ Correct Answer

Explanation:

First I hashed the email . Same case i opened the terminal:

ls

cd Desktop

ls

cd Emails


ls

sha256sum Email3.eml

hash=f4d97603256a36e81bfe7ef5e0ccee44f77de6bb041fa41f0b3a0db53f4aba9

```
Applications Places System  Fri Feb 13, 13:28
ubuntu@tryhackme: ~/Desktop/Emails
File Edit View Search Terminal Help
ubuntu@tryhackme:~/Desktop/Emails$ ls
Email1.eml Email2.eml Email3.eml
ubuntu@tryhackme:~/Desktop/Emails$ sha256sum email3.eml
sha256sum: email3.eml: No such file or directory
ubuntu@tryhackme:~/Desktop/Emails$ sha256sum Email3.eml
f4d97603256a36e81bfe7ef5e0ccee44f77de6bb041fa41f0b3a0db53f4aba9 Email3.eml
ubuntu@tryhackme:~/Desktop/Emails$
```

I navigated to [virustotal.com](https://www.virustotal.com) and searched for the hash. In the details section there was information about the email. Including Family label Dridex.



9.1 Summary and Conclusion

As a security analyst enthusiast, this module has been both interesting and eye-opening. I not only discovered various threats but also learned to use multiple tools to gather detailed information about malware. One of the most intriguing aspects was learning how to hash an email and use that hash to uncover its history and additional details. Currently, I am able to identify whether an email is legitimate or suspicious using **PhishTool**, and I can analyze malware families and their characteristics through **VirusTotal.com**. This hands-on experience has significantly strengthened my practical understanding of threat intelligence and malware investigation. I will dive deeper into Threat Intelligence by checking out :Yara, MISP and RedTeam Threat Intel.

Below is the link to my achievement and a screenshot of the same.

<https://tryhackme.com/p/marynyambura657>

Share your win with your peers

Your progress can inspire others in your community.



Threat Intelligence Tools completed!

marynyambura657 completed another room on their cyber security journey.

Completed tasks	Points earned	Streak
📋 9	🎯 152	🔥 2

Share on social media

Share your win before starting the next room

[in LinkedIn](#)[WhatsApp](#)[Telegram](#)[X Twitter / X](#)[Facebook](#)[Reddit](#)

