Meal Plan Generator Al Romero and Mary Deignan November 22, 2024

1 Project Description, Background, and Motivation

Home cooks around the world are constantly faced with the question of what to cook. This decision quickly becomes overwhelming as cooks factor in available ingredients, cook time, nutrition goals, and personal preference. This project intends to make finding new recipes fun, not exhausting.

Our final product will be a user-friendly interface designed to bring more joy to meal planning. Users will have the option to input their dietary preferences, and then be able to swipe through a list of recipes within those preferences. As the user swipes, our product will update a classification system which attempts to predict the next recipes the user will like best.

When a user "likes" a recipe, it will be saved to another page within the application, so users can return to recipes they've liked for future reference.

2 Data Description

The data obtained from this project was scraped from Allrecipes.com. The scraping code was adapted from Dmitiry Zub's GitHub¹.

Data was obtained using our custom python script, scraping.py. This file collects recipe links from Allrecipes and saves them to a txt file in the scraping/links folder. It then extracts the recipe data, such as ingredients and directions, and saves that information to the scraped_recipes.json file in the scaping/recipes folder. The scraper also collects an image for each recipe, when available. These images are saved as .png files in the scraping/images folder. The images can be matched to the corresponding recipe with the image_filename column in the JSON file. The JSON file can then be uploaded to a pandas DataFrame and modified. The scraped data for each recipe has 7 different categories: basic_info, prep_data, ingredients, nutritions, directions, image_filename, and category_url. The data without any modifications can be seen in Figure 1.

¹Dmitiry Zub, allrecipes-us-recipes-by-state-analysis, GitHub, https://github.com/dimitryzub/allrecipes-us-recipes-by-state-analysis/tree/main, accessed November 1, 2024.

	basic_info	prep_data	ingredients	nutritions	directions	image_filename	category_url
0	{'title': 'Grilled Cheese Sloppy Joes', 'categ	{'prep_time': '10 mins', 'cook_time': '1 hr',	[1 pound lean ground beef, 2 tablespoons dried	{'calories': '585', 'fat': '39g', 'carbs': '32	[Heat a large skillet over medium-high heat. C	5410153- e9807f995fb74fe58bd2fcd56b541010.jpg	https://www.allrecipes.com/recipes/14930/main
1	{'title': 'Our 14 Best Empanada Recipes', 'cat					5589810- 3f53ac235a5346838b2ec079e34283e1,jpg	https://www.allrecipes.com/recipes/23131/appet
2	{'title': 'Creamy Butternut Squash Pasta', 'ca	{'prep_time': '15 mins', 'cook_time': '20 mins	[1 (16 ounce) package ziti or other pasta, 1 t	{'calories': '316', 'fat': '21g', 'carbs': '26	[Bring a large pot of lightly salted water to	9408195- e2b738fc048f47bcb47c99f58890ba0b.jpg	https://www.allrecipes.com/recipes/550/pasta-a
3	{'title': 'Golden Yam Brownies', 'category': '	{'prep_time': '30 mins', 'cook_time': '30 mins	[1 cup butter, 1 cup packed brown sugar, 1 cup	{'calories': '221', 'fat': '10g', 'carbs': '32	[Preheat the oven to 350 degrees F (175 degree	1059053- 70a5c73ef725427e9770ad083c423e87.jpg	https://www.allrecipes.com/recipes/2452/fruits
4	{'title': 'Authentic Mexican Corn Bread', 'cat	{'prep_time': '15 mins', 'cook_time': '45 mins	[1 (14 ounce) can sweetened condensed milk (su	{'calories': '448', 'fat': '14g', 'carbs': '74	[Preheat the oven to 350 degrees F (175 degree	9281485-authentic-mexican-corn-bread-Lisa- Lode	https://www.allrecipes.com/recipes/342/bread/q
19073	{'title': 'Hash Brown and Bacon Omelet Cups',	{'prep_time': '10 mins', 'cook_time': '35 mins	[cooking spray, 3 cups frozen shredded hash br	{'calories': '311', 'fat': '22g', 'carbs': '17	[Preheat the oven to 425 degrees F (220 degree	7567917-hash-brown-omelet-cups-KH- AR15501-4x3	https://www.allrecipes.com/recipes/205/meat- an
19074	{'title': 'Strawberry Freezer Jam', 'category'	{'prep_time': '10 mins', 'cook_time': '10 mins	[4 cups halved fresh strawberries, 1 ½ cups gr	{'calories': '41', 'carbs': '10g'}	[Gather all ingredients., Dotdash Meredith Foo	N/A	https://www.allrecipes.com/recipes/1961/side-d
19075	{'title': 'Chewy Chocolate Chip Oatmeal Cookie	{'prep_time': '20 mins', 'cook_time': '12 mins	[1 cup butter, softened, 1 cup packed light br	{'calories': '145', 'fat': '8g', 'carbs': '17g	[Gather the ingredients. Preheat the oven to 3	N/A	https://www.allrecipes.com/recipes/851/dessert
19076	{'title': 'Sweet Restaurant Slaw', 'category':	{'prep_time': '15 mins', 'additional_time': '2	[1 (16 ounce) bag coleslaw mix, 2 tablespoons	{'calories': '200', 'fat': '12g', 'carbs': '23	[Gather the ingredients., Combine coleslaw mix	N/A	https://www.allrecipes.com/recipes/96/salad/
19077	{'title': 'Easy Apple Cobbler', 'category': 'R	{'prep_time': '10 mins', 'cook_time': '30 mins	[3 tablespoons white sugar, 1 teaspoon ground	{'calories': '168', 'fat': '1g', 'carbs': '41g	[Preheat the oven to 350 degrees F (175 degree	9402881- 827c42f75932475fb553990c838ddf83.jpg	https://www.allrecipes.com/recipes/361/dessert
19078 rows × 7 columns							

Figure 1: Raw Data

We separated these groups so each feature has its own column (prep_time and cook_time have their own columns). We then removed any rows where there was no matching image so all recipes that appear have a corresponding image. We also removed all rows where any blank or null values appeared as well as their corresponding image. This was done to reduce the size of the data so this project can be stored on GitHub. After removing these rows, we reduced our dataset from 19,078 recipes to 6,360.

2.1 Feature Modification

Our project goals require some feature modification in order to provide useful information about each recipe. We've conducted three major feature modifications so far: **verb_count**, **ingredient_count**, **and yield_servings_merge**.

- 1. verb_count indicates the number of verbs in the directions column of a recipe. Since recipes sometimes hide a large number of steps in a single "step" designation, we used this to provide a more accurate picture of the number of steps necessary for a single recipe. This was determined using nltk part-of-speech tagging. This estimation is imperfect (due partially to the difference in sentence structure between recipes and normal sentences), but close enough to be valuable.
- 2. ingredient_count indicates the number of items in the ingredients column of a recipe. This entry is formatted as a list of strings, so it simply counts the number of strings in the list. This attribute helps to quantify the ingredients list, so users can tell from a glance if the recipe requires a large amount of ingredients without having to parse the list itself.

3. yield_servings_merge indicates the yield of the recipe from the column yield, if it exists. If the yield is not available, it indicates the servings for the recipe from the column servings. We thought that the yield column contained more objective data, without making assumptions about how much a serving is. However, this data was sometimes missing, so we decided to supplement it with data from the servings column, which is still useful, but more subjective.

Some of our other variables may require feature modification in the future. For example, the nutrition variables are currently stored as strings (for example, '3g' of protein). These adjustments will be made if they're deemed necessary in the future. For now, they are just options. We're considering automating this part of our workflow, but the information is quite specific to the data we have scraped, so some may not be valuable for future datasets.



Figure 2: Modified Data

We then saved the data to our data folder as recipe_data.csv. The featured dataset can be seen in Figure 2.

2.2 Interface Design

We decided to build an application mimicking the user-friendly, intuitive swiping system found in dating apps like Tinder. This would be useful, since many people already know how to interact with such apps. The interface currently works by swiping randomly through the entire dataset of recipes. This could be improved with pages for storing user preferences and liked recipes, alongside a small tutorial on the main page showing new users how to utilize the tool.




Figure 3: Interface Example

3 Progress and Next Steps

So far, we have scraped the data from Allrecipes, documented our scraping code, and worked on adding relevant features to our data. We have the basic "swiping" implementation com-

pleted, where each swipe stores the selected recipe as "liked" or "disliked".

Next, we want to continue work on the interface, and connect it to a recommender system that predicts the items the user is likely to "like" next. We are currently thinking of utilizing cosine similarity to compare the different recipes, but there are some challenges to implementation (the user is providing a list of preferences, which may not all represent the same type of recipe, and needs to connect to any specified preferences). We are also thinking about additional features that might be helpful for users to have. We collected a category URL that corresponds to the category page the recipe was collected from, so we are considering adding this as a feature; however, the category labels are imperfect and will require some processing to be useful.

4 Group Work

Al has worked on the feature engineering as well as ideas for the recommender system and helping with the interface. Mary has worked on scraping and documenting the scraping code as well as building the interface.