

SIMATS ENGINEERING (SAVEETHA SCHOOL OF ENGINEERING)
Department of Computer Science and Engineering

ASSESSMENT TOOL 1 – C Code Output Prediction

Course Code:	CSA0305	Course Title:	Data Structures
CO Assessed:	CO1 – Imitation (BL3, BL4)	Assessment:	Assessment Tool 1 – C Code Output Prediction
Weightage:	35% of CIA	Total Marks:	100
CO1 Statement:	Apply suitable data structures and ADTs for efficient problem solving by analyzing time and space complexity.		
Student Name:	M.Mary Sharlin	Reg. No.:	192511330
Section / Batch:	BE CSE	Date:	08/07/2026

Code of Conduct

I M.Mary Sharlin (192511330) (Name / Reg No)
certify that this submission is my original work and that I have adhered to the guidelines specified for this assessment. I understand that any violation of academic integrity rules will result in disciplinary action.
Signature of the Student: M.Mary Sharlin

Instructions

- This test contains 20 Debugging & Optimisation Task questions. Total: 100 Marks (20*5).
- When a student answer using Scenario-Based, in evaluation the answer should be with following five requirements: Identify the problem type and constraints, Select appropriate data structure, Design the Solution, Optimization and efficiency, Clarity of representation.
- No negative marking. Unanswered questions carry zero marks.

Section / Topic	Focus	Q Nos	Marks
Linked data structure	Basic data structure	1 - 2	20
Primitive and Non-Primitive Data Structure - Linear and Non-Linear Data Structure	Classifications of Linear data structure	3 - 4	20
Search Data Structure	Linear Search and Binary Search	5 -6	20
Recursion, Performance analysis	Recursion	7 - 8	20
Array Data Structures	Implementations Using Array data structure	9 - 10	20
GRAND TOTAL:			100 Marks

Q1 C Code – Pointer with Array

10 marks

```
#include<stdio.h>
int main(){
int arr[]={10,20,30};
int *p=arr;
printf("%d",*(p+2));
}
```

Your Answer

30

 Save Answer

Next →

Q2 C Code - Linked List Node

10 marks

```
#include<stdio.h>
struct Node{
int data;
struct Node *next;
};
int main(){
struct Node n1,n2;
n1.data=10;
n2.data=20;
n1.next=&n2;
n2.next=NULL;
printf("%d",n1.next->data);
}
```

Your Answer

20

Q3 C Code - Binary Search Complexity

10 marks

```
while(low<=high){  
    mid=(low+high)/2;  
}
```

Your Answer

$O(\log n)$

 Save Answer

Next →

Q4 C Code - Pointer Increment

10 marks

```
#include<stdio.h>  
int main(){  
    int a[]={5,10,15};  
    int *p=a;  
    p++;  
    printf("%d",*p);  
}
```

Your Answer

10

 Save Answer

Next →

Q5 C Code - Array Address

10 marks

```
int arr[]={5,10,15};  
printf("%d",*(arr+1));
```

Your Answer

10

 Save Answer

Next →

Q6 C Code – Linked List Traversal

10 marks

```
Node1 -> Node2 -> Node3 (Node values are 10,20,30)
current=head;
current=current->next;
printf("%d",current->data);
```

Your Answer

20

 Save Answer

Next →

Q7 C Code – Recursion (Factorial)

10 marks

```
#include <stdio.h>
int fact(int n){
    if(n==0)
        return 1;
    return n * fact(n-1);
}
int main(){
    printf("%d", fact(4));
    return 0;
}
```

Your Answer

24

Q8 C Code – Recursion (Sum)

10 marks

```
#include <stdio.h>
int sum(int n){
    if(n==0)
        return 0;
    return n + sum(n-1);
}
int main(){
    printf("%d", sum(5));
}
```

Your Answer

15

Q9 C Code – Primitive Data Type

10 marks

```
#include <stdio.h>
int main(){
int a=10;
char ch='A';
printf("%d %c",a,ch);
}
```

Your Answer

10 A

 Save Answer

Next →

Q10 C Code – Linear Data Structure (Array)

10 marks

```
#include <stdio.h>
int main(){
int arr[]={2,4,6,8};
printf("%d",arr[3]);
}
```

Your Answer

8

 Save Answer