Heart Disease Patient Analysis

PROBLEM STATEMENT

Which clinical factors are **most associated with mortality** in heart failure patients?

KEY FINDINGS

67.9%
Survival rate

+49% higher mortality
Patients with high serum creatinine

63% of deaths
Hypertensive patients

- **Patients with higher serum creatinine** show significantly higher mortality.
- **Hypertension** is strongly associated with **death cases**.

DATASET INFO

- **299** patients
- **13** clinical features
- **Outcome:** Survival vs Death

Heart Disease patient analysis

Age

- 50
- 55
- 60
- 65
- 70

Smoking

- non-smoking
- smoking

Blood Pressure

- High
- Low

Total Patients	Total Survived	Total Deaths	Survival Rate
299	203	96	67.9%

Deaths VS Survived



Patient Demographics: Age & Sex



Hypertension vs. Survival Status



Clinical Indicators by Survival Status



Heart Disease patient analysis



Ejection Fraction

20 | 60

Diabetes Prevalence

42%

Anaemia Prevalence

43%

Avg. Sodium Level

41K

Avg. Platelet Level

417

Survival Status by Anaemia



Diabetes Distribution



Survival by Smoking



Hypertension Impact on Survival



Heart Disease patient analysis

Avg Platelet Count

263K

Sex

- Female
- Male

Smoking

- non-smoking
- smoking

Death case

- Alive
- Dead