

CIS 1103

Hardware and Networking

Hardware and Networking Group Project Template

Group:

1. Hessa Khalfan- H00535166
2. Nourah Alghfeli- H00535834
3. Maryam Ali- H00535836

Table of Contents

1. Summary Statement of Requirements	3
1.1 Hardware Requirements	3
1.2 Network Requirements	5
2. Employee Services and Equipment	5
2.1 Administrative Manager	6
2.2 Film and Graphics Production Editor	7
2.3 Film Crew (Mobile Workers)	8
2.4 Email Server.....	9
2.5 File Server	10
3. Printing Facility	11
4. Network Description and Layout	12
5. Installation Plan	13
6. IP Addressing Scheme	14
7. Security	15
7.1 Requirements.....	Error! Bookmark not defined.
7.2 Proposed Policy.....	Error! Bookmark not defined.
8. Packet Tracer Simulation/Prototype	Error! Bookmark not defined.
8.1 Packet Tracer Simulated Network	Error! Bookmark not defined.
8.2 Screenshots of Configurations	15
8.3 Screenshots of Testing	20

1. Summary Statement of Requirements

< Write what the company needs, explain the issues they are dealing with, and describe the solutions needed to fix those problems.

Clearly state the primary goals of the network implementation. What is the project aiming to achieve>

The company's current hardware is outdated and underpowered. We must replace the outdated computers in the offices of the administrative manager and the film and graphics editor to recent, modern machines. Furthermore, we must purchase new laptops for our mobile workers who require mobility over powerful laptops. Additionally, there is a need to invest in servers for the company and update the network that is currently used in the company to a new network that incorporate with both wired and wireless connections. Which will cost the company around 38,000 AED.

1.1 Hardware and Software Requirements

<

1. We need to assess the company's current end-device infrastructure, such as computers, Servers, Printers, number of users, operating systems, etc.

- The machines are connected through an old 10 Mbps hub using Category 5 cables.
- 2 PC's (not capable of running the software required for video development)
 - Purchased in 2010
 - Windows 7 operating system
 - Intel® Core™2 Duo 2.53 GHz processor
 - 2 GB RAM
 - 250 GB hard disk drives

- 2 Basic black and white laser printers (attached to each PC)

Note: are not capable of running the software required for video development

2. You should identify what hardware changes/upgrades/new, or additions are advisable.
3. Provide reasons for these recommendations, showing how they meet the company's specific needs.>

- **Pc for the Administrative Manager's Office:**

- does not have to be costly.
- must be able to run spreadsheet and database software.
- Be able to access ISP-provided e-mail.
- To make it easier for the manager to schedule work, hire, and manage part-time employees.

- **PC for film and Graphics production Editor:**

- should run Windows 11 and have at least 32 GB of memory.
- very high-resolution graphics
- supports high-resolution video and has enough memory.
- can be used for e-mail.
- help to work quickly and produce high quality graphics especially during tight deadlines.

- **Mobile Workers (Film Crew):**

- 6 Laptops for Mobile Workers
- all of them must have the same operating system
- large hard drive (to store films files)
- able to access e-mail.
- can connect to the internet wirelessly because they do not work in places that have data ports all the time.
- To help them in filming a better-quality film anytime and anywhere.

- **Private color laser printer for the manager :**

- able to copy.
- Scanner with high resolution
- Because of the sensitive nature of the documents and records

- **Printer for employees :**

- Can copy, scan, and print high-quality images and graphics.
- Capable of printing many papers (around 100 pages)
- To print storyboard files
- This device will be used by all employees.

- **Email server**
 - to set up an e-mail account for temporary employees, part-time employees (5 or 6 employees) so they can work from home.
- **File Server**
 - To make it easier for them to share files between each other.

1.2 Network Requirements

<

1. You should identify the networking devices required to meet the customer's needs, including switches, wireless routers, and cables (using the latest category).
2. Recommend which models of networking devices we think are best and explain why.
3. Provide reasons for these recommendations, showing how they meet the company's specific needs.

Put on a switch.

rapid internet access

Employees who enable file sharing must connect to the servers from outside the office. (Size: 1GB-4GB)

wireless Router for the office E900 to provide wireless connectivity to mobile workers.

Cat6 cables provide faster data transmission rates and greater bandwidth than Cat5e cables. Over short distances, they can transfer data at up to 10 Gbps Hub 10Mbps.

2. Employee Services and Equipment

<Each department has their own job functions, based on their job functions determine suitable computer/server hardware to meet the business requirements>

2.1 Administrative Manager

<What types of computers, servers, and printers do they require, and why did you choose the hardware specifications provided below?>

Computer System Planning Form	
Job Role: Admin manager	
Location: Office	
Component	Recommended Specification
Processor: (manufacturer / model / speed)	Intel Core i5- 1135G7 2.4GHz
Memory: (type, amount)	DDR4 16GB
Hard Drive: (type, capacity)	HDD + SDD 1 TB HDD +256 GB SDD
CD-ROM/DVD: (R, R/W, speed)	DVD - R/W
USB Ports: (number, location)	Back • Trrr Jack -> headphones and microphone • Giga bit ethernet port • HDMI port • 2 USB supper speed • 2 USB regular • Port for plugin in
Video Card: (manufacturer, model, video RAM)	ASUS NVIDIA GeForce GT 730 Graphic Card (PCIe 2.0 ,2GB GDDR5 Memory, 4X HDMI Ports, Single-Slot Design, Passive cooling (GT730-4H-SL-2GD5)
Sound Card: (manufacture, model)	Asus xonar se 5.1 channel 192khz/24-bit hi-res 116db snr pcie gaming sound card with windows 10 compatibility
Network Card(s): (Ethernet: speed, wireless, standard)	TP-Link 10/199/1000Mbps Gigabit Ethernet PCI Express Network Card (TG-3468), PCIE Network Adapter, Network Card, Ethernet Card for PC
Operating System: (manufacturer, version, compatibility)	Microsoft - Windows 10
Monitor: (size, resolution, refresh)	HP All-in-one 24-df1021d 23.8 inches FHD (1920 x 1080) 60 Hz
Printer: (manufacturer, model, type, speed)	Hp – Model Number: 7MD74A – Print speed: 20 pages per minute Printing Technology: Laser

Speakers: (manufacturer, model, type)	Logitech 980-000816 Z150 compact Multimedia Stereo Speakers, 3.5mm Audio Input, Headphone Jack
Internet connection	Both wired (Ethernet) and wireless

2.2 Film and Graphics Production Editor

<What types of computers, servers, and printers do they require, and why did you choose the hardware specifications provided below?>

Computer System Planning Form	
Job Role: Film and graphics production editor	
Location: Office	
Component	Recommended Specification
Processor: (manufacturer / model / speed)	Intel core i7 4.0GHz
Memory: (type, amount)	DDR4 32GB
Hard Drive: (type, capacity)	SSD and HDD 512GB 1TB HDD
CD-ROM/DVD: (R, R/W, speed)	DVD drive R/W
USB Ports: (number, location)	4 USB ports Back and side
Video Card: (manufacturer, model, video RAM)	NVIDIA GeForce MX500 Series
Sound Card: (manufacture, model)	Integrated audio, realtek
Network Card(s): (Ethernet: speed, wireless, standard)	Gigabit ethernet
	Integrated Wi-Fi adapter
Operating System: (manufacturer, version, compatibility)	Window 11
Monitor: (size, resolution, refresh)	27inch Full HD ,4K UHD 60Hz
Printer: (manufacturer, model, type, speed)	Hp LaserJet pro M277 dw
Speakers: (manufacturer, model, type)	Logitech Z313 speaker system 2.1 speaker system
Internet connection: (USB/Ethernet/wireless)	Interface: wired Input/output terminals: Audio line 3.5 mm (about 0.14 in) jack

2.3 Film Crew (Mobile Workers)

<What types of computers, servers, and printers do they require, and why did you choose the hardware specifications provided below?>

Computer System Planning Form	
Job Role: Film crew	
Location: Out of the office most of the times	
Component	Recommended Specification
Processor: (manufacturer/model/speed)	Processor: Intel core i7 Speed: 3.7GHz Model: 1355U Generation: 13th generation Number of CPUs: 10
Memory: (type, amount)	RAM: 16 GB RAM Type: DDR4
Hard Drive: (type, capacity)	Storage size: 1TB SSD Storage type: SSD
CD-ROM/DVD: (R, R/W, speed)	R/W
USB Ports: (number, location)	Wi-Fi Type: WIFI6E 2x2 AX Bluetooth: Bluetooth 6E HDMI: 1x HDMI USB: 2x USB 3.2, 1x Type-C Thunderbolt 4 LAN: 1Xrj-45
Video Card: (manufacturer, model, video RAM)	Graphics card: NVIDIA GeForce RTX 2000 Series Graphics card type: NVIDIA GeForce RTX 2050 Graphics Graphics Memory: 4GB
Sound Card: (manufacture, model)	Integrated sound hardware
Network Card(s): (Ethernet: speed, wireless, standard)	Wi-Fi: Wi-Fi 6 Build in ethernet. Bluetooth
Operating System: (manufacturer, version, compatibility)	Windows 11

Monitor: (size, resolution, refresh)	Depth: 237 mm Height: 17.9 mm Width: 361mm
Printer: (manufacturer, model, type, speed)	the HP LaserJet Pro M277dw
Speakers: (manufacturer, model, type)	Logitech Z313 speaker system 2.1 speaker system
Internet connection: (USB/Ethernet/wireless)	Interface Wired Input/output terminals Audio line in 3.5 mm (about 0.14 in) jack

2.4 Email Server

<What types of computers, servers, and printers do they require, and why did you choose the hardware specifications provided below?>

Computer System Planning Form	
Component	Recommended Specification
Processor: (manufacturer / model / speed)	Intel Core i7-10700K 4.8GHz
Memory: (type, amount)	DDR4 16 GB
Hard Drive: (type, capacity)	SSD (Solid state Drive) 512GB
CD-ROM/DVD: (R, R/W, speed)	DVD-RW 8X DVD
USB Ports: (number, location)	4 2 front 2 back
Video Card: (manufacturer, model, video RAM)	NVIDIA GeForce GTX 1660 Ti 6 GB GDDR6
Sound Card: (manufacture, model)	Realtek Hight Definition Audio
Network Card(s): (Ethernet: speed, wireless, standard)	Eathernet :1 Gbps Wireless: 802.11ac
Operating System: (manufacturer, version, compatibility)	Microsoft Windows 10 Pro
Monitor: (size, resolution, refresh)	24inch FHD 60Hz

Printer: (manufacturer, model, type, speed)	Not needed
Speakers: (manufacturer, model, type)	Not needed
Internet connection: (USB/Ethernet/wireless)	Wired (Eathernet)

2.5 File Server

<What types of computers, servers, and printers do they require, and why did you choose the hardware specifications provided below?>

Computer System Planning Form	
Component	Recommended Specification
Processor: (manufacturer / model / speed)	Intel Xeon E-2224G 4Ghz
Memory: (type, amount)	DDR4 16GB
Hard Drive: (type, capacity)	SSD (solid State Drive) +480GB
CD-ROM/DVD: (R, R/W, speed)	Not needed
USB Ports: (number, location)	Front: 2 Rear: 4
Video Card: (manufacturer, model, video RAM)	Not needed
Sound Card: (manufacture, model)	Not needed
Network Card(s): (Ethernet: speed, wireless, standard)	Ethernet: 1Gbps
Operating System: (manufacturer, version, compatibility)	Microsoft Windows Server 2019
Monitor: (size, resolution, refresh)	Not needed
Printer: (manufacturer, model, type, speed)	Not needed
Speakers: (manufacturer, model, type)	Not needed
Internet connection: (USB/Ethernet/wireless)	Wired (Ethernet)

3. Printing Facility

< What types of printers do they need, which model did you select, and how will these choices support their business requirements? ">

Our suggestion for the administrative manager is the Hp LaserJet MFP M141W74A Wireless Printer, because it is affordable and it offers good print quality and they can do the things that they need (scanning, printing, copying).

Our suggestion for the rest of the shared printer is the HP LaserJet Pro M277dw because it is affordable and it offers a high-quality printer and it is an all-in-one printer that can (scan, copy, print).


4. Network Description and Layout

<Paste your network design from Packet Tracer and provide a description of the network and its purpose.>

In this network, a Router will represent the Internet connection (simulating the ISP connection). Switch to connect all LAN devices 2 PCs, one for the Administrative Manager and one for the Film and Graphics Production Editor's

We may also use 2 to 6 film crew laptops, 2 printers, and Wireless Router. These will be required to provide mobile workers with wireless connectivity.

There are two servers (email and file).




5. Installation Plan

<Describe your physical network installation plan based on the office layout provided>

As asked, we placed the PC and printer in the Administrative Manager room. We also placed the two servers in the closet to save files that the mobile workers require to use the computer, because they may need them while the manager is not in the office and the computer is not switched on.

Film and graphics production PC Editor mobile employees can come into the workplace at any time of day or night. They normally work from home or on-site, although they might be at the office for 24 hours a day. They must be able to utilize the printer and scanner while in the workplace. So we installed a combo printer in the corridor so that everyone could use it. and we place two switches to keep the wires organized.



6. IP Addressing Scheme

<Your Chosen IP address Plan, write the following: Network Address, first valid IP address, Last Valid IP Address, Broadcast Address

To configure IP addresses for the devices in CreativeDesign Corporation's network, we will assume we will use a private IP address range, as is common in local networks.

So, we will use the subnet 192.168.1.0/24 for this. This provides a range of usable IP addresses from 192.168.1.1 to 192.168.1.254.

The broadcast address would be 192.168.1.255.

Complete the following table describing IP address assignment: Static or Dynamic with its IP details:>

Device	Name	IP Address	Subnet Mask
Wireless Router	MainR	Static/192.168.1.1	255.255.255.0
PC	Ad-Manager PC	Static/192.168.1.3	255.255.255.0
PC	FilmEditor-PC	static/192.168.1.4	255.255.255.0
server	FTP server	Static/192.168.1.9	255.255.255.0
Laptop	Production assistants1	DHCP/192.168.1.112	255.255.255.0
Laptop	production assistants2	DHCP/192.168.1.101	255.255.255.0
Laptop	camera man 1	DHCP/192.168.1.111	255.255.255.0
Laptop	camera man 2	DHCP/192.168.1.104	255.255.255.0
Laptop	production manager	DHCP/192.168.1.109	255.255.255.0
Laptop	film director	DHCP/192.168.1.100	255.255.255.0
Email Server	Email-Server	Static/192.168.1.5	255.255.255.0
Printer	Private Printer	DHCP/192.168.1.116	255.255.255.0
Printer	Combination Printer	DHCP/192.168.1.106	255.255.255.0
Laptop	Temporary employee	DHCP/192.168.1.115	255.255.255.0

7. Security

<Describe the security measures you have implemented in your network?

Provide screenshots of your wireless security configurations and explain why you chose them.>

Maintaining company security involves putting in place a mix of physical, technical, and administrative safeguards to protect against potential threats and risk. No one other than office members and employees should have access to the network, and only certain devices should be able to connect to it.

We set WAP to use WPA2-psk encryption for the highest level of wireless security. This ensures that data sent over a wireless network is encrypted.

We have also created a strong password ("Comnetw0rk") to wireless router configuration settings, and we should enact a written policy requiring employees to never share their passwords or information with anyone.

SSID broadcasting is also possible. This prevents WAP from broadcasting its presence, making it more difficult for unauthorized users to discover the network.

1.1 Screenshots of Configurations

We set the IP pool start from 192.168.0.100 and the maximum number of users online to 50.

The screenshot shows the MainR Wireless-N Broadband Router configuration interface. The 'Setup' tab is selected, and the 'Internet Setup' section is active. The 'Internet Connection type' is set to 'Automatic Configuration - DHCP'. The 'Optional Settings' section shows 'Host Name' and 'Domain Name' fields, and 'MTU' set to 1500. The 'Network Setup' section shows 'Router IP' set to 192.168.0.1 and 'Subnet Mask' set to 255.255.255.0. The 'DHCP Server' is enabled, and the 'IP Address Range' is set to 192.168.0.100 - 149, with a 'Maximum number of Users' of 50. The 'Client Lease Time' is set to 0 minutes. The 'Static DNS' and 'WINS' sections are also visible.

Physical Config **GUI** Attributes

Wireless-N Broadband Router

Setup Wireless Security Access Restrictions Applications & Gaming Administration

Basic Setup DDNS MAC Address Clone Advanced Router

Internet Setup

Internet Connection type: Automatic Configuration - DHCP

Optional Settings (required by some internet service providers):

Host Name:

Domain Name:

MTU: Size: 1500

Network Setup

Router IP: IP Address: 192 . 168 . 0 . 1 Subnet Mask: 255.255.255.0

DHCP Server Settings:

DHCP Server: ☒ Enabled ☐ Disabled DHCP Reservation

Start IP Address: 192.168.0.100

Maximum number of Users: 50

IP Address Range: 192.168.0.100 - 149

Client Lease Time: 0 minutes (0 means one day)

Static DNS 1: 0 . 0 . 0 . 0


Static DNS 2: 0 . 0 . 0 . 0

Static DNS 3: 0 . 0 . 0 . 0

WINS: 0 . 0 . 0 . 0

☐ Top

Here, we assigned the network SSID CreativeDesign.



We switched the security mode to WPA2-PSK and used the password Comnetw0rk.

MainR

Physical Config GUI Attributes

GLOBAL

Settings

Algorithm Settings

INTERFACE

Internet

LAN

Wireless

Wireless Settings

SSID: CreativeDesign

2.4 GHz Channel: 1 - 2.412GHz

Coverage Range (meters): 250.00

Authentication

☐ Disabled ☐ WEP ☒ WPA2-PSK ☐ WPA

WEP Key:

PSK Pass Phrase: Comnetw0rk

RADIUS Server Settings

IP Address:

Shared Secret:

Encryption Type: AES

In this section, we configure the FTP server for client-server architecture to transfer files between the host server and the remote computer.

FTP Server

Physical

Config

Services

Desktop

Programming

Attributes

SERVICES

HTTP

DHCP

DHCPv6

TFTP

DNS

SYSLOG

AAA

NTP

EMAIL

FTP

IoT

VM Management

Radius EAP

FTP

Service

On

Off

User Setup

Username

CreativeDesign

Password

Passw0rd

☒ Write

☒ Read

☐ Delete

☒ Rename

☒ List

	Username	Password	Permission
1	CreativeDesign	Passw0rd	RWNL
2	cisco	cisco	RWDNL

Add

Save

Remove


File

1	asa842-k8.bin
2	asa923-k8.bin
3	c1841-advipservicesk9-mz.124-15.T1.bin
4	c1841-ipbase-mz.123-14.T7.bin
5	c1841-ipbasek9-mz.124-12.bin
6	c1900-universalk9-mz.SPA.155-3.M4a.bin
7	c2600-advipservicesk9-mz.124-15.T1.bin

Remove

☐ Top

In this section, we configure the email server in packet tracer and create passwords for each email.



1.2 Testing:


< Test your network and provide screenshots that show:

- The commands you used for testing.
- A description of how each command works.
- Specify the devices involved in each test for each screenshot.

>

Ping command:

We use the Ping command to send Packets from the Ad-manager PC (192.168.1.3) to the FilmEditor-PC (192.168.1.4).



```
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.1.4


Pinging 192.168.1.4 with 32 bytes of data:

Reply from 192.168.1.4: bytes=32 time=3ms TTL=128
Reply from 192.168.1.4: bytes=32 time=14ms TTL=128
Reply from 192.168.1.4: bytes=32 time<1ms TTL=128
Reply from 192.168.1.4: bytes=32 time<1ms TTL=128

Ping statistics for 192.168.1.4:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 0ms, Maximum = 14ms, Average = 4ms

c:\>|
```

The Ping command is sent from Production assistants1 (192.168.1.112) to Ad-manager PC (192.168.1.3).



The screenshot shows a Cisco Packet Tracer PC Command Line window for a device named 'production assistants1'. The window has tabs for 'Physical', 'Config', 'Desktop', 'Programming', and 'Attributes', with 'Desktop' currently selected. Inside the window, a 'Command Prompt' window is open, displaying the results of a ping command. The command entered is 'C:\>ping 192.168.1.3'. The output shows four successful replies from 192.168.1.3 with varying times (52ms, 21ms, 13ms, 8ms) and a TTL of 128. Ping statistics are also shown: 4 packets sent, 4 received, 0% loss, with round trip times of 8ms (minimum), 52ms (maximum), and 23ms (average). The command prompt ends with 'c:\>|'. A 'Top' button is visible at the bottom left of the window.

```
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.1.3


Pinging 192.168.1.3 with 32 bytes of data:

Reply from 192.168.1.3: bytes=32 time=52ms TTL=128
Reply from 192.168.1.3: bytes=32 time=21ms TTL=128
Reply from 192.168.1.3: bytes=32 time=13ms TTL=128
Reply from 192.168.1.3: bytes=32 time=8ms TTL=128

Ping statistics for 192.168.1.3:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 8ms, Maximum = 52ms, Average = 23ms

c:\>|
```

We use the Ping command to connect the Temporary Employee (192.168.1.115) to the Email Server (192.168.1.5).



MAIL CONFIGURATION:

FilmEditor-PC

Physical Config **Desktop** Programming Attributes

Configure Mail X

User Information

Your Name: Editor

Email Address: Editor@Creativedesign.com

Server Information

Incoming Mail Server: 192.168.0.5

Outgoing Mail Server: 192.168.0.5

Logon Information

User Name: Editor

Password: ●●●

Save Remove Clear Reset

FilmEditor-PC

Physical Config **Desktop** Programming Attributes

Compose Mail X

Send To: Manager@Creativedesign.com

Subject: Completion of Film Planning

Dear Manger,

I am pleased to inform you that we have successfully completed the planning phase for our upcoming film project. This milestone marks a significant step forward in bringing our creative vision to life.

Throughout the planning process, our dedicated team has worked tirelessly to meticulously detail every aspect of the project. We have carefully outlined the storyline, finalized the shooting schedule, secured the necessary equipment and locations, and ensured that all logistical considerations are in place.

In addition to the technical aspects, we have also focused on the artistic elements that will contribute to the overall quality and impact of the film. The creative direction, casting choices, and visual design have all been thoughtfully considered to align with our vision.

We believe that the comprehensive planning we have undertaken will serve as a strong foundation for the production phase. With all the necessary preparations in place, we are poised to move forward seamlessly and begin capturing the magic that will make this project truly exceptional.

As we transition into the production phase, we are eager to see our vision come to life on screen. We have assembled a talented and dedicated team who are equally passionate about the project, and we are confident that their expertise will shine through in the final product.

We would like to extend our heartfelt gratitude to everyone involved in the planning process. Your hard work, creativity, and attention to detail have been instrumental in reaching this milestone. We look forward to the next phase of our journey together.

If you have any questions or require further information, please do not hesitate to reach out. We are excited about the journey ahead and confident that the final result will be something we can all be proud of.

Thank you once again for your invaluable contributions.

Warm regards,

Editor

☐ Top

Ad-Manager PC

Physical Config Desktop Programming Attributes

MAIL BROWSER

Mails

Compose Reply Receive Delete Configure Mail

	From	Subject	Received
1	Editor@Creativedesign.com	Completion of Film Planning	Tue Nov 7 2023 14:33:36

Completion of Film Planning
Editor@Creativedesign.com
Sent : Tue Nov 7 2023 14:33:36

Dear Manger,

I am pleased to inform you that we have successfully completed the planning phase for our upcoming film project. This milestone marks a significant step forward in bringing our creative vision to life.

Throughout the planning process, our dedicated team has worked tirelessly to meticulously detail every aspect of the project. We have carefully outlined the storyline, finalized the shooting schedule, secured the necessary equipment and locations, and ensured that all logistical considerations are in place.

In addition to the technical aspects, we have also focused on the artistic elements that will contribute to the overall quality and impact of the film. The creative direction, casting choices, and visual design have all been thoughtfully considered to align with our vision.


We believe that the comprehensive planning we have undertaken will serve as a strong foundation for the production phase. With all the necessary preparations in place, we are poised to move forward seamlessly and begin capturing the magic that will make this project truly exceptional.

As we transition into the production phase, we are eager to see our vision come to life on screen. We have assembled a talented and dedicated team who are equally passionate about the project, and we are confident that their expertise will shine through in the final product. We would like to extend our heartfelt gratitude to everyone involved in the planning process. Your hard work, creativity, and attention to detail have been instrumental in reaching this milestone. We look forward to the next phase of our journey together.

Cancel
Send/Receive

☐ Top

FTP Server:



film director

Physical
 Config
 Desktop
 Programming
 Attributes

Command Prompt

```

ftp> put locations.txt

Writing file locations.txt to 192.168.0.9:
File transfer in progress...


[Transfer complete - 2768 bytes]

2768 bytes copied in 0.094 secs (29446 bytes/sec)
ftp> dir

Listing /ftp directory from 192.168.0.9:
0   : asa842-k8.bin                5571584
1   : asa923-k8.bin                30468096
2   : c1841-advipservicesk9-mz.124-15.T1.bin  33591768
3   : c1841-ipbase-mz.123-14.T7.bin  13832032
4   : c1841-ipbasek9-mz.124-12.bin  16599160
5   : c1900-universalk9-mz.SPA.155-3.M4a.bin  33591768
6   : c2600-advipservicesk9-mz.124-15.T1.bin  33591768
7   : c2600-i-mz.122-28.bin        5571584
8   : c2600-ipbasek9-mz.124-8.bin   13169700
9   : c2800nm-advipservicesk9-mz.124-15.T1.bin  50938004
10  : c2800nm-advipservicesk9-mz.151-4.M4.bin  33591768
11  : c2800nm-ipbase-mz.123-14.T7.bin  5571584
12  : c2800nm-ipbasek9-mz.124-8.bin  15522644
13  : c2900-universalk9-mz.SPA.155-3.M4a.bin  33591768
14  : c2950-i6q4l2-mz.121-22.EA4.bin  3058048
15  : c2950-i6q4l2-mz.121-22.EA8.bin  3117390
16  : c2960-lanbase-mz.122-25.FX.bin  4414921
17  : c2960-lanbase-mz.122-25.SEE1.bin  4670455
18  : c2960-lanbasek9-mz.150-2.SE4.bin  4670455
19  : c3560-advipservicesk9-mz.122-37.SE1.bin  8662192
20  : c3560-advipservicesk9-mz.122-46.SE.bin  10713279
21  : c800-universalk9-mz.SPA.152-4.M4.bin  33591768
22  : c800-universalk9-mz.SPA.154-3.M6a.bin  83029236
23  : cat3k_caa-universalk9.16.03.02.SPA.bin  505532849
24  : cgr1000-universalk9-mz.SPA.154-2.CG  159487552
25  : cgr1000-universalk9-mz.SPA.156-3.CG  184530138
26  : ir800-universalk9-bundle.SPA.156-3.M.bin  160968869
27  : ir800-universalk9-mz.SPA.155-3.M  61750062
28  : ir800-universalk9-mz.SPA.156-3.M  63753767
29  : ir800_yocto-1.7.2.tar         2877440
30  : ir800_yocto-1.7.2_python-2.7.3.tar  6912000
31  : locations.txt                 2768
32  : pt1000-i-mz.122-28.bin        5571584
33  : pt3000-i6q4l2-mz.121-22.EA4.bin  3117390
ftp>

```

☐ Top



Printer:

Combination Printer

Physical

Config

Attributes

GLOBAL

Settings

INTERFACE

Wireless0

Wireless0

Port Status

On

Bandwidth

300 Mbps

MAC Address

00D0.5818.0420

SSID

CreativeDesign

Authentication

Disabled

WPA-PSK

WPA

802.1X

WEP

WPA2-PSK

WPA2

WEK Key

PSK Pass Phrase

Comnetw0rk

User ID

Password

Method:

MD5

Encryption Type

AES

IP Configuration

DHCP

Static

IPv4 Address

192.168.0.114

Subnet Mask

255.255.255.0

IPv6 Configuration

Automatic

Static

IPv6 Address

/

Link Local Address

FE80::2D0:58FF:FE18:420

Top

Private Printer

Physical

Config

Attributes

GLOBAL

Settings

INTERFACE

FastEthernet0

FastEthernet0

Port Status

On

Bandwidth

100 Mbps

10 Mbps

Auto

Duplex

Half Duplex

Full Duplex

Auto

MAC Address000A.F3BC.92E9

IP Configuration

DHCP

Static

IPv4 Address192.168.0.116

Subnet Mask255.255.255.0

IPv6 Configuration

Automatic

Static

IPv6 Address

Link Local Address: FE80::20A:F3FF:FEBC:92E9

Top