

#### Intro

#### Goal



- 1. semantic analysis, as far as
  - typing is concerned ("static semantics")
  - other coditions (no duplicate declaration etc)
- 2. code generation for compila24 (ish) programs

## Last time (O1)



#### Syntactic analysis

- lexer (scanner)
- parser
- abstract syntax tree

this time: continue with your previous deliv. (and repos)

### **Learning outcome**



- understand type checking, implementing a simple variant
- understand (simple form of) bytecode and how to generate it from "source code" (as AST)
- extend an existing compiler code base with new functionality



# Semantic analysis

### Semantic analysis & type checking



- parser / context-free grammars
  - not powerful enough
  - cannot check all (static) properties of a language spec
- => extend the front-end by a type checker
  - use the AST classes of last time
  - add type checking code
  - allowed to make changes or adaptations if advantagous.

## Another glance at compila23



INF5110 - Oblig 2

```
program MyProgram begin
                                                          Real and Imag are of the (built-in)
class Complex begin
                                                                      float type.
  var Real : float:
                                                            Complex defines a new (user-
  var Imag: float;
                                                                    defined) type.
end:
 proc Add(a: Complex, b: Complex): Complex
                                                             Check that the + operator is
 begin
                                                            compatible with its operands'
  var retval : Complex:
                                                           types, and that the assignment is
  retval := new Complex;
                                                                        legal.
  retval.Real := a.Real + b.Real:
  retval.Imag := a.Imag + b.Imag;
  return retval:
end:
 proc Main()
                                                          Check that the actual parameters
 begin
                                                          to Add(...) are of the correct type,
  var c1 : Complex;
                                                                according to the formal
  var c2 : Complex:
                                                               parameters, and that the
  var result : Complex;
                                                             assignment to result is legal.
  result := Add ( c1, c2 );
  return:
end: end:
```

NB: 2024: minor different syntax (e.g. structs, not classes)

#### Type checking for conditionals

as "inspiration", details may vary

```
class IfStatement extends Statement {
...
  public void typeCheck() {
    String condType = condition.get.Type ();
    if (condType != "bool") {
        throw new TypeException("condition in an if
            statement must be of type bool")
    }
}
```

### Type checking: assignments

```
class Assignment extends Statement {
 public void typeCheck() {
    String varType = var.getType();
    String expType = exp.getType();
    if (varType != expType &&
       !isAssigmentCompatible(varType, expType) {
                  throw new TypeException ("Cannot assignment)
                  " from " + expType);
```



## **Code generation**

### **Code generation**



- byte code API and operations are described in the document "Interpreter and bytecode for INF5110" (part of the compila repos under doc)
- Task: add bytecode generation methods to your AST classes for instance

```
Ast.Node.GenerateCode(...)
```

 again: if adaptations of the AST are called for or useful, go for it...

### **Code generation: limitations**



- interpreter and byte code library somewhat limited
  - cannot express full compila 24
  - no block structure
  - no reference types
- your delivery should support generating correct bytecode for the compila 24 source code file runme.cmp

### Code generation: creating a procedure

```
CodeFile codeFile = new CodeFile();
// add the procedure by name first
codeFile.addProcedure("Main")
// then define it
CodeProcedure main = new
    CodeProcedure("Main", VoidType, TYPE, codeFile);
main.addInstruction( new RETURN());
//then update it in the code file
codeFile.updateProcedure(main);
```

### Code generation: assignment





## **Testing**

#### **Testing**



- bunch of test files, for testing the type checker
- preferable: make ant test workable
- test files inside
  - ./tests/semanticanalysis/errors/ (and with fail in the filename) contain a syntactically correct but erronous program (erroneous as the type system or generally the semantic phase is concerned)
- => compiler returns error code 2 for semantic failure



## Starting point and hand in

## Provided source code (patch)

https://github.uio.no/compilerconstruction-inf5110/compila

```
to 🛅 🔡 🕱 🖺 Save - Orgando 💥 🗓 🖺 🛕
/home/msteffen/cor/teaching/compila/oblig2patch/src:
total used in directory 20 available 294232040
drwxrwxr-x. 5 msteffen msteffen 4096 Apr 2 12:22
drwxrwxr-x. 4 msteffen msteffen 4096 Apr. 2 12:14
drwxrwxr-x, 2 msteffen msteffen 4096 Apr 2 10:12 compiler
drwxrwxr-x. 2 msteffen msteffen 4096 Apr 2 11:22 test-asinspiration
drwxrwxr-x, 4 msteffen msteffen 4096 Apr 2 11:23 tests
/home/msteffen/cor/teaching/compila/oblig2patch/src/compiler:
total used in directory 12 available 294232848
drwxrwxr-x, 2 msteffen msteffen 4096 Apr 2 10:12
drwxrwxr-x. 5 msteffen msteffen 4096 Apr 2 12:22 .
-rwxrwxr-x. 1 msteffen msteffen 2875 Apr 2 10:12 Compiler.java
/home/msteffen/cor/teaching/compila/oblig2patch/src/test-asinspiration:
total used in directory 16 available 294232040
drwxrwxr-x. 2 msteffen msteffen 4096 Apr 2 11:22
drwxrwxr-x. 5 msteffen msteffen 4096 Apr 2 12:22
-rwxrwxr-x, 1 msteffen msteffen 390 Feb 5 12:07 FileEndingFilter.iava
-rwxrwxr-x. 1 msteffen msteffen 2577 Feb 5 12:07 Tester.java
/home/msteffen/cor/teaching/compila/oblig2patch/src/tests:
total used in directory 16 available 294232028
drwxrwxr-x. 4 msteffen msteffen 4096 Apr. 2 11:23
drwxrwxr-x, 5 msteffen msteffen 4096 Apr 2 12:22 .
drwxrwxr-x. 2 msteffen msteffen 4096 Apr. 2 11:23 fullprograms
drwxrwxr-x. 4 msteffen msteffen 4096 Apr 2 09:57 semanticanalysis
 /home/msteffen/cor/teaching/compila/oblig2patch/src/tests/fullprograms:
total used in directory 12 available 294232028
drwxrwxr-x. 2 msteffen msteffen 4096 Apr 2 11:23
drwxrwxr-x. 4 msteffen msteffen 4096 Apr 2 11:23
-rwxrwxr-x, 1 msteffen msteffen 1998 Feb 5 08:59 Funme.cmp
:%%- src<oblig2patch>
```

Tests: already included in the oblig1 checkout, so left out in the zip-patch this year.



### Provided documentation (patch)



```
At the state state, the send not to the state state of the state s
```

#### Relevant directories




- Java
  - compiler: updated compiler class (patch)
  - test: some code for performing tests (patch)
  - bytecode: classes for constructing bytecode (already there)
  - runtime: rte for executing the byte code (already there)
- Compila
  - tests: some test files (including runme.cmp)

#### Deadline

#### **Deadline**

(Wednesday, 15. 05. 2024)



#### delivs

- working type checker
- code generator (test with runme.cmp)
- report (including your name(s) etc.
  - discussion of your solution, choices you made, assumptions you rely on
  - printout of a test run (can be also checked in into the repos, but it needs to be mentioned where it is)
  - printout of the bytecode from runme.cmp (with a target like ant list-runme)
  - solution must "build" and be "testable" (typically via ant)





### References

#### References I

