

Single-Row Subquery | Salary Above Average

Query Result x | Query Result 1 x | Query Result 2 x | Query Result 3 x

SQL | All Rows Fetched: 4 in 0.011 seconds

EMP_ID	FNAME	LNAME	SALARY_AMOUNT
1	Ahmed	Alhinai	8000
2	Fatma	Albalushi	8000
3	Huda	Alkindi	6000
4	Said	Alhabsi	6000

```
SELECT jd.name AS department_name,  
       SUM(p.total_amount) AS total_payroll  
FROM JOB_DEPARTMENT jd  
JOIN PAYROLL p ON jd.job_ID = p.job_ID  
GROUP BY jd.job_ID, jd.name  
HAVING SUM(p.total_amount) = (  
    SELECT MAX(total_payroll)  
    FROM (  
        SELECT SUM(total_amount) AS total_payroll  
        FROM PAYROLL  
        GROUP BY job_ID  
    )  
);
```


Query Result 1 x Query Result 2 x

SQL | All Rows Fetched: 1 in 0.01 seconds

DEPARTMENT_NAME	TOTAL_PAYROLL
1 Engineering	18000

Multi-Row Subquery | IN | Departments With Bonus > 500

```
SELECT e.emp_ID, e.fname, e.lname,  
       jd.name AS department_name, sb.bonus  
FROM EMPLOYEE e  
JOIN JOB_DEPARTMENT jd ON e.job_ID = jd.job_ID  
JOIN SALARY_BONUS sb ON e.salary_ID = sb.salary_ID  
WHERE e.job_ID IN (  
    SELECT job_ID FROM SALARY_BONUS WHERE bonus > 500  
);
```




Query Result x | Query Result 1 x | Query Result 2 x | Query Result 3 x | Q

SQL | All Rows Fetched: 6 in 0.019 seconds

EMP_ID	FNAME	LNAME	DEPARTMENT_NAME	BONUS
1	Ahmed	Alhinai	Engineering	1000
2	Fatma	Albalushi	Engineering	1000
3	Huda	Alkindi	Finance	800
4	Said	Alhabsi	Finance	800
5	Aisha	Almahrooqi	Operations	600
6	Rashid	Albusaidi	Operations	600

Multi-Row Subquery | ALL | Salary Above All Maintenance Salaries

```
SELECT e.emp_ID, e.fname, e.lname,  
       sb.amount AS salary_amount  
FROM EMPLOYEE e  
JOIN SALARY_BONUS sb ON e.salary_ID = sb.salary_ID  
WHERE sb.amount > ALL (  
    SELECT sb2.amount  
    FROM SALARY_BONUS sb2  
    JOIN JOB_DEPARTMENT jd2 ON sb2.job_ID = jd2.job_ID  
    WHERE jd2.name = 'Maintenance'  
);
```




Query Result x | Query Result 1 x | Query Result 2 x | Query Result 3 x | Query Re

SQL | All Rows Fetched: 8 in 0.037 seconds

EMP_ID	FNAME	LNAME	SALARY_AMOUNT
1	Ahmed	Alhinai	8000
2	Fatma	Albalushi	8000
3	Salim	Alshibli	3500
4	Mariam	Alrashdi	3500
5	Huda	Alkindi	6000
6	Said	Alhabsi	6000
7	Aisha	Almahrooqi	4200
8	Rashid	Albusaidi	4200

Multi-Row Subquery | ANY | Salary Above Any HR Salary

```
SELECT e.emp_ID, e.fname, e.lname,  
       sb.amount AS salary_amount  
FROM EMPLOYEE e  
JOIN SALARY_BONUS sb ON e.salary_ID = sb.salary_ID  
WHERE sb.amount > ANY (  
    SELECT sb2.amount  
    FROM SALARY_BONUS sb2  
    JOIN JOB_DEPARTMENT jd2 ON sb2.job_ID = jd2.job_ID  
    WHERE jd2.name = 'Human Resources'  
);
```



The screenshot shows a database query result window with the following data:

	EMP_ID	FNAME	LNAME	SALARY_AMOUNT
1	1	Ahmed	Alhinai	8000
2	2	Fatma	Albalushi	8000
3	5	Huda	Alkindi	6000
4	6	Said	Alhabsi	6000
5	9	Aisha	Almahrooqi	4200
6	10	Rashid	Albusaidi	4200