```
MINGW64:/c/git_tp1
 aryl@DESKTOP-106DM1S MINGW64 /c/git_tp1
$ rm recette
maryl@DESKTOP-106DM1S MINGW64 /c/git_tp1
$ mkdir oper
maryl@DESKTOP-106DM1S MINGW64 /c/git_tp1
$ mkdir recette
maryl@DESKTOP-106DM1S MINGW64 /c/git_tp1
$ 1s
oper/ recette/
maryl@DESKTOP-106DM1S MINGW64 /c/git_tp1
$ 1s -R
. :
oper/ recette/
./oper:
./recette:
maryl@DESKTOP-106DM1S MINGW64 /c/git_tp1
maryl@DESKTOP-106DM1S MINGW64 /c/git_tp1/recette
$ cat index.html
<h1>HelloWorld</h1>
maryl@DESKTOP-106DM1S MINGW64 /c/git_tp1/recette
maryl@DESKTOP-106DM1S MINGW64 /c/git_tp1/recette
$ cat index_v2.html
<h1>HelloWorld</h1>
Ceci est mon premier code! 
maryl@DESKTOP-106DM1S MINGW64 /c/git_tp1/recette
maryl@DESKTOP-106DM1S MINGW64 /c/git_tp1/oper
$ cat index_v2.html
<h1>HelloWorld</h1>
Ceci est mon premier code!
```