

FLEX Sidebar UI Screenshots

Generated 2026-06-09 07:20:13 from <http://127.0.0.1:5002>

01. 📌 Operations OS - Live Operations graph

<http://127.0.0.1:5002/ops>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the <http://127.0.0.1:52019> origin. Use the command line flag --remote-allow-origins=<http://127.0.0.1:52019> to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

02. 📌 Operations OS - Pipeline & States cards

<http://127.0.0.1:5002/ops/cards>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the <http://127.0.0.1:52046> origin. Use the command line flag --remote-allow-origins=<http://127.0.0.1:52046> to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

03. 📌 Operations OS - Operations Table

<http://127.0.0.1:5002/ops/operations>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the <http://127.0.0.1:52067> origin. Use the command line flag --remote-allow-origins=<http://127.0.0.1:52067> to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

04. Live Market - Live Launches

<http://127.0.0.1:5002/live-launches>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52090 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52090 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

05. Review - Predictions

<http://127.0.0.1:5002/predictions>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52111 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52111 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

06. Review - Token Review

<http://127.0.0.1:5002/approval-queue>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52132 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52132 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

07. Review - Ecosystem Review

<http://127.0.0.1:5002/network-approval>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52153 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52153 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

08. Review - Funding Review

<http://127.0.0.1:5002/funding-queue>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52177 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52177 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

09. Intelligence — research - Discovery Mode

<http://127.0.0.1:5002/watchtower/operators>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52212 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52212 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

10. Intelligence — research - Attribution Review

<http://127.0.0.1:5002/watchtower/intelligence>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52233 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52233 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

11. Intelligence — research - Tokens

<http://127.0.0.1:5002/token-intelligence>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52255 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52255 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

12. Intelligence — research - Creators

<http://127.0.0.1:5002/creator-analysis>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52284 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52284 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

13. Intelligence — research - Ecosystems

<http://127.0.0.1:5002/ecosystem>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52311 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52311 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

14. Intelligence — research - Funding

<http://127.0.0.1:5002/funder-intelligence>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52334 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52334 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

15. Intelligence — research - Portfolio

<http://127.0.0.1:5002/trading-sim>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52354 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52354 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

16. Investigation - Flash Spikes

<http://127.0.0.1:5002/spike-analysis>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52377 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52377 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

17. Investigation - Investigations

<http://127.0.0.1:5002/network-diagram>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52398 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52398 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

18. WATCHTOWER Legacy — reference - o WATCHTOWER

<http://127.0.0.1:5002/watchtower>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52421 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52421 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

19. WATCHTOWER Legacy — reference - Command Center (old)

<http://127.0.0.1:5002/command-center>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52443 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52443 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

20. WATCHTOWER Legacy — reference - Campaigns / Dashboard

<http://127.0.0.1:5002/watchtower/dashboard>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52463 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52463 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

21. WATCHTOWER Legacy — reference - Interceptor

<http://127.0.0.1:5002/watchtower/interceptor>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52482 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52482 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

22. Diagnostics - System Health

<http://127.0.0.1:5002/system-health>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52500 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52500 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

23. Diagnostics - Webhook Monitor

<http://127.0.0.1:5002/webhook-monitor>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52524 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52524 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

24. Diagnostics - Graph Diagnostics

<http://127.0.0.1:5002/transfer-graph>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+-+ { 'content-length': '241', 'content-type': 'text/html' } -+-+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52548 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52548 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

25. Diagnostics - PumpFun Feed

<http://127.0.0.1:5002/pumpfun>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+--+ { 'content-length': '241', 'content-type': 'text/html' } -+--+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52574 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52574 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

26. Diagnostics - Snapshots

<http://127.0.0.1:5002/snapshots>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+--+ { 'content-length': '241', 'content-type': 'text/html' } -+--+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52599 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52599 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

27. Diagnostics - Vaults

<http://127.0.0.1:5002/vaults>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+--+ { 'content-length': '241', 'content-type': 'text/html' } -+--+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52623 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52623 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

28. Diagnostics - Usage

<http://127.0.0.1:5002/usage>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+--+ { 'content-length': '241', 'content-type': 'text/html' } -+--+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52655 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52655 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'

29. Diagnostics - Settings

<http://127.0.0.1:5002/settings>

Capture failed

WebSocketBadStatusException: Handshake status 403 Forbidden -+--+ { 'content-length': '241', 'content-type': 'text/html' } -+--+ b'Rejected an incoming WebSocket connection from the http://127.0.0.1:52680 origin. Use the command line flag --remote-allow-origins=http://127.0.0.1:52680 to allow connections from this origin or --remote-allow-origins=* to allow all origins.'
