



Review & export

Migration contract SHA-256: 104da3f66822f6f093839f4937784e36473e86364303423c01be21ce6985dcd9

2

selected instances

16

changed connections

16

changed tokens

caller-a.pd · root · #22

3 0 7 1 → 3 0 7 0

caller-a.pd · root · #23

4 0 7 2 → 4 0 7 1

caller-a.pd · root · #24

5 0 7 0 → 5 0 7 2

caller-a.pd · root · #25

6 0 7 0 → 6 0 7 2

caller-a.pd · root · #26

7 0 8 0 → 7 1 8 0

caller-a.pd · root · #27

7 0 10 0 → 7 1 10 0

caller-a.pd · root · #28

7 0 9 0 → 7 1 9 0

caller-a.pd · root · #29

7 1 11 0 → 7 0 11 0

caller-b.pd · root/2 · #25

3 0 7 1 → 3 0 7 0

caller-b.pd · root/2 · #26

4 0 7 2 → 4 0 7 1

caller-b.pd · root/2 · #27

5 0 7 0 → 5 0 7 2

caller-b.pd · root/2 · #28

6 0 7 0 → 6 0 7 2

caller-b.pd · root/2 · #29

7 0 8 0 → 7 1 8 0

caller-b.pd · root/2 · #30

7 0 10 0 → 7 1 10 0

caller-b.pd · root/2 · #31

7 0 9 0 → 7 1 9 0

caller-b.pd · root/2 · #32

7 1 11 0 → 7 0 11 0

Files in the ZIP

triplet.pd · caller-a.pd · caller-b.pd · triplet-extra.pd · migration.json · receipt.json · receipt.txt

migration.json binds the original SHA-256 hashes. receipt.json and receipt.txt describe every change.

What stays intact

Connection order, object indices, coordinates, comments, whitespace and line endings. Every caller byte outside the selected endpoint numbers stays untouched.

Verify in your own patch

Hashes verify the source version, not semantic or behavioral equivalence. Keep your originals and test the bundle in a separate folder.