

Harbor editor · guarded upgrade

Contract and expected results passed for these fixtures · 3/3 fixtures passed · 1 overwrite warnings

A passed fixture does not prove that all saved user data can survive. Expected values and intent declarations are independently authored. Equal values at the same path are observations, not identity or move inference. Empty containers count as original leaves. No storage, network or automatic user-file migration occurs.

Version chain

1 → 2 → 3

1 → 2

```
[
  {
    "op": "test",
    "path": "/metadata/title",
    "value": null
  },
  {
    "op": "move",
    "from": "/title",
    "path": "/metadata/title"
  }
]
```

2 → 3

```
[
  {
    "op": "add",
    "path": "/presentation",
    "value": {
      "theme": "paper",
      "zoom": 1
    }
  }
]
```

V1 · custom data and empty containers

Execution: applied / Expected: pass / Preservation: pass

Overwrite warnings

```
[
  {
    "kind": "overwrite",
    "operation": 1,
    "path": "/metadata/title",
    "beforePreview": "null",
    "beforeTruncated": false,
    "from": 1,
    "to": 2
  }
]
```

Original envelope

```
{
  "version": 1,
  "payload": {
    "title": "Harbor map",
    "metadata": {
      "title": null
    },
    "customFields": {
      "owner": "Aya",
      "workshop": "north"
    },
    "items": [
      {
        "id": "dock",
        "label": "Dock",
        "tags": []
      }
    ],
    "empty": {}
  }
}
```

Actual result

```
{
  "version": 3,
  "payload": {
    "metadata": {
      "title": "Harbor map"
    },
    "customFields": {
      "owner": "Aya",
      "workshop": "north"
    },
    "items": [
      {
        "id": "dock",
        "label": "Dock",
        "tags": []
      }
    ],
    "empty": {},
    "presentation": {
      "theme": "paper",
      "zoom": 1
    }
  }
}
```

Independent expectation

```
{
  "kind": "value",
  "value": {
    "version": 3,
    "payload": {
      "metadata": {
        "title": "Harbor map"
      },
      "customFields": {
        "owner": "Aya",
        "workshop": "north"
      },
      "items": [
        {
          "id": "dock",
          "label": "Dock",
          "tags": []
        }
      ],
      "empty": {},
      "presentation": {
        "theme": "paper",
        "zoom": 1
      }
    }
  }
}
```

Preservation / intent declarations

```
[
  {
    "kind": "preserve",
    "source": "/title",
    "target": "/metadata/title",
    "reason": "Move the project title without changing its value",
    "ok": true,
    "detail": "Explicit old/new equality"
  },
  {
    "kind": "change",
    "source": "/metadata/title",
    "target": "/metadata/title",
    "reason": "Replace the explicit null placeholder with the old title",
    "ok": true,
    "detail": "Target must match independent expected output"
  }
]
```

Original-leaf accounting

Original path	Original value	Observed / declared status
/title	"Harbor map"	preserved · /title
/metadata/title	null	intentional-change · /metadata/title
/customFields/owner	"Aya"	same-path-equal
/customFields/workshop	"north"	same-path-equal
/items/0/id	"dock"	same-path-equal
/items/0/label	"Dock"	same-path-equal
/items/0/tags	[]	same-path-equal
/empty	{}	same-path-equal

V1 · existing title must reject

Execution: error / Expected: pass / Preservation: not-run

PATCH_FAILED: Test operation did not match

Overwrite warnings

```
[]
```

Original envelope

```
{
  "version": 1,
  "payload": {
    "title": "Harbor map",
    "metadata": {
      "title": "Owner-authored title"
    },
    "customFields": {
      "owner": "Aya",
      "workshop": "north"
    },
    "items": [
      {
        "id": "dock",
        "label": "Dock",
        "tags": []
      }
    ],
    "empty": {}
  }
}
```

Actual result

```
{
  "code": "PATCH_FAILED",
  "message": "Test operation did not match",
  "operation": 0,
  "from": 1,
  "to": 2
}
```

Independent expectation

```
{
  "kind": "error",
  "code": "PATCH_FAILED"
}
```

Preservation / intent declarations

```
[]
```

Original-leaf accounting

Original path	Original value	Observed / declared status
---------------	----------------	----------------------------

V2 · skip no version

Execution: applied / Expected: pass / Preservation: pass

Overwrite warnings

```
[]
```

Original envelope

```
{
  "version": 2,
  "payload": {
    "metadata": {
      "title": "Version two project"
    },
    "customFields": {
      "futureField": "keep me"
    },
    "items": [],
    "empty": {}
  }
}
```

Actual result

```
{
  "version": 3,
  "payload": {
    "metadata": {
      "title": "Version two project"
    },
    "customFields": {
      "futureField": "keep me"
    },
    "items": [],
    "empty": {},
    "presentation": {
      "theme": "paper",
      "zoom": 1
    }
  }
}
```

Independent expectation

```
{
  "kind": "value",
  "value": {
    "version": 3,
    "payload": {
      "metadata": {
        "title": "Version two project"
      },
      "customFields": {
        "futureField": "keep me"
      },
      "items": [],
      "empty": {},
      "presentation": {
        "theme": "paper",
        "zoom": 1
      }
    }
  }
}
```

Preservation / intent declarations

```
[]
```

Original-leaf accounting

Original path	Original value	Observed / declared status
/metadata/title	"Version two project"	same-path-equal
/customFields/futureField	"keep me"	same-path-equal
/items	[]	same-path-equal
/empty	{}	same-path-equal

Interpretation limits

Preserve compares an explicitly named old subtree to a new subtree. Change requires a reason and a target matching the independently expected output. Drop requires a reason and absence of the original path after migration. Array paths describe positions, not entity identities. Unreviewed original leaves block contract success. Extra output fields and nonempty container shape are checked through the whole expected output.