41)

Among the following identify the one in which dimensionality reduction reduces.

- a) Performance
- b) statistics
- c) Entropy
- d) Collinearity

# **ANSWER:** d) Collinearity

- 42) Which of the following machine learning algorithm is based upon the idea of bagging?
- a) Decision Tree
- b) Random Forest
- c) Classfication
- d) SVM

#### **ANSWER:** b) Random Forest

- 43) Choose a disadvantage of decision trees among the following.
- a) Decision tree robust to outliers
- b) Factor analysis
- c) Decision Tree are prone to overfit
- d) all of the above

# ANSWER: c) Decision Tree are prone to overfit

44)

What is the term known as on which the machine learning algorithms build a model based on sample data?

- a) Data Training
- b) Sample Data
- c) Training data
- d) None of the above

# ANSWER: c) Training Data

Which of the following machine learning techniques helps in detecting the outliers in data?

- a) Clustering
- b) Classification
- c) Anamoly detection
- d) All of the above

#### ANSWER: c)Anamoly detection

46)

Identify the incorrect numerical functions in the various function representation of machine learning.

- a) Support Vector
- b) Regression
- c) Case based
- d) Classification

#### ANSWER: c) Case Based

47)

Analysis of ML algorithm needs

- a) Statistical learning theory
- b) Computational learning theory
- c) None of the above
- d) Both a and b

#### ANSWER: d) both a and b

48)

Identify the difficulties with the k-nearest neighbor algorithm.

- a) Curse of dimensionality
- b) Calculate the distance of test case for all training cases
- c) Both a and b
- d) None

ANSWER: c) Both a and b

ne total types of the layer in radial basis function neural networks is  1  2  3  4
2 3
3
4
NSWER: c) 3
hich of the following is not a supervised learning
PCA
Naïve bayes
Linear regression
KMeans