1. Basis netwerkcommunicatie

1.1

```
Command Prompt

Microsoft Windows [Version 10.0.26200.7840]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Weaver>ping canvas.hu.nl

Pinging canvas-dub-prod-c275-8629387.eu-west-1.elb.amazonaws.com [52.49.237.169] with 32 bytes of data:
Reply from 52.49.237.169: bytes=32 time=28ms TTL=245
Reply from 52.49.237.169: bytes=32 time=26ms TTL=245
Reply from 52.49.237.169: bytes=32 time=25ms TTL=245
Reply from 52.49.237.169: bytes=32 time=26ms TTL=245

Ping statistics for 52.49.237.169:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 25ms, Maximum = 28ms, Average = 26ms

C:\Users\Weaver>
```

1.2



1.3

source (ik): 44-F7-9F-13-48-75

Destination: 00:00:5e:00:01:00

1.4

Source: CloudNetwork

Destination: IETF-VRRP-VRID_00

2. Routering

2.1

```
Command Prompt

C:\Users\Weaver>route PRINT -4
===========================================================================
Interface List
  5...46 f7 9f 13 68 55 ......MediaTek Wi-Fi 7 MT7925 Wireless LAN Card #3
  8...46 f7 9f 13 78 45 ......MediaTek Wi-Fi 7 MT7925 Wireless LAN Card #4
 13...44 f7 9f 13 48 75 ......MediaTek Wi-Fi 7 MT7925 Wireless LAN Card
 17...44 f7 9f 13 48 76 ......Bluetooth Device (Personal Area Network)
  1...........................Software Loopback Interface 1
===========================================================================

IPv4 Route Table
===========================================================================
Active Routes:
Network Destination        Netmask          Gateway       Interface  Metric
          0.0.0.0          0.0.0.0     145.89.164.1   145.89.167.179     35
        127.0.0.0        255.0.0.0         On-link         127.0.0.1    331
        127.0.0.1  255.255.255.255         On-link         127.0.0.1    331
  127.255.255.255  255.255.255.255         On-link         127.0.0.1    331
     145.89.164.0    255.255.252.0         On-link    145.89.167.179    291
   145.89.167.179  255.255.255.255         On-link    145.89.167.179    291
   145.89.167.255  255.255.255.255         On-link    145.89.167.179    291
        224.0.0.0        240.0.0.0         On-link         127.0.0.1    331
        224.0.0.0        240.0.0.0         On-link    145.89.167.179    291
  255.255.255.255  255.255.255.255         On-link         127.0.0.1    331
  255.255.255.255  255.255.255.255         On-link    145.89.167.179    291
===========================================================================
Persistent Routes:
  None

C:\Users\Weaver>
```

2.2 145.89.164.1

2.3

```
C:\Users\Weaver>tracert -d 8.8.8.8

Tracing route to 8.8.8.8 over a maximum of 30 hops

  1    17 ms     5 ms     5 ms  145.89.164.2
  2     8 ms     3 ms     4 ms  10.2.18.14
  3    10 ms     5 ms     5 ms  10.2.220.1
  4    12 ms     4 ms     5 ms  10.2.13.9
  5    42 ms    60 ms    19 ms  145.145.17.1
  6    11 ms     7 ms     7 ms  145.145.176.40
  7    11 ms     7 ms     7 ms  145.145.128.7
  8    12 ms     7 ms    21 ms  72.14.220.250
  9    12 ms     8 ms     7 ms  172.253.66.253
 10    13 ms     9 ms    11 ms  142.250.224.133
 11    19 ms     8 ms    21 ms  8.8.8.8

Trace complete.

C:\Users\Weaver>
```

3. Cloud Omgeving

3.1



3.2

Regels voor binnenkomende poort (4)

300	SSH	22	TCP	[redacted]	Willekeurig	Allow
65000	AllowVnetInBound	Willekeurig	Willekeurig	VirtualNetwork	VirtualNetwork	Allow

3.3

```
C:\Users\Weaver>ssh Weaver@20.208.130.35
```

3.4

```
Weaver@CSC-Sil-01:~$ ifconfig
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST>  mtu 1500
        inet 10.0.0.4  netmask 255.255.255.0  broadcast 10.0.0.255
        inet6 fe80::222:48ff:fe61:d9c9  prefixlen 64  scopeid 0x20<link>
        ether 00:22:48:61:d9:c9  txqueuelen 1000  (Ethernet)
        RX packets 28198  bytes 15568722 (15.5 MB)
        RX errors 0  dropped 0  overruns 0  frame 0
        TX packets 23532  bytes 6009083 (6.0 MB)
        TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING>  mtu 65536
        inet 127.0.0.1  netmask 255.0.0.0
        inet6 ::1  prefixlen 128  scopeid 0x10<host>
        loop  txqueuelen 1000  (Local Loopback)
        RX packets 54  bytes 7487 (7.4 KB)
        RX errors 0  dropped 0  overruns 0  frame 0
        TX packets 54  bytes 7487 (7.4 KB)
        TX errors 0  dropped 0 overruns 0  carrier 0  collisions 0
```

3.5

```
Weaver@CSC-Sil-01:~/Wever/Sil/Hobbies/Programming$ python3 systemInfo.py
Hostname: CSC-Sil-01
Username: Weaver
Local IP Address: 10.0.0.4
Internet IP Address: 20.208.130.35
Weaver@CSC-Sil-01:~/Wever/Sil/Hobbies/Programming$
```