

Table 1: Numerical Results for THMRST1, THMRST2, THMRST3, THMRST4 on Problem 1

#Dim	Ip	THMRST1					THMRST2					THMRST3					THMRST4				
		#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm
1,000	x1	2	4	0.004824	0	2	4	0.004728	0	2	4	0.00537	0	2	4	0.001129	0	2	4	0.001129	0
	x2	1	2	0.002171	0	1	2	0.002131	0	1	2	0.002229	0	1	2	0.000812	0	1	2	0.000812	0
	x3	1	2	0.001952	0	1	2	0.002461	0	1	2	0.002114	0	1	2	0.001178	0	1	2	0.001178	0
	x4	1	4	0.007841	0	1	4	0.007962	0	1	4	0.008219	0	1	4	0.000793	0	1	4	0.000793	0
	x5	1	2	0.004196	0	1	2	0.005229	0	1	2	0.005676	0	1	2	0.000782	0	1	2	0.000782	0
5,000	x1	2	4	0.008077	0	2	4	0.007917	0	2	4	0.007994	0	2	4	0.001909	0	2	4	0.001909	0
	x2	1	2	0.001443	0	1	2	0.00155	0	1	2	0.00138	0	1	2	0.001146	0	1	2	0.001146	0
	x3	1	2	0.001281	0	1	2	0.001387	0	1	2	0.001637	0	1	2	0.001103	0	1	2	0.001103	0
	x4	1	4	0.00146	0	1	4	0.001765	0	1	4	0.001584	0	1	4	0.00126	0	1	4	0.00126	0
	x5	1	2	0.001383	0	1	2	0.001412	0	1	2	0.001642	0	1	2	0.001087	0	1	2	0.001087	0
10,000	x1	2	4	0.003109	0	2	4	0.004026	0	2	4	0.003932	0	2	4	0.003555	0	2	4	0.003555	0
	x2	1	2	0.00194	0	1	2	0.001698	0	1	2	0.002539	0	1	2	0.001904	0	1	2	0.001904	0
	x3	1	2	0.001905	0	1	2	0.001897	0	1	2	0.001684	0	1	2	0.001869	0	1	2	0.001869	0
	x4	1	4	0.002889	0	1	4	0.002564	0	1	4	0.002593	0	1	4	0.00201	0	1	4	0.00201	0
	x5	1	2	0.002586	0	1	2	0.002358	0	1	2	0.002803	0	1	2	0.001768	0	1	2	0.001768	0
50,000	x1	2	4	0.010763	0	2	4	0.011115	0	2	4	0.012772	0	2	4	0.012188	0	2	4	0.012188	0
	x2	1	2	0.005734	0	1	2	0.006531	0	1	2	0.006597	0	1	2	0.005742	0	1	2	0.005742	0
	x3	1	2	0.005492	0	1	2	0.008124	0	1	2	0.004751	0	1	2	0.004854	0	1	2	0.004854	0
	x4	1	4	0.008969	0	1	4	0.008462	0	1	4	0.006101	0	1	4	0.007431	0	1	4	0.007431	0
	x5	1	2	0.005586	0	1	2	0.005479	0	1	2	0.005565	0	1	2	0.004755	0	1	2	0.004755	0
100,000	x1	2	4	0.021247	0	2	4	0.024473	0	2	4	0.0197	0	2	4	0.015777	0	2	4	0.015777	0
	x2	1	2	0.010752	0	1	2	0.014077	0	1	2	0.010913	0	1	2	0.010981	0	1	2	0.010981	0
	x3	1	2	0.013049	0	1	2	0.013771	0	1	2	0.014585	0	1	2	0.01144	0	1	2	0.01144	0
	x4	1	4	0.016365	0	1	4	0.017764	0	1	4	0.019665	0	1	4	0.018147	0	1	4	0.018147	0
	x5	1	2	0.014081	0	1	2	0.011787	0	1	2	0.011549	0	1	2	0.010211	0	1	2	0.010211	0

Table 2: Numerical Results for THMRST1, THMRST2, THMRST3, THMRST4 on Problem 2

#Dim	Ip	THMRST1					THMRST2					THMRST3					THMRST4				
		#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm				
1,000	x1	1	5	0.001502	0	1	5	0.001602	0	1	5	0.001733	0	1	5	0.000926	0				
	x2	1	4	0.000783	0	1	4	0.000932	0	1	4	0.000783	0	1	4	0.000792	0				
	x3	1	4	0.000845	0	1	4	0.000821	0	1	4	0.000907	0	1	4	0.000866	0				
	x4	1	4	0.00084	0	1	4	0.000852	0	1	4	0.000835	0	1	4	0.001047	0				
	x5	1	4	0.001557	0	1	4	0.0018	0	1	4	0.001394	0	1	4	0.000718	0				
5,000	x1	1	5	0.001515	0	1	5	0.001717	0	1	5	0.002075	0	1	5	0.001216	0				
	x2	1	4	0.001073	0	1	4	0.001603	0	1	4	0.001741	0	1	4	0.001932	0				
	x3	1	4	0.001291	0	1	4	0.001903	0	1	4	0.001436	0	1	4	0.001628	0				
	x4	1	4	0.001348	0	1	4	0.001729	0	1	4	0.00137	0	1	4	0.001345	0				
	x5	1	4	0.001232	0	1	4	0.001398	0	1	4	0.001123	0	1	4	0.001188	0				
10,000	x1	1	5	0.002276	0	1	5	0.002437	0	1	5	0.001767	0	1	5	0.001903	0				
	x2	1	4	0.00231	0	1	4	0.002025	0	1	4	0.001652	0	1	4	0.001557	0				
	x3	1	4	0.001704	0	1	4	0.002094	0	1	4	0.001714	0	1	4	0.002005	0				
	x4	1	4	0.001756	0	1	4	0.002249	0	1	4	0.001955	0	1	4	0.001603	0				
	x5	1	4	0.002291	0	1	4	0.001904	0	1	4	0.001663	0	1	4	0.002092	0				
50,000	x1	1	5	0.006334	0	1	5	0.006278	0	1	5	0.012773	0	1	5	0.008156	0				
	x2	1	4	0.007743	0	1	4	0.00608	0	1	4	0.007121	0	1	4	0.005023	0				
	x3	1	4	0.007251	0	1	4	0.006081	0	1	4	0.011066	0	1	4	0.004712	0				
	x4	1	4	0.00738	0	1	4	0.006193	0	1	4	0.006866	0	1	4	0.00459	0				
	x5	1	4	0.005036	0	1	4	0.006362	0	1	4	0.006232	0	1	4	0.006182	0				
100,000	x1	1	5	0.012088	0	1	5	0.014432	0	1	5	0.012812	0	1	5	0.012663	0				
	x2	1	4	0.010146	0	1	4	0.012016	0	1	4	0.012168	0	1	4	0.01155	0				
	x3	1	4	0.010783	0	1	4	0.010884	0	1	4	0.00791	0	1	4	0.011382	0				
	x4	1	4	0.011252	0	1	4	0.01042	0	1	4	0.010674	0	1	4	0.011296	0				
	x5	1	4	0.012687	0	1	4	0.01123	0	1	4	0.012009	0	1	4	0.010608	0				

Table 3: Numerical Results for THMRST1, THMRST2, THMRST3, THMRST4 on Problem 3

#Dim	Ip	THMRST1					THMRST2					THMRST3					THMRST4				
		#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm				
1,000	x1	1	5	0.001315	0	1	5	0.001182	0	1	5	0.001366	0	1	5	0.001028	0				
	x2	1	4	0.000948	0	1	4	0.001153	0	1	4	0.001761	0	1	4	0.001037	0				
	x3	1	4	0.000945	0	1	4	0.001139	0	1	4	0.001047	0	1	4	0.000877	0				
	x4	1	4	0.000894	0	1	4	0.00109	0	1	4	0.000933	0	1	4	0.000885	0				
	x5	1	4	0.001112	0	1	4	0.001182	0	1	4	0.001612	0	1	4	0.000927	0				
5,000	x1	1	5	0.001756	0	1	5	0.001883	0	1	5	0.002259	0	1	5	0.001711	0				
	x2	1	4	0.001594	0	1	4	0.001622	0	1	4	0.001921	0	1	4	0.001853	0				
	x3	1	4	0.00152	0	1	4	0.001661	0	1	4	0.001673	0	1	4	0.001781	0				
	x4	1	4	0.001622	0	1	4	0.001574	0	1	4	0.002146	0	1	4	0.001575	0				
	x5	1	4	0.002011	0	1	4	0.002043	0	1	4	0.002227	0	1	4	0.001677	0				
10,000	x1	1	5	0.003903	0	1	5	0.00296	0	1	5	0.002605	0	1	5	0.004913	0				
	x2	1	4	0.003109	0	1	4	0.003493	0	1	4	0.003573	0	1	4	0.0065	0				
	x3	1	4	0.002585	0	1	4	0.003035	0	1	4	0.00416	0	1	4	0.003609	0				
	x4	1	4	0.003667	0	1	4	0.002433	0	1	4	0.00467	0	1	4	0.002726	0				
	x5	1	4	0.002428	0	1	4	0.004453	0	1	4	0.004406	0	1	4	0.002813	0				
50,000	x1	1	5	0.014203	0	1	5	0.015588	0	1	5	0.01738	0	1	5	0.014066	0				
	x2	1	4	0.011713	0	1	4	0.012748	0	1	4	0.011122	0	1	4	0.018327	0				
	x3	1	4	0.018385	0	1	4	0.014709	0	1	4	0.0114	0	1	4	0.015544	0				
	x4	1	4	0.011659	0	1	4	0.011836	0	1	4	0.011226	0	1	4	0.013637	0				
	x5	1	4	0.013408	0	1	4	0.014449	0	1	4	0.01096	0	1	4	0.012061	0				
100,000	x1	1	5	0.026477	0	1	5	0.029031	0	1	5	0.027695	0	1	5	0.026799	0				
	x2	1	4	0.021404	0	1	4	0.023323	0	1	4	0.020515	0	1	4	0.019442	0				
	x3	1	4	0.026189	0	1	4	0.024276	0	1	4	0.029386	0	1	4	0.021911	0				
	x4	1	4	0.023509	0	1	4	0.026243	0	1	4	0.024169	0	1	4	0.020483	0				
	x5	1	4	0.018955	0	1	4	0.026628	0	1	4	0.051721	0	1	4	0.026549	0				

Table 4: Numerical Results for THMRST1, THMRST2, THMRST3, THMRST4 on Problem 4

#Dim	Ip	THMRST1					THMRST2					THMRST3					THMRST4				
		#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm				
1,000	x1	2	9	0.001781	0	2	9	0.002655	0	2	9	0.002547	0	2	9	0.001904	0				
	x2	2	9	0.001038	0	2	9	0.001267	0	2	9	0.001546	0	2	9	0.00141	0				
	x3	2	9	0.001809	0	2	9	0.001359	0	2	9	0.001315	0	2	9	0.001218	0				
	x4	2	9	0.001063	0	2	9	0.001268	0	2	9	0.001355	0	2	9	0.001056	0				
	x5	2	9	0.001205	0	2	9	0.001296	0	2	9	0.001939	0	2	9	0.001001	0				
5,000	x1	2	9	0.002261	0	2	9	0.002363	0	2	9	0.002462	0	2	9	0.001982	0				
	x2	2	9	0.002703	0	2	9	0.001944	0	2	9	0.002064	0	2	9	0.002466	0				
	x3	2	9	0.002507	0	2	9	0.002161	0	2	9	0.002252	0	2	9	0.002653	0				
	x4	2	9	0.0021	0	2	9	0.002661	0	2	9	0.003326	0	2	9	0.002641	0				
	x5	2	9	0.002334	0	2	9	0.00253	0	2	9	0.002196	0	2	9	0.003026	0				
10,000	x1	2	9	0.003974	0	2	9	0.004121	0	2	9	0.003936	0	2	9	0.003805	0				
	x2	2	9	0.004549	0	2	9	0.003544	0	2	9	0.004934	0	2	9	0.00375	0				
	x3	2	9	0.0035	0	2	9	0.003492	0	2	9	0.00357	0	2	9	0.002947	0				
	x4	2	9	0.003342	0	2	9	0.006595	0	2	9	0.00429	0	2	9	0.003396	0				
	x5	2	9	0.003064	0	2	9	0.004165	0	2	9	0.002954	0	2	9	0.003515	0				
50,000	x1	2	9	0.013063	0	2	9	0.015272	0	2	9	0.013095	0	2	9	0.013989	0				
	x2	2	9	0.015508	0	2	9	0.013598	0	2	9	0.012673	0	2	9	0.014028	0				
	x3	2	9	0.016064	0	2	9	0.012329	0	2	9	0.012429	0	2	9	0.015763	0				
	x4	2	9	0.018717	0	2	9	0.017498	0	2	9	0.013649	0	2	9	0.015882	0				
	x5	2	9	0.016546	0	2	9	0.016767	0	2	9	0.017224	0	2	9	0.013584	0				
100,000	x1	2	9	0.029493	0	2	9	0.028556	0	2	9	0.030466	0	2	9	0.02523	0				
	x2	2	9	0.021535	0	2	9	0.03847	0	2	9	0.024861	0	2	9	0.03078	0				
	x3	2	9	0.030361	0	2	9	0.030237	0	2	9	0.025098	0	2	9	0.025228	0				
	x4	2	9	0.031461	0	2	9	0.043144	0	2	9	0.024418	0	2	9	0.040008	0				
	x5	2	9	0.034926	0	2	9	0.031366	0	2	9	0.027617	0	2	9	0.034031	0				

Table 5: Numerical Results for THMRST1, THMRST2, THMRST3, THMRST4 on Problem 5

#Dim	Ip	THMRST1					THMRST2					THMRST3					THMRST4				
		#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm
1,000	x1	1	5	0.001588	0	1	5	0.001558	0	1	5	0.001151	0	1	5	0.000928	0	1	5	0.000922	0
	x2	1	4	0.001041	0	1	4	0.000863	0	1	4	0.001127	0	1	4	0.000922	0	1	4	0.000922	0
	x3	1	4	0.001004	0	1	4	0.000882	0	1	4	0.000883	0	1	4	0.000829	0	1	4	0.000829	0
	x4	1	4	0.001119	0	1	4	0.000903	0	1	4	0.000817	0	1	4	0.000781	0	1	4	0.000781	0
	x5	1	4	0.000996	0	1	4	0.001117	0	1	4	0.0012	0	1	4	0.000819	0	1	4	0.000819	0
5,000	x1	1	5	0.001313	0	1	5	0.001473	0	1	5	0.001901	0	1	5	0.001377	0	1	5	0.001377	0
	x2	1	4	0.001194	0	1	4	0.001273	0	1	4	0.001443	0	1	4	0.001671	0	1	4	0.001671	0
	x3	1	4	0.001558	0	1	4	0.001776	0	1	4	0.001176	0	1	4	0.001825	0	1	4	0.001825	0
	x4	1	4	0.001557	0	1	4	0.001533	0	1	4	0.001113	0	1	4	0.001385	0	1	4	0.001385	0
	x5	1	4	0.001355	0	1	4	0.00114	0	1	4	0.001267	0	1	4	0.001275	0	1	4	0.001275	0
10,000	x1	1	5	0.001935	0	1	5	0.003138	0	1	5	0.001794	0	1	5	0.001989	0	1	5	0.001989	0
	x2	1	4	0.001905	0	1	4	0.002493	0	1	4	0.001775	0	1	4	0.002179	0	1	4	0.002179	0
	x3	1	4	0.001817	0	1	4	0.001921	0	1	4	0.001743	0	1	4	0.00201	0	1	4	0.00201	0
	x4	1	4	0.001888	0	1	4	0.001815	0	1	4	0.002322	0	1	4	0.002107	0	1	4	0.002107	0
	x5	1	4	0.00192	0	1	4	0.001818	0	1	4	0.00279	0	1	4	0.002	0	1	4	0.002	0
50,000	x1	1	5	0.008092	0	1	5	0.006023	0	1	5	0.007724	0	1	5	0.009618	0	1	5	0.009618	0
	x2	1	4	0.006004	0	1	4	0.00935	0	1	4	0.006108	0	1	4	0.006871	0	1	4	0.006871	0
	x3	1	4	0.006527	0	1	4	0.006834	0	1	4	0.005449	0	1	4	0.005774	0	1	4	0.005774	0
	x4	1	4	0.004701	0	1	4	0.005529	0	1	4	0.006309	0	1	4	0.004819	0	1	4	0.004819	0
	x5	1	4	0.004844	0	1	4	0.007055	0	1	4	0.004893	0	1	4	0.004918	0	1	4	0.004918	0
100,000	x1	1	5	0.011848	0	1	5	0.016537	0	1	5	0.012043	0	1	5	0.011185	0	1	5	0.011185	0
	x2	1	4	0.009468	0	1	4	0.011588	0	1	4	0.010835	0	1	4	0.012226	0	1	4	0.012226	0
	x3	1	4	0.013983	0	1	4	0.014744	0	1	4	0.010547	0	1	4	0.011475	0	1	4	0.011475	0
	x4	1	4	0.013017	0	1	4	0.01049	0	1	4	0.011984	0	1	4	0.010032	0	1	4	0.010032	0
	x5	1	4	0.01227	0	1	4	0.011191	0	1	4	0.010641	0	1	4	0.016373	0	1	4	0.016373	0

Table 6: Numerical Results for THMRST1, THMRST2, THMRST3, THMRST4 on Problem 6

#Dim	Ip	THMRST1					THMRST2					THMRST3					THMRST4				
		#ltr	#Fev	#Tm	#Nrm	#ltr	#Fev	#Tm	#Nrm	#ltr	#Fev	#Tm	#Nrm	#ltr	#Fev	#Tm	#Nrm	#ltr	#Fev	#Tm	#Nrm
1,000	x1	16	51	0.007796	9.77E-06	15	48	0.009006	7.70E-06	17	55	0.007168	7.94E-06	17	54	0.004274	8.39E-06				
	x2	14	45	0.005206	9.81E-06	14	45	0.003496	9.84E-06	16	52	0.004911	8.97E-06	14	45	0.004898	9.84E-06				
	x3	16	51	0.003814	3.85E-06	14	46	0.00319	9.66E-06	14	45	0.005379	5.93E-06	14	45	0.005444	5.93E-06				
	x4	19	61	0.004214	8.66E-06	18	57	0.004899	3.83E-06	15	48	0.003625	7.63E-06	15	49	0.005597	8.14E-06				
	x5	16	51	0.00535	6.62E-06	15	49	0.008043	8.30E-06	16	52	0.004039	6.26E-06	16	51	0.006647	6.36E-06				
5,000	x1	14	45	0.014545	7.74E-06	16	52	0.016895	9.11E-06	16	51	0.010322	5.20E-06	15	48	0.016142	8.11E-06				
	x2	18	58	0.015724	9.05E-06	17	54	0.015032	6.53E-06	17	54	0.012223	6.55E-06	15	49	0.016967	8.67E-06				
	x3	14	46	0.012167	8.60E-06	15	48	0.014956	7.80E-06	17	55	0.012933	8.45E-06	14	46	0.014891	7.11E-06				
	x4	14	46	0.00926	8.83E-06	15	48	0.01297	9.86E-06	14	46	0.012437	8.84E-06	17	54	0.01515	8.26E-06				
	x5	19	61	0.015215	8.91E-06	17	54	0.013613	4.56E-06	16	51	0.017057	9.03E-06	15	48	0.013633	6.69E-06				
10,000	x1	18	57	0.023845	8.94E-06	23	72	0.03635	8.58E-06	22	70	0.032437	7.82E-06	19	61	0.023675	8.23E-06				
	x2	16	52	0.026557	9.10E-06	18	57	0.029359	3.42E-06	15	49	0.022732	7.66E-06	16	51	0.023652	6.32E-06				
	x3	17	54	0.023507	6.03E-06	17	54	0.047214	5.85E-06	14	46	0.029508	9.32E-06	16	51	0.032959	8.66E-06				
	x4	16	51	0.030471	5.77E-06	16	51	0.026285	4.50E-06	16	52	0.023037	9.87E-06	16	52	0.036912	9.87E-06				
	x5	20	64	0.034291	9.14E-06	16	52	0.026548	8.54E-06	16	52	0.023338	7.42E-06	17	55	0.026281	7.68E-06				
50,000	x1	16	51	0.08771	6.06E-06	15	48	0.09608	8.65E-06	16	51	0.081568	4.87E-06	15	49	0.088385	9.37E-06				
	x2	18	57	0.10041	7.72E-06	19	60	0.11456	6.04E-06	19	60	0.099982	6.05E-06	17	55	0.090755	7.45E-06				
	x3	16	51	0.095461	7.41E-06	16	52	0.10334	7.87E-06	16	52	0.094123	7.86E-06	16	51	0.097058	7.42E-06				
	x4	15	49	0.078454	7.66E-06	15	48	0.10678	7.17E-06	15	49	0.10955	7.91E-06	16	51	0.11933	4.75E-06				
	x5	20	63	0.097079	8.62E-06	17	55	0.12164	9.13E-06	18	57	0.11132	8.09E-06	17	55	0.12804	9.37E-06				
100,000	x1	19	60	0.27602	7.05E-06	21	66	0.28234	9.64E-06	26	81	0.3266	7.43E-06	18	57	0.20654	9.81E-06				
	x2	18	57	0.2368	8.59E-06	18	57	0.24982	8.61E-06	17	54	0.19983	6.68E-06	17	54	0.17895	7.82E-06				
	x3	18	57	0.20871	9.21E-06	17	54	0.22912	8.22E-06	18	57	0.21858	8.14E-06	18	57	0.2045	9.26E-06				
	x4	19	60	0.25642	6.77E-06	21	66	0.28062	7.28E-06	21	67	0.27164	8.38E-06	20	63	0.23811	7.25E-06				
	x5	16	51	0.17555	7.52E-06	21	66	0.27788	9.09E-06	21	66	0.25619	8.45E-06	18	57	0.20869	9.83E-06				

Table 7: Numerical Results for THMRST1, THMRST2, THMRST3, THMRST4 on Problem 7

#Dim	Ip	THMRST1					THMRST2					THMRST3					THMRST4				
		#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm	#Itr	#Fev	#Tm	#Nrm
1,000	x1	17	53	0.005446	5.79E-06	16	50	0.007143	7.39E-06	17	53	0.004956	5.77E-06	17	53	0.004783	5.77E-06	17	53	0.004783	5.77E-06
	x2	10	25	0.002552	4.21E-06	10	25	0.003391	4.19E-06	9	23	0.002793	5.10E-06	9	23	0.002111	5.10E-06	9	23	0.002111	5.10E-06
	x3	10	28	0.002265	6.57E-06	13	32	0.003023	5.93E-06	13	32	0.002987	5.92E-06	13	32	0.003052	5.92E-06	13	32	0.003052	5.92E-06
	x4	10	25	0.002273	4.24E-06	52	156	0.009241	9.45E-06	52	156	0.009159	9.44E-06	52	156	0.009093	9.44E-06	52	156	0.009093	9.44E-06
	x5	11	32	0.002699	1.23E-06	11	32	0.002779	8.05E-07	11	32	0.002725	6.29E-06	10	29	0.00231	7.30E-06	10	29	0.00231	7.30E-06
5,000	x1	18	55	0.009742	8.25E-06	18	55	0.012317	8.24E-06	17	53	0.010352	6.23E-06	18	55	0.009344	8.23E-06	18	55	0.009344	8.23E-06
	x2	11	28	0.007141	2.21E-06	13	34	0.008991	2.08E-06	11	30	0.007541	1.51E-06	11	30	0.006858	1.51E-06	11	30	0.006858	1.51E-06
	x3	11	28	0.014326	6.80E-06	10	25	0.006262	4.18E-06	12	31	0.007108	7.52E-07	12	31	0.00668	7.53E-07	12	31	0.00668	7.53E-07
	x4	10	25	0.008311	4.80E-06	18	52	0.01077	8.74E-06	18	52	0.010863	8.76E-06	18	52	0.01192	8.76E-06	18	52	0.01192	8.76E-06
	x5	11	31	0.009064	9.20E-06	11	32	0.00966	1.84E-06	11	31	0.013515	9.04E-06	11	31	0.010728	9.07E-06	11	31	0.010728	9.07E-06
10,000	x1	17	53	0.017462	8.89E-06	17	53	0.018542	8.85E-06	17	53	0.024311	8.84E-06	18	56	0.021354	6.68E-06	18	56	0.021354	6.68E-06
	x2	11	28	0.01111	1.05E-06	52	156	0.078266	9.17E-06	12	31	0.015494	8.91E-07	12	31	0.013137	8.92E-07	12	31	0.013137	8.92E-07
	x3	12	31	0.012214	7.15E-07	12	31	0.01482	7.10E-07	12	31	0.014112	7.07E-07	12	31	0.025034	7.07E-07	12	31	0.025034	7.07E-07
	x4	12	30	0.012968	7.24E-06	12	31	0.015569	6.20E-07	11	29	0.011172	1.54E-06	11	29	0.023404	1.54E-06	11	29	0.023404	1.54E-06
	x5	12	35	0.014258	6.86E-07	12	35	0.014161	6.76E-07	12	35	0.013334	6.81E-07	10	29	0.013794	3.48E-06	10	29	0.013794	3.48E-06
50,000	x1	18	56	0.099735	7.63E-06	19	58	0.073509	9.92E-06	19	58	0.07829	9.90E-06	19	58	0.087395	9.90E-06	19	58	0.087395	9.90E-06
	x2	11	30	0.052479	3.05E-06	11	28	0.049269	1.57E-06	57	172	0.26502	8.96E-06	56	169	0.22744	9.17E-06	56	169	0.22744	9.17E-06
	x3	11	30	0.044743	3.30E-06	12	31	0.056093	4.10E-06	33	98	0.17698	7.96E-06	33	99	0.14487	8.16E-06	33	99	0.14487	8.16E-06
	x4	11	29	0.046951	4.59E-06	12	31	0.064249	7.66E-07	54	163	0.21971	9.21E-06	32	95	0.18794	9.16E-06	32	95	0.18794	9.16E-06
	x5	10	29	0.03832	9.03E-06	10	29	0.045302	8.91E-06	10	29	0.041891	8.89E-06	13	38	0.069601	2.69E-06	13	38	0.069601	2.69E-06
100,000	x1	19	58	0.14055	7.43E-06	19	59	0.15031	8.47E-06	19	59	0.15951	8.45E-06	19	59	0.16116	8.45E-06	19	59	0.16116	8.45E-06
	x2	14	36	0.09395	1.22E-06	15	39	0.12069	6.90E-07	11	29	0.077603	4.73E-06	11	29	0.076097	4.73E-06	11	29	0.076097	4.73E-06
	x3	13	33	0.10636	8.54E-06	14	36	0.11239	8.76E-07	11	29	0.076247	4.71E-06	11	29	0.080147	4.71E-06	11	29	0.080147	4.71E-06
	x4	58	174	0.43965	9.15E-06	15	39	0.11352	4.54E-06	56	169	0.43816	9.42E-06	59	178	0.42442	8.87E-06	59	178	0.42442	8.87E-06
	x5	11	33	0.076395	3.75E-06	11	33	0.089839	3.68E-06	11	33	0.092044	3.63E-06	10	30	0.073836	7.47E-06	10	30	0.073836	7.47E-06