

Table 1: Numerical results on Problem 1

#Dim	Ip	RSANME				Modified Algorithm 2.1				Algorithm 2.1			
		#ltr	#Fev	#Tm	#Nrm	#ltr	#Fev	#Tm	#Nrm	#ltr	#Fev	#Tm	#Nrm
1,000	x1	5	5	0.006429	1.96E-08	8	11	0.025885	5.68E-06	4	6	0.071798	9.94E-06
	x2	5	5	0.003794	1.78E-08	22	25	0.008748	6.00E-06	22	24	0.018200	9.42E-06
	x3	5	5	0.001738	2.14E-08	8	11	0.002812	3.25E-06	5	7	0.004118	3.28E-06
	x4	5	5	0.001795	1.84E-08	21	24	0.005665	5.38E-06	22	24	0.010569	9.45E-06
	x5	5	5	0.003485	1.78E-08	22	25	0.007289	6.00E-06	22	24	0.013731	9.42E-06
	x6	5	5	0.001284	3.22E-06	8	11	0.003009	2.28E-06	6	8	0.004955	4.93E-06
5,000	x1	5	5	0.003217	4.38E-08	9	12	0.009189	1.91E-06	5	7	0.007753	1.42E-06
	x2	5	5	0.002521	4.04E-08	15	18	0.012380	9.59E-06	24	26	0.029432	7.07E-06
	x3	5	5	0.002726	4.79E-08	8	11	0.006961	7.26E-06	5	7	0.006711	7.33E-06
	x4	5	5	0.002008	4.06E-08	21	24	0.015493	7.73E-06	24	26	0.031699	7.07E-06
	x5	5	5	0.002139	4.04E-08	15	18	0.010850	9.59E-06	24	26	0.050108	7.07E-06
	x6	5	5	0.002111	7.20E-06	8	11	0.005642	5.10E-06	7	9	0.012294	7.04E-07
10,000	x1	5	5	0.003473	6.20E-08	9	12	0.013512	2.70E-06	5	7	0.013986	2.01E-06
	x2	5	5	0.005206	5.72E-08	23	26	0.034386	8.71E-06	24	26	0.067584	9.99E-06
	x3	5	5	0.005114	6.77E-08	9	12	0.010481	1.54E-06	6	8	0.013942	6.62E-07
	x4	5	5	0.003023	5.73E-08	23	26	0.023557	5.77E-06	24	26	0.066709	1.00E-05
	x5	5	5	0.003518	5.72E-08	23	26	0.024366	8.71E-06	24	26	0.066109	9.99E-06
	x6	6	6	0.003850	5.64E-09	8	11	0.013022	7.22E-06	7	9	0.020202	9.96E-07
50,000	x1	5	5	0.013721	1.39E-07	9	12	0.046797	6.04E-06	5	7	0.045182	4.49E-06
	x2	5	5	0.014054	1.28E-07	22	25	0.116110	3.12E-06	26	28	0.250213	7.50E-06
	x3	5	5	0.016275	1.51E-07	9	12	0.054609	3.45E-06	6	8	0.069323	1.48E-06
	x4	5	5	0.011455	1.28E-07	24	27	0.125440	7.37E-06	26	28	0.229843	7.50E-06
	x5	5	5	0.012253	1.28E-07	22	25	0.110930	3.12E-06	26	28	0.281948	7.50E-06
	x6	6	6	0.021340	1.26E-08	9	12	0.052157	2.43E-06	7	9	0.064313	2.23E-06
100,000	x1	5	5	0.021997	1.96E-07	9	12	0.110580	8.54E-06	5	7	0.089092	6.35E-06
	x2	5	5	0.024652	1.81E-07	22	25	0.220800	4.57E-06	28	30	0.465958	3.55E-06
	x3	5	5	0.023670	2.14E-07	9	12	0.085432	4.88E-06	6	8	0.123736	2.09E-06
	x4	5	5	0.021480	1.81E-07	24	27	0.246830	3.90E-06	28	30	0.510932	3.55E-06
	x5	5	5	0.022772	1.81E-07	22	25	0.196890	4.57E-06	28	30	0.449445	3.55E-06
	x6	6	6	0.029638	1.78E-08	9	12	0.097114	3.43E-06	7	9	0.130653	3.15E-06
150,000	x1	5	5	0.066350	2.40E-07	10	13	0.310270	1.57E-06	5	7	0.233469	7.78E-06
	x2	5	5	0.084752	2.22E-07	22	25	0.640000	3.95E-06	28	30	1.296089	4.35E-06
	x3	5	5	0.059995	2.62E-07	9	12	0.262170	5.98E-06	6	8	0.321149	2.57E-06
	x4	5	5	0.058563	2.22E-07	25	28	0.666280	5.15E-06	28	30	1.316261	4.35E-06
	x5	5	5	0.069303	2.22E-07	22	25	0.553570	3.95E-06	28	30	1.267294	4.35E-06
	x6	6	6	0.082646	2.18E-08	9	12	0.264150	4.20E-06	7	9	0.291301	3.86E-06

Table 2: Numerical results on Problem 2

#Dim	Ip	RSANME				Modified Algorithm 2.1				Algorithm 2.1			
		#Iter	#Fev	#Tm	#Nrm	#Iter	#Fev	#Tm	#Nrm	#Iter	#Fev	#Tm	#Nrm
1000	x1	2	2	0.001078	2.54E-06	5	6	0.005505	6.17E-06	22	24	0.018615	7.22E-06
	x2	2	2	0.001081	2.65E-06	5	6	0.001923	7.19E-06	22	24	0.011589	8.42E-06
	x3	2	2	0.000908	2.75E-06	5	6	0.002003	8.42E-06	22	24	0.011341	9.86E-06
	x4	2	2	0.000953	2.64E-06	5	6	0.001947	7.19E-06	22	24	0.014352	8.42E-06
	x5	2	2	0.001012	2.65E-06	5	6	0.002232	7.19E-06	22	24	0.011974	8.42E-06
	x6	2	2	0.000834	2.35E-06	6	7	0.00271	4.78E-07	23	25	0.011992	7E-06
5000	x1	2	2	0.001744	2.33E-07	6	7	0.005873	5.55E-07	23	25	0.053828	8.08E-06
	x2	2	2	0.001712	2.44E-07	6	7	0.005822	6.48E-07	23	25	0.053216	9.43E-06
	x3	2	2	0.001591	2.55E-07	6	7	0.005854	7.58E-07	24	26	0.040234	5.52E-06
	x4	2	2	0.001852	2.44E-07	6	7	0.005817	6.48E-07	23	25	0.048494	9.43E-06
	x5	2	2	0.001635	2.44E-07	6	7	0.007034	6.48E-07	23	25	0.046598	9.43E-06
	x6	2	2	0.001729	2.20E-07	6	7	0.006283	1.08E-06	24	26	0.046595	7.84E-06
10000	x1	2	2	0.002517	8.24E-08	6	7	0.012652	7.86E-07	24	26	0.084755	5.72E-06
	x2	2	2	0.002991	8.63E-08	6	7	0.013618	9.16E-07	24	26	0.092689	6.67E-06
	x3	2	2	0.003959	9.01E-08	6	7	0.014894	1.07E-06	24	26	0.083665	7.8E-06
	x4	2	2	0.002445	8.62E-08	6	7	0.020464	9.16E-07	24	26	0.078666	6.67E-06
	x5	2	2	0.002715	8.63E-08	6	7	0.010567	9.16E-07	24	26	0.092262	6.67E-06
	x6	2	2	0.002566	7.80E-08	6	7	0.010355	1.52E-06	25	27	0.085871	5.54E-06
50000	x1	1	1	0.005557	7.38E-06	6	7	0.056259	1.76E-06	25	27	0.380749	6.39E-06
	x2	1	1	0.009778	7.73E-06	6	7	0.054782	2.05E-06	25	27	0.395356	7.45E-06
	x3	1	1	0.006159	8.07E-06	6	7	0.052339	2.40E-06	25	27	0.410934	8.72E-06
	x4	1	1	0.006888	7.73E-06	6	7	0.05672	2.05E-06	25	27	0.385425	7.45E-06
	x5	1	1	0.006092	7.73E-06	6	7	0.048152	2.05E-06	25	27	0.43706	7.45E-06
	x6	1	1	0.007049	6.99E-06	6	7	0.063793	3.41E-06	26	28	0.449153	6.19E-06
100000	x1	1	1	0.014971	2.61E-06	6	7	0.12299	2.48E-06	25	27	0.8109	9.04E-06
	x2	1	1	0.016516	2.73E-06	6	7	0.11582	2.90E-06	26	28	0.826689	5.27E-06
	x3	1	1	0.016763	2.85E-06	6	7	0.14945	3.39E-06	26	28	0.890607	6.17E-06
	x4	1	1	0.014998	2.73E-06	6	7	0.11789	2.90E-06	26	28	0.909609	5.27E-06
	x5	1	1	0.011612	2.73E-06	6	7	0.13112	2.90E-06	26	28	0.870125	5.27E-06
	x6	1	1	0.011288	2.47E-06	6	7	0.105	4.82E-06	26	28	0.828113	8.76E-06
150000	x1	1	1	0.033915	1.42E-06	6	7	0.27468	3.04E-06	26	28	1.989721	5.54E-06
	x2	1	1	0.027416	1.49E-06	6	7	0.28717	3.55E-06	26	28	1.991462	6.46E-06
	x3	1	1	0.037641	1.55E-06	6	7	0.29412	4.15E-06	26	28	1.926242	7.56E-06
	x4	1	1	0.026901	1.49E-06	6	7	0.28796	3.55E-06	26	28	1.957985	6.46E-06
	x5	1	1	0.032899	1.49E-06	6	7	0.27486	3.55E-06	26	28	2.000581	6.46E-06
	x6	1	1	0.041143	1.35E-06	6	7	0.28526	5.90E-06	27	29	2.123471	5.36E-06

Table 3: Numerical results on Problem 3

#Dim	Ip	RSANME				Modified Algorithm 2.1				Algorithm 2.1			
		#ltr	#Fev	#Tm	#Nrm	#ltr	#Fev	#Tm	#Nrm	#ltr	#Fev	#Tm	#Nrm
1000	x1	5	5	0.001768	9.15E-06	23	28	0.009371	7.46E-06	21	23	0.04123	5.26E-06
	x2	6	6	0.00121	1.55E-08	26	31	0.005315	7.09E-06	20	22	0.008135	7.67E-06
	x3	4	4	0.001031	4.19E-06	4	5	0.001781	7.77E-06	18	20	0.007731	6.02E-06
	x4	6	6	0.001078	1.57E-08	28	33	0.006484	4.43E-06	20	22	0.008534	7.68E-06
	x5	6	6	0.001348	1.55E-08	26	31	0.005556	7.09E-06	20	22	0.009005	7.67E-06
	x6	6	6	0.001317	1.32E-06	27	32	0.008495	8.46E-06	11	13	0.005318	6.65E-06
5000	x1	6	6	0.00226	2.04E-08	25	30	0.02051	6.15E-06	22	24	0.036685	5.88E-06
	x2	6	6	0.003201	3.48E-08	30	35	0.020474	6.59E-06	21	23	0.035726	8.58E-06
	x3	4	4	0.001747	9.37E-06	5	6	0.003692	6.95E-07	19	21	0.03804	6.73E-06
	x4	6	6	0.002935	3.49E-08	30	35	0.026495	7.63E-06	21	23	0.032388	8.58E-06
	x5	6	6	0.002105	3.48E-08	30	35	0.022769	6.59E-06	21	23	0.03479	8.58E-06
	x6	6	6	0.002358	2.96E-06	29	34	0.023761	6.96E-06	12	14	0.021211	3.72E-06
10000	x1	6	6	0.003756	2.89E-08	25	30	0.034352	8.69E-06	22	24	0.063301	8.31E-06
	x2	6	6	0.003888	4.93E-08	27	32	0.041511	7.40E-06	22	24	0.06517	6.06E-06
	x3	5	5	0.00359	1.32E-08	5	6	0.007262	9.83E-07	19	21	0.053247	9.52E-06
	x4	6	6	0.004587	4.93E-08	30	35	0.046094	9.88E-06	22	24	0.061828	6.06E-06
	x5	6	6	0.004695	4.93E-08	27	32	0.026534	7.40E-06	22	24	0.062349	6.06E-06
	x6	6	6	0.006164	4.18E-06	29	34	0.033376	9.85E-06	12	14	0.042236	5.26E-06
50000	x1	6	6	0.015795	6.46E-08	27	32	0.14183	7.16E-06	23	25	0.23559	9.29E-06
	x2	6	6	0.021661	1.10E-07	31	36	0.17189	3.60E-06	23	25	0.258148	6.78E-06
	x3	5	5	0.01712	2.96E-08	5	6	0.025055	2.20E-06	21	23	0.276148	5.32E-06
	x4	6	6	0.017558	1.10E-07	32	37	0.17418	7.75E-06	23	25	0.27275	6.78E-06
	x5	6	6	0.020286	1.10E-07	31	36	0.16945	3.60E-06	23	25	0.240322	6.78E-06
	x6	6	6	0.015426	9.35E-06	31	36	0.15605	8.11E-06	13	15	0.178936	2.94E-06
100000	x1	6	6	0.034882	9.14E-08	28	33	0.29568	6.14E-06	24	26	0.447692	6.57E-06
	x2	6	6	0.025491	1.56E-07	33	38	0.31367	6.37E-06	23	25	0.504676	9.59E-06
	x3	5	5	0.028568	4.19E-08	5	6	0.058996	3.11E-06	21	23	0.464707	7.52E-06
	x4	6	6	0.025707	1.56E-07	33	38	0.31319	6.48E-06	23	25	0.461146	9.59E-06
	x5	6	6	0.041053	1.56E-07	33	38	0.30276	6.37E-06	23	25	0.459528	9.59E-06
	x6	7	7	0.034956	1.32E-08	32	37	0.31678	6.96E-06	13	15	0.283638	4.16E-06
150000	x1	6	6	0.09547	1.12E-07	28	33	0.79616	7.52E-06	24	26	1.154897	8.05E-06
	x2	6	6	0.10192	1.91E-07	35	40	0.98141	9.22E-06	24	26	1.164157	5.87E-06
	x3	5	5	0.064196	5.13E-08	5	6	0.14468	3.81E-06	21	23	0.974918	9.21E-06
	x4	6	6	0.085319	1.91E-07	33	38	0.93506	6.33E-06	24	26	1.241954	5.87E-06
	x5	6	6	0.073357	1.91E-07	35	40	0.99425	9.22E-06	24	26	1.183438	5.87E-06
	x6	7	7	0.11795	1.62E-08	32	37	0.877	8.52E-06	13	15	0.727314	5.09E-06

Table 4: Numerical results on Problem 4

#Dim	Ip	RSANME			Modified Algorithm 2.1			Algorithm 2.1					
		#Iter	#Fev	#Tm	#Nrm	#Iter	#Fev	#Tm	#Nrm	#Iter	#Fev	#Tm	#Nrm
1000	x1	6	6	0.002	1.84E-06	6	7	0.00884	1.04E-06	14	16	0.01175	8.05E-06
	x2	6	6	0.001178	7.17E-08	14	15	0.002794	5.01E-06	30	32	0.009347	9.05E-06
	x3	4	4	0.001068	1.38E-08	5	6	0.001415	9.38E-07	7	9	0.003544	6.17E-06
	x4	6	6	0.001215	7.03E-08	12	13	0.002729	3.17E-06	25	27	0.009159	8.08E-06
	x5	6	6	0.001225	7.17E-08	14	15	0.003585	5.01E-06	30	32	0.009474	9.05E-06
	x6	6	6	0.001154	7.08E-06	10	12	0.002545	9.61E-06	1	2	0.002017	0
5000	x1	6	6	0.002092	4.12E-06	6	7	0.00479	2.32E-06	15	17	0.018242	9E-06
	x2	6	6	0.002767	1.59E-07	15	16	0.010572	5.36E-06	26	28	0.026481	9.52E-06
	x3	4	4	0.001931	3.08E-08	5	6	0.003839	2.10E-06	8	10	0.009927	6.89E-06
	x4	6	6	0.002414	1.58E-07	12	13	0.012769	6.23E-06	29	31	0.03557	6.14E-06
	x5	6	6	0.002551	1.59E-07	15	16	0.011925	5.36E-06	26	28	0.035651	9.52E-06
	x6	7	7	0.002643	1.47E-08	11	13	0.007256	4.99E-06	1	2	0.00201	0
10000	x1	6	6	0.003783	5.82E-06	6	7	0.00687	3.28E-06	16	18	0.037337	6.36E-06
	x2	6	6	0.003862	2.25E-07	16	17	0.018283	2.73E-06	30	32	0.07259	7.03E-06
	x3	4	4	0.003247	4.36E-08	5	6	0.006942	2.97E-06	8	10	0.022445	9.75E-06
	x4	6	6	0.004	2.24E-07	12	13	0.016898	8.73E-06	32	34	0.070184	9.95E-06
	x5	6	6	0.004021	2.25E-07	16	17	0.02304	2.73E-06	30	32	0.056174	7.03E-06
	x6	7	7	0.005911	2.08E-08	11	13	0.018982	7.05E-06	1	2	0.004548	0
50000	x1	7	7	0.020217	1.34E-08	6	7	0.02906	7.32E-06	17	19	0.162075	7.11E-06
	x2	6	6	0.014596	5.02E-07	13	14	0.062525	7.77E-07	31	33	0.287584	7.02E-06
	x3	4	4	0.011898	9.75E-08	5	6	0.023856	6.63E-06	10	12	0.107067	5.45E-06
	x4	6	6	0.018803	5.02E-07	13	14	0.064294	7.78E-07	30	32	0.280191	8.71E-06
	x5	6	6	0.022448	5.02E-07	13	14	0.071189	7.77E-07	31	33	0.276358	7.02E-06
	x6	7	7	0.023876	4.64E-08	12	14	0.070133	3.66E-06	1	2	0.013908	0
100000	x1	7	7	0.033834	1.90E-08	7	8	0.065135	4.14E-07	18	20	0.278089	5.03E-06
	x2	6	6	0.029573	7.10E-07	13	14	0.136	1.10E-06	31	33	0.54206	9.25E-06
	x3	4	4	0.01732	1.38E-07	5	6	0.064394	9.38E-06	10	12	0.187613	7.71E-06
	x4	6	6	0.028385	7.10E-07	13	14	0.14664	1.10E-06	31	33	0.424856	7.4E-06
	x5	6	6	0.030352	7.10E-07	13	14	0.15016	1.10E-06	31	33	0.522408	9.25E-06
	x6	7	7	0.037224	6.56E-08	12	14	0.14496	5.17E-06	1	2	0.019359	0
150000	x1	7	7	0.086452	2.33E-08	7	8	0.18816	5.07E-07	18	20	0.758552	6.16E-06
	x2	6	6	0.081699	8.70E-07	13	14	0.34543	1.35E-06	32	34	1.41008	5.47E-06
	x3	4	4	0.058249	1.69E-07	6	7	0.20517	4.59E-07	10	12	0.483345	9.44E-06
	x4	6	6	0.084543	8.69E-07	13	14	0.34049	1.35E-06	31	33	1.32723	9.51E-06
	x5	6	6	0.10468	8.70E-07	13	14	0.32878	1.35E-06	32	34	1.353453	5.47E-06
	x6	7	7	0.10757	8.04E-08	12	14	0.35459	6.34E-06	1	2	0.047146	0

Table 5: Numerical results on Problem 5

#Dim	Ip	RSANME				Modified Algorithm 2.1				Algorithm 2.1			
		#Iter	#Fev	#Tm	#Nrm	#Iter	#Fev	#Tm	#Nrm	#Iter	#Fev	#Tm	#Nrm
1000	x1	6	6	0.001634	7.06E-07	11	13	0.004414	2.69E-06	19	21	0.011827	9.34E-06
	x2	6	6	0.001176	2.91E-06	152	164	0.031217	9.52E-06	20	22	0.009004	5.68E-06
	x3	4	4	0.001077	1.13E-08	4	5	0.001269	1.97E-06	18	20	0.006998	5.45E-06
	x4	6	6	0.001134	3.00E-06	149	161	0.021341	9.59E-06	20	22	0.007228	5.7E-06
	x5	6	6	0.001236	2.91E-06	152	164	0.021626	9.52E-06	20	22	0.011424	5.68E-06
	x6	6	6	0.001061	4.41E-06	6	7	0.001506	1.04E-06	1	2	0.000974	0
5000	x1	6	6	0.001887	1.58E-06	11	13	0.006003	6.00E-06	21	23	0.021544	5.22E-06
	x2	6	6	0.001904	6.59E-06	365	381	0.19248	9.92E-06	21	23	0.030596	6.36E-06
	x3	4	4	0.001778	2.52E-08	4	5	0.002729	4.42E-06	19	21	0.024181	6.1E-06
	x4	6	6	0.0023	6.63E-06	379	395	0.17143	9.88E-06	21	23	0.026627	6.36E-06
	x5	6	6	0.001821	6.59E-06	365	381	0.18626	9.92E-06	21	23	0.023624	6.36E-06
	x6	6	6	0.002023	9.87E-06	6	7	0.003362	2.32E-06	1	2	0.001571	0
10000	x1	6	6	0.003652	2.23E-06	11	13	0.010515	8.49E-06	21	23	0.046072	7.38E-06
	x2	6	6	0.003604	9.34E-06	461	478	0.40701	9.84E-06	21	23	0.042556	9E-06
	x3	4	4	0.002455	3.57E-08	4	5	0.00447	6.24E-06	19	21	0.039692	8.62E-06
	x4	6	6	0.004194	9.37E-06	463	480	0.43114	9.83E-06	21	23	0.040831	9E-06
	x5	6	6	0.00337	9.34E-06	461	478	0.40316	9.84E-06	21	23	0.04465	9E-06
	x6	7	7	0.00402	1.46E-08	6	7	0.006152	3.28E-06	1	2	0.002483	0
50000	x1	6	6	0.014877	4.99E-06	12	14	0.054191	4.41E-06	22	24	0.140068	8.26E-06
	x2	7	7	0.013973	1.97E-08	1000	1021	4.0134	2.13E-05	23	25	0.163199	5.03E-06
	x3	4	4	0.007977	7.98E-08	5	6	0.021426	5.59E-07	20	22	0.152767	9.64E-06
	x4	7	7	0.01768	1.97E-08	1000	1021	3.8819	7.78E-05	23	25	0.151585	5.03E-06
	x5	7	7	0.015983	1.97E-08	1000	1021	4.0218	2.13E-05	23	25	0.16907	5.03E-06
	x6	7	7	0.019102	3.27E-08	6	7	0.033499	7.33E-06	1	2	0.007644	0
100000	x1	6	6	0.029945	7.06E-06	12	14	0.095048	6.23E-06	23	25	0.350365	5.84E-06
	x2	7	7	0.026918	2.79E-08	1000	1024	8.0063	0.006409	23	25	0.28189	7.11E-06
	x3	4	4	0.024098	1.13E-07	5	6	0.043342	7.90E-07	21	23	0.287457	6.82E-06
	x4	7	7	0.031206	2.79E-08	1000	1024	7.7204	0.00623	23	25	0.309479	7.11E-06
	x5	7	7	0.024071	2.79E-08	1000	1024	8.2079	0.006409	23	25	0.307818	7.11E-06
	x6	7	7	0.027735	4.63E-08	7	8	0.074654	4.15E-07	1	2	0.016138	0
150000	x1	6	6	0.063359	8.64E-06	12	14	0.37766	7.63E-06	23	25	0.845371	7.15E-06
	x2	7	7	0.094216	3.41E-08	1000	1023	25.5029	0.004909	23	25	0.781842	8.71E-06
	x3	4	4	0.041982	1.38E-07	5	6	0.15667	9.67E-07	21	23	0.75003	8.35E-06
	x4	7	7	0.071532	3.41E-08	1000	1023	26.0501	0.00121	23	25	0.975578	8.71E-06
	x5	7	7	0.089473	3.41E-08	1000	1023	25.6194	0.004909	23	25	0.865363	8.71E-06
	x6	7	7	0.088032	5.67E-08	7	8	0.20866	5.08E-07	1	2	0.046534	0

Table 6: Numerical results on Problem 6

#Dim	Ip	RSANME				Modified Algorithm 2.1				Algorithm 2.1			
		#itr	#Fev	#Tm	#Nrm	#itr	#Fev	#Tm	#Nrm	#itr	#Fev	#Tm	#Nrm
1000	x1	52	52	0.15544	3.35E-06	532	566	0.079756	8.09E-06	1001	1002	0.275007	17.93864
	x2	69	69	0.017212	6.05E-06	1000	1053	0.1223	0.000851	1001	1002	0.220463	10.35987
	x3	90	90	0.041185	3.64E-06	238	264	0.028865	8.42E-06	1001	1002	0.210841	15.38869
	x4	89	89	0.21056	9.38E-06	402	433	0.045652	9.55E-06	1001	1002	0.229569	2.35016
	x5	85	85	0.092819	8.73E-06	273	298	0.035525	7.92E-06	1001	1002	0.219624	14.52975
	x6	39	39	0.08573	5.66E-06	1000	1049	0.10823	0.000604	1001	1002	0.210968	6.4094
5000	x1	57	57	0.29324	4.59E-06	283	308	0.033729	7.50E-06	1001	1002	0.216621	9.505317
	x2	110	110	0.24631	6.30E-06	157	180	0.025471	8.15E-06	1001	1002	0.208448	8.491961
	x3	103	103	0.12508	8.22E-06	1000	1056	0.10518	8.32E-05	1001	1002	0.211722	4.841112
	x4	147	147	0.099926	9.90E-06	164	183	0.021408	8.28E-06	1001	1002	0.218583	5.376926
	x5	31	31	0.079103	6.71E-06	192	213	0.023058	5.55E-06	1001	1002	0.209921	2.693627
	x6	62	62	0.084373	7.34E-06	311	337	0.036708	3.88E-06	1001	1002	0.210608	37.11598
10000	x1	62	62	0.058276	8.64E-06	131	151	0.018399	8.93E-06	1001	1002	0.228571	9.867123
	x2	44	44	0.12758	7.80E-06	158	176	0.024194	9.03E-06	1001	1002	0.221734	7.076896
	x3	56	56	0.25113	8.38E-06	329	357	0.041348	5.88E-06	1001	1002	0.210277	10.51925
	x4	40	40	0.091682	5.33E-06	1000	1054	0.13162	0.001574	1001	1002	0.221844	8.582451
	x5	89	89	0.029912	7.14E-06	302	331	0.044989	7.83E-06	1001	1002	0.211387	0.347539
	x6	42	42	0.26066	9.53E-06	514	545	0.067812	5.73E-06	1001	1002	0.210932	2.72089
50000	x1	39	39	0.079148	4.46E-06	1000	1042	0.13429	0.000468	1001	1002	0.216768	9.17304
	x2	34	34	0.028713	8.99E-06	150	169	0.027459	8.42E-06	1001	1002	0.21647	1.158423
	x3	57	57	0.064903	8.72E-06	137	158	0.021961	8.01E-06	1001	1002	0.210087	4.579008
	x4	73	73	0.27604	6.79E-06	142	163	0.023548	8.40E-06	1001	1002	0.223999	3.409134
	x5	70	70	0.096431	9.96E-06	872	920	0.11334	9.72E-06	1001	1002	0.219716	13.99419
	x6	58	58	0.094189	4.88E-06	1000	1058	0.11312	0.019949	1001	1002	0.213779	10.38346
100000	x1	38	38	0.077489	8.69E-06	574	618	0.066772	6.68E-06	1001	1002	0.213025	3.162626
	x2	75	75	0.3076	7.84E-06	184	208	0.0228	6.41E-06	1001	1002	0.21472	13.15509
	x3	37	37	0.23237	7.00E-06	203	229	0.030048	8.04E-06	1001	1002	0.233739	12.15561
	x4	48	48	0.18316	8.16E-06	378	405	0.044971	8.51E-06	1001	1002	0.216003	12.96184
	x5	67	67	0.23464	8.60E-06	1000	1051	0.10768	0.000166	1001	1002	0.210363	3.824193
	x6	39	39	0.077085	6.62E-06	1000	1053	0.15288	0.000381	1001	1002	0.214237	14.23447
150000	x1	101	101	0.081847	7.62E-06	232	257	0.030672	7.73E-06	1001	1002	0.213102	5.543605
	x2	54	54	0.07682	9.84E-06	288	315	0.044615	8.63E-06	1001	1002	0.21477	0.235432
	x3	170	170	0.049207	5.37E-06	157	180	0.020711	5.08E-06	1001	1002	0.22144	6.580051
	x4	73	73	0.033152	1.88E-06	167	189	0.020756	7.92E-06	1001	1002	0.213314	10.54815
	x5	61	61	0.14476	6.71E-06	1000	1041	0.11631	0.000348	1001	1002	0.210908	3.07877
	x6	84	84	0.16459	6.21E-06	292	320	0.038644	8.26E-06	1001	1002	0.215498	25.88229